

## **MMPI-2 and MMPI-A REFERENCES**

**Updated 03/30/2018**

- Aaronson, A., Dent, O., Webb, J. T. & Kline, C. (1995). Graying of the critical items: Effects of aging on responding to MMPI-2 Critical Items. *Journal of Personality Assessment, 66*, 169-176.
- Acoste, M. (2014). Convergence of Rorschach variables and MMPI-A PSY-5 scales: With and without response character styles. *Dissertation Abstracts International: Section B: The Sciences and Engineering, Vol 74(12-B(E))*, 2014, No Pagination Specified.
- Adams, S. V. (2000). MMPI frequency scale using a Hispanic population: An ethnic validity study. *Dissertation Abstracts International: Section B: the Sciences & Engineering. Vol 61(5-B)*, 2742, US: Univ Microfilms International.
- Adams, C.J. (2008). Personality predictors of missionary effectiveness. *Dissertation Abstracts International: Section B: The Sciences and Engineering, 68*, 7652.
- Adler, T. (1989). Revision brings test “to the 21<sup>st</sup> century”. *The APA Monitor, 20*(11), 1.
- Adler, T. (1990). Does the “new” MMPI beat the classic? *The APA Monitor, 21*(4), 18-19.
- Agnese, T.K. (2001). Evaluating the Supplementary scales of the MMPI-2 with small town police officers. *Australian Journal of Psychology, 53*, 2-2.
- Agrawal, S. P. (2005). Current trends for Rorschach use in forensic settings. *Dissertation Abstracts International: Section B: The Sciences and Engineering, 66*(5-B), 2808.
- Aguerrevere, L. E., Calamia, M. R., Greve, K. W., Bianchini, K. J., Curtis, K. L., & Ramirez, V. (2017). Clusters of Financially Incentivized Chronic Pain Patients Using the Minnesota Multiphasic Personality Inventory-2 Restructured Form (MMPI-2-RF). *Psychological Assessment*.
- Aguerrevere, L.E., Greve, K.W., Bianchini, K.J., & Meyers, J.E. (2008). Detecting malingering in traumatic brain injury and chronic pain with an abbreviated version of the Meyers Index for the MMPI-2. *Archives of Clinical Neuropsychology, 23*, 831-838.
- Aharoni, D. M. (1999). The effectiveness of the MMPI-A in the assessment of adolescent substance abuse (Minnesota Multiphasic Personality Inventory). *Dissertation s*

*International: Section B: the Sciences & Engineering*, 60(6-B), 2932. US: Univ Microfilms International.

Aikens, J. E., & Mendelson, W. B. A matched comparison of MMPI responses in patients with primary snoring or obstructive sleep apnea. *Sleep*. Vol 22(3), 355-359.

Aikens, J. E., Venable, P. A., Tadimeti, L., Caruana-Montaldo, B., & Mendelson, W. B. (1999). Differential rates of psychopathology symptoms in periodic limb movement disorder, obstructive sleep apnea, psychophysiological insomnia, and insomnia with psychiatric disorder. *Sleep*. Vol 22(6) , 775-780.

Alavi, K., Nodushan, A.H.J., & Eftekhar, M. (2014). Masculine and feminine gender roles in healthy Iranian population according to two different constructs: Bem Sex Role Inventory vs. GM and GF scales of MMPI-2. *Iranian Journal of Psychiatry and Clinical Psychology*, 20(2), 121-133.

Alessi, M. W., Ray, J. W., Ray, G. E., & Stewart, S. J. (2001). Personality and psychopathology profiles of veteran's wives: Measuring distress using the MMPI-2. *Journal of Clinical Psychology*. Vol 57(12) , 1535-1542.

Alexy, W. D.& Webb, P. M. (1999). Utility of the MMPI-2 in Work-Hardening rehabilitation. *Rehabilitation Psychology*, 44(3), 266-273.

Alfimova, M., Korovaitseva, G., Lezheiko, T., & Golimbet, V. (2014). Interaction effects of the COMT and DRD4 genes with anxiety-related traits on selective attention. *The Spanish Journal of Psychology*, 17, Jul 8 , 2014, Article E44.

Alhassoon, O. M. (2003). Analysis of MMPI scale-4 response patterns in recently detoxified alcoholics: Neuropsychological and clinical correlates. *Dissertation Abstracts International: Section B: The Sciences & Engineering*, 64(5-B), 2376. US: Univ Microfilms International.

Alhassoon, O.M., Schweinsburg, B.C., Schweinsburg, A.D., Taylor, M.J., Tapert, S.F., & Grant, I. (2004). MMPI scale-4 elevation and relationship to fMRI response to a spatial working memory in recently detoxified alcoholics. *Alcoholism-Clinical and Experimental Research*, 28, 21A-21A.

Alhassoon, O.M., Schweinsburg, B.C., Taylor, M.J., Patterson, T.L., Brown, G.G., Gongvatana, A., & Grant, I. (2004). Frontal lobe neurochemical & neuropsychological differences

between alcoholic subtypes identified through MMPI Scale-4: A magnetic resonance spectroscopy study. *Alcohol-Clinical and Experimental Research*, 28, 22A-22A.

Allard, G., & Faust, D. (2000). Errors in scoring objective personality tests. *Assessment*. Vol 7(2), 119-129.

Allen, J. G. & Coyne, L. (1995). Dissociation and vulnerability to psychotic experience: The Dissociative Experiences Scale and the MMPI-2. *Journal of Nervous & Mental Disease*, 183(10), 615-622.

Almagor, M. & Nevo, B. (1996). The MMPI-2: Translation and first steps in its adaptation into Hebrew. Chapter in J. N. Butcher (Ed), *International adaptations of the MMPI-2: Research and clinical applications*. Minneapolis, MN: University of Minnesota Press. (pp 487-505).

Almagor, M. & Koren, D. (2001). The adequacy of the MMPI-2 Harris-Lingoes Subscales: A cross-cultural factor analytic study of Scales D, Hy, Pd, Pa, Sc, and Ma. *Psychological Assessment*, 13(2), 199-215.

Alpert, D. L. (1999). Integration of the MMPI and the Rorschach Ink Blot technique: A critical review. *Dissertations International: Section B: the Sciences & Engineering*. Vol 60(2-B), 0816. US: Univ Microfilms International.

Amadeo, M.G., Rosario-Hernandez, E., Ortiz, J.F.F., & Valez, G.M., & Rivera, C.M.P. (2012). Comparación de las Escalas de Validez, Clínicas y Reestructuradas del MMPI-2 en una Muestra Puertorriqueña. *Revista Puertorriqueña de Psicología*, 23, Supplemento Electronico. (Spanish Language Article)

Ambrose, Jr., P. A. (1997). Challenges for mental health service providers: The perspective of managed care organizations. Chapter in J. N. Butcher (Ed) *Personality assessment in managed care: Using the MMPI-2 in treatment planning*. New York: Oxford University Press. (pp 61-72).

Ames, S. C., Vickers, K. S., Decker, P. A., Patten, C. A., Colligan, R. C., Vargas-Chanes, D., Schroeder, D., & Offord, K. P. (2005). Select Minnesota Multiphasic Personality Inventory (MMPI) scales as predictors of tobacco abstinence following treatment for nicotine dependence. *Psychology & Health*, 20, 331-351.

Ampudia R. A., Duran P. C., & Lucio G. M. E. (2000). Use of the MMPI-2 in a Mexican third age population. [Spanish]. *Revista Iberoamericana de Diagnostico y Evaluacion Psicologica*. Vol 9(1), 115-128.

- Anagnostis, C. J. (2003). The development of a comprehensive biopsychosocial measure of disability for chronic musculoskeletal disorders: The pain dysfunction questionnaire. *Dissertation Abstracts International: Section B: The Sciences & Engineering*, 63(10-B), 4888. US: Univ Microfilms International.
- Anderson, D. (2001). Use of the MMPI-2 in assessment of traumatic brain injury. *Australian Journal of Psychology*, 53, 185-185.
- Anderson, E.J., Ryba, M., & Horner, M.D. (2006). MMPI-II personality characteristics associated with suboptimal effort in a clinical sample. *Archives of Clinical Neuropsychology*, 21, 552-552.
- Anderson, J.L. (2011). *A multi-method assessment approach to the detection of malingered pain: Association with the MMPI-2 restructured form.* (Doctoral dissertation). Retrieved from Dissertations and Theses database. (UMI No. 1497182).
- Anderson, J. L., Sellbom, M., Ayearst, L., Quilty, L. C., Chmielewski, M., & Bagby, R. M. (2015). Associations between DSM-5 section III personality traits and the Minnesota Multiphasic Personality Inventory 2-Restructured Form (MMPI-2-RF) scales in a psychiatric patient sample. *Psychological Assessment*, 27(3), 801.
- Anderson, J. L., Sellbom, M., Pymont, C., Smid, W., De Saeger, H., & Kamphuis, J. H. (2015). Measurement of DSM-5 section II personality disorder constructs using the MMPI-2-RF in clinical and forensic samples. *Psychological Assessment*, 27(3), 786.
- Anestis, J. C., Gottfried, E. D., & Joiner, T. E. (2015). The utility of MMPI-2-RF substantive scales in prediction of negative treatment outcomes in a community mental health center. *Assessment*, 22(1), 23-35. doi:10.1177/1073191114536771 [doi]
- Ansher, L. S. (2003). Use of the pain presentation inventory in comparing personality traits with symptom presentation. *Dissertation Abstracts International: Section B: The Sciences & Engineering*, 63(12-B), 6084. US: Univ Microfilms International.
- Anthony, A. (2003). The validity of the MMPI-2 with two samples of Mexican American psychiatric outpatients. *Dissertation Abstracts International: Section B: The Sciences & Engineering*, 63(9-B), 4359. US: Univ Microfilms International.
- Applegate, K. L. (2015). Comment on: Validity of Minnesota Multiphasic Personality Inventory-2-Restructured Form (MMPI-2-RF) scores as a function of gender, ethnicity, and age of bariatric surgery candidates. *Surgery for Obesity and Related Diseases : Official Journal of the American Society for Bariatric Surgery*, 11(3), 634-636. doi:10.1016/j.sob.2014.11.008 [doi]

- Applegate, K. L., Keefe, F. J., Siegler, I. C., Bradley, L. A., McKee, D. C., Cooper, K. S., & Riordan, P. (2005). Does Personality at College Entry Predict Number of Reported Pain Conditions at Mid-Life? A Longitudinal Study. *Journal of Pain*, 6, 92-97.
- Aragona, M., Petta, A. M., & Balbi, A. (2015). Psychotic phenomena in Binge Eating Disorder: an exploratory MMPI-2 study. *Archives of Psychiatry and Psychotherapy*, 2, 13-20.
- Aragona, M., Tarsitani, L., De Nitto, S., & Inghilleri, M. (2008). DSM-IV-TR "pain disorder associated with psychological factors" as a nonhysterical form of somatization. *Pain Research & Management*, 13, 13-18.
- Arbabi, M., Zhand, N., Eybpoosh, S., Yazdi, N., Ansari, S., & Ramezani, M. (2015). Correlates of memory complaints and personality, depression, and anxiety in a memory clinic. *Acta Medica Iranica*, 53(5), 270-275.
- Arbisi, P. A. (2006). Use of the MMPI-2 in personal injury and disability evaluations. In J. N. Butcher (Ed.). *MMPI-2: The practitioner's handbook*. (pp. 407-441). Washington, D. C.: American Psychological Association.
- Arbisi, P.A. (2014). Introduction to the special section on the personality psychopathology five (PSY-5) and DSM-5 trait dimensional diagnostic systems for personality disorders: Emerging convergence. *Journal of Personality Assessment*, 96(2), 117-120.
- Arbisi, P. & Ben-Porath, Y. S. (1995). An MMPI-2 infrequency scale for use with psychopathological populations: The Infrequency-Psychopathology Scale, F (p). *Psychological Assessment*, 7, 424-431.
- Arbisi, P. & Ben-Porath, Y. S. (1997). Characteristics of the MMPI-2 F(p) Scale as a function of diagnosis in an inpatient sample of veterans. *Psychological Assessment*, 9, 102-105.
- Arbisi, P. A. & Ben-Porath, Y. S. (1998). The ability of Minnesota Multiphasic Personality Inventory-2 validity scales to detect faking-bad responses in psychiatric inpatients. *Psychological Assessment*, 10, 221-228.
- Arbisi, P. A., & Ben-Porath, Y. S. (1999). The use of the Minnesota Multiphasic Personality Inventory-2 in the psychological assessment of persons with TBI: Correction factors and other clinical caveats and conundrums. *Neurorehabilitation*, 13(2) , 117-125.
- Arbisi, P. A., Ben-Porath, Y. S., Butcher, J. N., Han, K., Weed, N. C., McKenna, T., Hjemboe, S., Almagor, M., Hostetler, K., Graham, J. R., Calhoun, R. F., Harkness, A. R., &

- McNulty, J. L. (2000). MMPI-2 scale development. J. N. Butcher (Ed.), *Basic sources on the MMPI-2*. (pp. 161-270).
- Arbisi, P. A., Erbes, C. R., Polusny, M. A., & Nelson, N. W. (2010). The concurrent and incremental validity of the Trauma Symptom Inventory in women reporting histories of sexual maltreatment. *Assessment, 17*(3), 406-418.
- Arbisi, P. A., Ben-Porath, Y., & McNulty, J. (2002). A comparison of MMPI-2 validity in African American and Caucasian psychiatric inpatients. *Psychological Assessment. Vol 14*(1) , 3-15.
- Arbisi, P. A., Ben-Porath, Y. S., & Mc Nulty, J. L. (2003). Refinement of the MMPI-2 F(p) scale is not necessary: A response to Gass and Luis. *Assessment, 10*(2), 123-128.
- Arbisi, P. A., Ben-Porath, Y. S., & McNulty, J. L. (2003). Empirical correlates of common MMPI-2 two-point codes in male psychiatric inpatients. *Assessment, 10*(3), 237-247.
- Arbisi, P. A., & Butcher, J. N. (2004). Psychometric perspectives on detection of malingering of pain: Use of the Minnesota Multiphasic Personality Inventory-2. *Clinical Journal of Pain, 20*, 383-391.
- Arbisi, P. A., & Butcher, J. N. (2004). Failure of the FBS to predict malingering of somatic symptoms: Response to critiques by Greve and Bianchini and Lees Haley and Fox. *Archives of Clinical Neuropsychology, 19*(3), 341-345.
- Arbisi, P. A., & Butcher, J. N. (2004). Relationship between personality and health symptoms: Use of the MMPI-2 in medical assessments. *International Journal of Clinical & Health Psychology, 4*, 571-595.
- Arbisi, P. A., Murdoch, M., Fortier, L., & McNulty, J. (2004). MMPI-2 validity and award of service connection for PTSD during the VA compensation and pension evaluation. *Psychological Services, 1*(1), 56-67.
- Arbisi, P. A., Polusny, M. A., Erbes, C. R., Thuras, P., & Reddy, M. K. (2011). The Minnesota Multiphasic Personality Inventory-2 Restructured Form in National Guard soldiers screening positive for posttraumatic stress disorder and mild traumatic brain injury. *Psychological Assessment, 23*(1), 203-214.
- Arbisi, P. A. & Seime, R. J. (2006). Use of the MMPI-2 in medical settings. In J. N. Butcher (Ed.). *MMPI-2: The practitioner's handbook*. (pp. 273-299). Washington, D. C.: American Psychological Association.

- Arbisi, P.A., Sellbom, M., & Ben-Porath, Y.S. (2008). Empirical correlates of the MMPI-2 Restructured Clinical (RC) scales in psychiatric inpatients. *Journal of Personality Assessment*, 90, 122-128.
- Arce, R., del Carmen Pampillon, M., & Farina, F. (2002). Development and assessment of an empirical procedure for detecting simulated mental insanity in the legal context. [Spanish]. *Anuario de Psicología*. Vol 33(3), 385-408.
- Arce, R., Farina, F., & Buela, G. (2008). Assessing and detecting the ability to fake psychological injury as a consequence of a motor vehicle accident on the MMPI-2 using mock victims. *Revista Latinoamericana de Psicología*, 40, 485-496.
- Arce, R., Farina, F., Seijo, D., & Novo, M. (2015). Assessing Impression Management With the MMPI-2 in Child Custody Litigation. *Assessment*, 22(6), 769-777.  
doi:10.1177/1073191114558111 [doi]
- Archer, E.M., Hagan, L.D., Mason, J., Handel, R., & Archer, R.P. (2012). MMPI-2-RF characteristics of custody evaluation litigants. *Assessment*, 19, 14-20.
- Archer, R. (1993). Are Critical Items "critical" for MMPI-2? *Journal of Personality Assessment*, 61, 547-556.
- Archer, R. P. (1999). Overview of the Minnesota Multiphasic Personality Inventory-Adolescent (MMPI-A). M. E. Maruish, (Ed), *The use of psychological testing for treatment planning and outcomes assessment* (2nd ed.), (pp. 341-380).
- Archer, R. P. (2002). Editor's introduction to a special section on the MMPI-A Structural Summary. *Assessment*. Vol 9(4) , 317-318.
- Archer, R. P. (2005). *MMPI-A: Assessing adolescent psychopathology*. New Jersey: LEA Press.
- Archer, R. P. (2006). *Forensic uses of clinical assessment instruments*. Mahwah, NJ, US: Lawrence Erlbaum Associates Publishers.
- Archer, R. P., & Baker, E. M. (2005). Minnesota Multiphasic Personality Inventory--Adolescent. In T. Grisso, G. Vincent, & D. Seagrave (Eds.), *Mental health screening and assessment in juvenile justice*, pp. 240-252. US: Guilford Press.
- Archer, R. P., Bolinsky, P. K., Morton, T. L., & Farris, K. L. (2002). A factor structure for the MMPI-A: Replication with male delinquents. *Assessment*. Vol 9(4) , 319-326.

- Archer, R. P., & Elkins, D. E. (1999). Identification of random responding on the MMPI-A. *Journal of Personality Assessment, 73*(3), 407-421.
- Archer, R. P., Fontaine, J., & McCrae, R. R. (1998). Effects of two MMPI-2 validity scales on basic scale relations to external criteria. *Journal of Personality Assessment, 70*, 87-102.
- Archer, R. P., Griffin, R. & Aiduk, R. (1995). Clinical correlates for ten common code types. *Journal of Personality Assessment, 65*, 391-408.
- Archer, R. P., Handel, R. W., & Couvadelli, B. (2004). An evaluation of the incremental validity of the MMPI-2 superlative (S) scale in an inpatient psychiatric sample. *Assessment, 11*(1), 102-108.
- Archer, R. P., Handel, R. W., Greene, R. L., Baer, R. A., & Elkins, D. E. (2001). An evaluation of the usefulness of the MMPI-2 F(p) scale. *Journal of Personality Assessment. Vol 76*(2), 282-295.
- Archer, R. P., Handel, R. W., & Lynch, K. D. (2001). The effectiveness of MMPI-A items in discriminating between normative and clinical samples. *Journal of Personality Assessment. Vol 77*(3) , 420-435.
- Archer, R. P., Handel, R. W., & Lynch, K. D. (2002). "The effectiveness of MMPI-A items in discriminating between normative and clinical samples": Erratum. *Journal of Personality Assessment. Vol 79*(2) , 375.
- Archer, R. P., Handel, R. W., Lynch, K. D., & Elkins, D. E. (2002). MMPI-A validity scale uses and limitations in detecting varying levels of random responding. *Journal of Personality Assessment. Vol 78*(3) , 417-431.
- Archer, R. P., & Krishnamurthy, R. (2002). Essentials of MMPI-A assessment. *New York, US: John Wiley & Sons.*
- Archer, R. P., Krishnamurthy, R. (1999).Reply to Meyer on the convergent validity of the MMPI and Rorschach. *Journal of Personality Assessment, 73*(3), 319-321.
- Archer, R. P., Pancoast, D.L.& Gordon, R.A. (1994). The development of the MMPI--A Immaturity Scale: Findings for normal and clinical samples. *Journal of Personality Assessment. 62*(1), 145-156.

- Archer, R. P., & Slesinger, D. MMPI-A patterns related to the endorsement of suicidal ideation. *Assessment*. Vol 6(1), 51-59.
- Archer, R. P., Tirrell, C. A., & Elkins, D. E. (2001). Evaluation of an MMPI-A short form: Implications for adaptive testing. *Journal of Personality Assessment*, 76(1), 76-89.
- Archer, R. P., Zoby, M., & Stredny, R. V. (2006). The Minnesota Multiphasic Personality Inventory-Adolescent. In R. P. Archer (Ed), *Forensic uses of clinical assessment instruments*, pp. 57-87. Mahwah, NJ, US: Lawrence Erlbaum Associates Publishers.
- Arnau, R. C., Handel, R. W., & Archer, R. P. (2005). Principal Components Analyses of the MMPI-2 PSY-5 Scales: Identification of Facet Subscales. *Assessment*, 12, 186-198.
- Aslan, C. (2010). A comparison of two psychological tests: The MMPI-2 Scale 4 and Restructured Clinical (RC) Scale 4 using an incarcerated sample. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 71(6-B), 3926.
- Astuti, D.W.P., Kairupan, B.H.R., & Elim, C. (2013). Profil content scales Minnesota multiphasic personality inventory-2 (MMPI-2) adaptasi Indonesia pada mahasiswa semester 5 TA 2012/2013 fakultas kedokteran universitas sam ratulangi manado. *Jurnal Biomedik*, 5.
- Atlis, M. M, Hahn, J. & Butcher, J. N. (2006). Computer-based assessment with the MMPI-2. In J. N. Butcher (Ed.). *MMPI-2: The practitioner's handbook*. (pp. 445-476). Washington, D. C.: American Psychological Association.
- Atlis, M. M. (2004). Russian translation of the MMPI-A: Evaluation of cross-cultural equivalence. *Dissertation Abstracts International: Section B: The Sciences & Engineering*, 64(7-B), 3512. US: Univ Microfilms International.
- Ault, J. M. (2001). A comparison of MMPI findings between high- and low-ranked students in a clinical psychology graduate program. *Dissertation Abstracts International: Section B: the Sciences & Engineering*. Vol 61(7-B), 3890, US: Univ Microfilms International.
- Austin, J. S. (1992). The detection of fake good and fake bad on the MMPI-2. *Educational and Psychological Measurement*, 52, 669-674.
- Avdeyeva, T.V., Tellegen, A., & Ben-Porath, Y.S. (2012). Empirical correlates of low scores on MMPI-2/MMPI-2-RF restructured clinical scales in a sample of university students. *Assessment*, 19, 388-393.
- Avila-Espada, A. & Jimenez-Gomez, F. (1996). The Castilian version of the MMPI-2 in Spain: Development, adaptation, and psychometric properties. Chapter in J. N. Butcher (Ed),

*International adaptations of the MMPI-2: Research and clinical applications.*  
Minneapolis, MN: University of Minnesota Press. (pp 305-328)

Axelrod, B. N., & Lees-Haley, P. (2002). Construct validity of the PCSQ as related to the MMPI-2. *Archives of Clinical Neuropsychology. Vol 17(4)* , 343-350.

Ayearst, L. E., & Bagby, R. M. (2010). Evaluating the psychometric properties of psychological measures. In Antony, M.M. & Barlow, D.H. (Eds.), *Handbook of assessment and treatment planning for psychological disorders* (2<sup>nd</sup> ed.), pp. 23-61. New York, NY: Guilford Press.

Ayearst, L.E., Sellbom, M., Trobst, K.K., & Bagby, R.M. (2013). Evaluating the interpersonal content of the MMPI-2-RF interpersonal scales. *Journal of Personality Assessment, 95*, 187-196.

Azan, A. (1989). The MMPI version Hispanic: Standardization and cross-cultural personality study with a population of Cuban refugees (Doctoral dissertation, University of Minnesota, 1988). *Dissertation Abstracts International, 50*, 2144B

Bae, S., Hyun, M., & Lee, S. (2014). Comparison of memory function and MMPI-2 profile between post-traumatic stress disorder and adjustment disorder after a traffic accident. *Clinical Psychopharmacology and Neuroscience, 12(1)*, 41-47. <http://dx.doi.org/10.9758/cpn.2014.12.1.41>

Baer, R. A. & Sekirnjak, G. (1997). Detection of underreporting on the MMPI-2 in a clinical population: Effects of information about validity scales. *Journal of Personality Assessment, 69(3)*, 555-567.

Baer, R. A., Wetter, M. W., & Berry, D. T. R. (1992). Detection of underreporting of psychopathology on the MMPI: A meta analysis. *Clinical Psychology Review, 12*, 509-525.

Baer, R. A., & Miller, J. (2002). Underreporting of psychopathology on the MMPI-2: A meta-analytic review. *Psychological Assessment. Vol 14(1)*, 16-26.

Baer, R. A., Kroll, L. S., Rinaldo, J., & Ballenger, J. (1999). Detecting and discriminating between random responding and overreporting on the MMPI-A. *Journal of Personality Assessment. Vol 72(2)*, 308-320.

Baer, R. A., Wetter, M. W., Nichols, D., Greene, R. & Berry, D. T. (1995). Sensitivity of MMPI-

2 validity scales to underreporting of symptoms. *Psychological Assessment*, 7, 419-423.

Baer, R., A., Ballenger, J., & Kroll, L. S. (1998). Detection of underreporting on the MMPI-A in clinical and community samples. *Journal of Personality Assessment*, 71(1), 98-113.

Baer-Barkley, K. S. (1999). Eating-disorder patterns in the Minnesota Multiphasic Personality Inventory. *Dissertations International: Section B: the Sciences & Engineering*. Vol 59(7-B), 3680. US: Univ Microfilms International.

Bagby, R. M., Marshall, M. B., Bury, A., Bacchiori, J. R. & Miller, L. (2006). Assessing underreporting and overreporting styles on the MMPI-2. In J. N. Butcher (Ed.). *MMPI-2: The practitioner's handbook*. (pp. 39-69). Washington, D. C.: American Psychological Association.

Bagby, R. M., Rogers, R., Nicholson, R. A., Buis, T., Seeman, V., & Rector, N. (1997). Does clinical training facilitate feigning schizophrenia on the MMPI-2? *Psychological Assessment*, 9, 106-112.

Bagby, R. M., Buis, T., & Nicholson, R. A. (1995). Relative effectiveness of the standard validity scales in detecting fake-bad and fake-good responding: Replication and extension. *Psychological Assessment*, 7(1), 84-92.

Bagby, R. M., Marshall, M. B. (2004). Assessing underreporting response bias on the MMPI-2. *Assessment*, 11(2), 115-126.

Bagby, R. M., Marshall, M. B., & Bacchiori, J. R. (2005). The validity and clinical utility of the MMPI-2 malingering depression scale. *Journal of Personality Assessment*, 85, 304-311.

Bagby, R. M., Marshall, M. B., Basso, M. R., Nicholson, R. A., Bacchiori, J., & Miller, L. S. (2005). Distinguishing bipolar depression, major depression, and schizophrenia with the MMPI-2 clinical and content scales. *Journal of Personality Assessment*, 84, 89-95.

Bagby, R. M., Nicholson, R. A., Bacchiori, J. R., Ryder, A. G., & Bury, A. S. (2002). The predictive capacity of the MMPI-2 and PAI validity scales and indexes to detect coached and uncoached feigning. *Journal of Personality Assessment*. Vol 78(1) , 69-86.

Bagby, R. M., Nicholson, R. A., Buis, T., & Bacchiori, J. R. (2000). Can the MMPI-2 validity scales detect depression feigned by experts? *Assessment*. Vol 7(1), 55-62.

- Bagby, R. M., Nicholson, R. A., Buis, T., Radovanovic, H., Fidler, B. J. (1999). Defensive responding on the MMPI-2 in family custody and access evaluations. *Psychological Assessment*. Vol 11(1) , 24-28.
- Bagby, R. M., Nicholson, R. A., Rogers, R., Buis, T., Seeman, M. V., & Rector, N. A. (1997). Effectiveness of the MMPI-2 validity indicators in the detection of defensive responding in clinical and nonclinical samples. *Psychological Assessment*, 9(4), 406-413.
- Bagby, R. M., Rogers, R., Buis, T., Nicholson, R. A., Cameron, S. L., Rector, N. A., Schuller, D. R., & Seeman, M. V. (1997). Detecting feigned depression and schizophrenia on the MMPI-2. *Journal of Personality Assessment*, 68, 650-664.
- Bagby, R. M., Sellbom, M., Ayearst, L. E., Chmielewski, M. S., Anderson, J. L., & Quilty, L. C. (2014). Exploring the hierarchical structure of the MMPI-2-RF Personality Psychopathology Five in psychiatric patient and university student samples. *Journal of personality assessment*, 96, 166-172.
- Bagby, R.M., Sellbom, M., Costa, P.T., & Widiger, T.A. (2008). Predicting Diagnostic and Statistical Manual of Mental Disorders-IV personality disorders with the five-factor model of personality and the personality psychopathology five. *Personality and Mental Health*, 2, 55-69.
- Bagge, C.L., Stepp, S.D., & Trull, T.J. (2005). Borderline personality disorder features and utilization of treatment over two years. *Journal of Personality Disorders*, 19, 420-439.
- Bailles, E., Pintor, L., Fernandez-Egea, E., Torres, X., Matrai, S., de Pablo, J., & Arroyo, S. (2004). Psychiatric disorders, trauma, and MMPI profile in a Spanish sample of nonepileptic seizure patients. *General Hospital Psychiatry*, 26(4), 310-315.
- Baity, M. R., & Hilsenroth, M. J. (1999). Rorschach aggression variables: A study of reliability
- Baker, C. A. (2016). An assessment of test bias on the MMPI-2-RF. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 76(12-B(E)).and validity. *Journal of Personality Assessment*. Vol 72(1) , 93-110.
- Baker, S. R., Victor, J. B., Chambers, A. L., & Halverson, C. F. Jr. (2004). Adolescent Personality: A Five-Factor Model Construct Validation. *Assessment*, 11, 303-315.
- Baldrachi, R., Hilsenroth, M., Arsenault, L., Sloan, P., & Walter, C. (1999). MMPI-2 assessment of varying levels of posttraumatic stress in Vietnam combat veterans. *Journal of Psychopathology & Behavioral Assessment*. Vol 21(2), 109-116.

- Baldwin, B. M. (2001). Reading ability and the MMPI-A: Creation of the READ Scale. *Dissertation Abstracts International: Section B: the Sciences & Engineering. Vol 62(5-B), 2475, US: Univ Microfilms International.*
- Balottin, L., Selvini, C., Luoni, C., Mannarini, S., Chiappetti, M., Seri, S., . . . Cavanna, A. E. (2016). Personality Profile of Male Adolescents With Tourette Syndrome: A Controlled Study. *Journal of Child Neurology, 31*(3), 294-299. doi:10.1177/0883073815589762 [doi]
- Banas, A. (2005). The case of immunologic vasculitis which was treated as a hypochondriac disorder. [Polish]. *Psychiatria Polska, 39*, 701-708.
- Bannatyne, L. A., Gacono, C. B., & Greene, R. L. (1999). Differential patterns of responding among three groups of chronic, psychotic, forensic outpatients. *Journal of Clinical Psychology. Vol 55*(12), 1553-1565.
- Bannen, M. A. (2000). Part A. disruptive disorders in adolescent girls: A neglected group. Part B. the clinical utility of the MMPI-A in the assessment of disruptive disordered adolescent girls. *Dissertation Abstracts International: Section B: the Sciences & Engineering. Vol 61*(2-B), 1070, US: Univ Microfilms International.
- Barbieri, V., & Jacquemin, A. (2001). Migrants' psychological profiles from MMPI Improved Readability Form. [Portuguese]. *Psicologia: Teoria e Pesquisa. Vol 17*(1) , 13-18.
- Barbieri, V., & Jacquemin, A. (2001). Possibilities and limits of the IRF-MMPI with illiterate Brazilians. [Portuguese]. *PSICO. Vol 32*(1) , 61-79
- Bardenhagen, F. (2006). Assessing psychopathology in neuropsychological assessments: An introduction to the MMPI-2. *Australian Journal of Psychology, 58*, 224-224.
- Bardi, C. A. (2010). Personality assessment: The missing manual. *PsycCRITIQUES, 55*(25)
- Barelds, D. P. H. (2003). Four personality factors in Dutch Personality Questionnaire data [Dutch]. *Nederlands Tijdschrift voor de Psychologie en Haar Grensgebieden, 58*(2), 34-40.
- Barelds, D. P. H., Luteijn, F., Zwanepol, F., & Mullenders, S. (2004). The NPST: An enhanced replacement for the Dutch Shortened MMPI. *Psycholoog, 39*, 312-315.
- Bargreen, O.J. (2009). MMPI-2 personality profiles of male victims of domestic violence. *Dissertation Abstracts International: Section B: The Sciences and Engineering, 69*, 5010.

- Barnett, K. L. (2005). Psychological and spiritual predictors of domains of functioning and effectiveness of short-term missionaries. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 66(2-B), 1160.
- Barr, W.B., Larson, E., Alper, K., & Devinsky, O. (2005). Rates of invalid MMPI-2 responding in patients with epileptic and nonepileptic seizures. *Epilepsia*, 46, 60-60.
- Barreto, J.J. (2014). A taxometric analysis of MMPI-2 6-9/9-6 codetypes. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, Vol 74(12-B(E)), 2014, No Pagination Specified.
- Barrett, P. T. (2000). The relative validity of MMPI-2 interpretations based on standard and neurocorrected profiles for traumatic brain injury patients receiving rehabilitation services. *Dissertation Abstracts International: Section B: the Sciences & Engineering*. Vol 61(1-B), 521, US: Univ Microfilms International.
- Barrios, D. R. (2004). The MMPI-A normal K+ profile: Prevalence and codetype characteristics in an adolescent inpatient population. *Dissertation Abstracts International: Section B: The Sciences & Engineering*, 65, 1068. US: Univ Microfilms International.
- Barthlow, D. L. (2003). Construct validity of the MMPI-2 College Maladjustment Scale. *Dissertation Abstracts International: Section B: The Sciences & Engineering*, 63(10-B), 4889. US: Univ Microfilms International.
- Barthlow, D. L., Graham, J. R., Ben-Porath, Y. S., McNulty, J. L. (1999). Incremental validity of the MMPI-2 content scales in an outpatient mental health setting. *Psychological Assessment*. Vol 11(1) , 39-47.
- Barthlow, D. L., Graham, J. R., Ben-Porath, Y. S., & McNulty, J. L. (2004). Construct validity of the MMPI-2 college maladjustment (Mt) scale. *Assessment*, 11(3), 251-262.
- Barthlow, D. L., Graham, J. R., Ben-Porath, Y. S., Tellegen, A., & McNulty, J. L. (2002). The appropriateness of the MMPI-2 K correction. *Assessment*. Vol 9(3), 219-229.
- Basso, M.R., Ward, T., Combs, D., Ghormley, C., Lowery, N., Purdie, R., & Ra, B. (2006). MMPI-2 restructured clinical scales and neuropsychological impairment in inpatient depressives. *Clinical Neuropsychologist*, 20, 590-590.
- Bathurst, K., Gottfried, A. W., & Gottfried, A. E. (1997). Normative data for the MMPI-2 in child litigation. *Psychological Assessment*, 9, 205-211.

Baty, P.A. (2011). *Validity of the MMPI-A based personality psychopathology five (PSY-5) in a secure juvenile forensic setting*. (Doctoral dissertation). Retrieved from Dissertations and Theses database. (UMI No. 3475998).

Bayar, N., Oguzturk, O., Kazkayasi, M., et al. (2001). Minnesota multiphasic personality inventory profile of patients with chronic sinusitis. *Rhinology*, 39, 133-135

Bayar, N., Oguzturk, O., & Koc, C. (2002). Minnesota multiphasic personality inventory profile of patients with subjective tinnitus. *Journal of Otolaryngology*, 31, 317-322.

Beckham, J. C., Crawford, A. L., Feldman, M. E., Kirby, A. C., Hertzberg, M. A., Davidson, J. R. T. & Moore, S. D. (1997). Chronic posttraumatic stress disorder and chronic pain in Vietnam combat veterans. *Journal of Psychosomatic Research*, 43(4) 379-389.

Belar, C. D. (1997). Psychological assessment in capitated care: Challenges and opportunities. Chapter in J. N. Butcher (Ed) *Personality assessment in managed care: Using the MMPI-2 in treatment planning*. New York: Oxford University Press. (pp 73-80).

Belding, M. A., Iguchi, M. Y., Morral, A. R., & Husband, S. D. (1998). MMPI Profiles of opiate addicts: Predicting response to treatment. *Journal of Personality Assessment*, 70(2), 324-339.

Benning, S. D., & Freeman, A. J. (2017). The Multidimensional Personality Questionnaire's inconsistency scales identify invalid profiles through internal statistics and external correlates. *Psychological Assessment*, 29(12), 1531 -1546.

Ben-Porath, Y. S. (2003). Introducing the MMPI-2 Re-structured (RC) Scales. *SPA Exchange*, 15, 16-17.

Ben-Porath, Y.S. (2013). The MMPI instruments. In S. Koffler, J. Morgan, I.S. Baron, & M.F. Greiffenstein (Eds.), *Neuropsychology: Science and practice I* (pp.256-284). New York, NY: Oxford University Press.

Ben-Porath, Y.S. (2012). *Interpreting the MMPI-2-RF*. Minneapolis, MN: University of Minnesota Press.

Ben-Porath, Y.S. (2012). Addressing challenges to MMPI-2-RF-based testimony: Questions and answers. *Archives of Clinical Neuropsychology*, 27, 691-705.

Ben-Porath, Y. S. (2016). An Update and Corrections to Williams and Lally's (2016) Analysis of MMPI-2-RF Acceptance. *Professional Psychology: Research and Practice*, 48, 285.

- Ben-Porath, Y. S. (2016). An Update to Williams and Lally's (2016) Analysis of MMPI-2-RF acceptance. *Professional Psychology: Research and Practice*, 48, 275-278.
- Ben-Porath, Y.S. & Archer, R.P. (2014). The MMPI Instruments. In R.P. Archer & S.R. Smith, *Personality assessment* (2nd ed.), (pp. 89-146). New York, NY, US: Routledge/Taylor & Francis Group.
- Ben-Porath, Y. S. & Butcher, J. N. (1995). Personality assessment. In L. A. Heiden & M. Hersen (Eds.). *Introduction to clinical psychology*. New York: Plenum Press. (Pp. 141-169).
- Ben-Porath, Y.S., & Flens, J.R. (2012). Butcher and Williams' (this issue) critique of the MMPI-2-RF is slanted and misleading. *Journal of Child Custody*, 9, 223-232.
- Ben-Porath, Y. S. & Graham, J. R. (1991). Resolutions to interpretive dilemmas created by the Minnesota Multiphasic Personality Inventory 2 (MMPI-2): A reply to Strassberg. *Journal of Psychopathology and Behavioral Assessment*, 13, 173-179.
- Ben-Porath, Y. S. & Graham, J. R. (1995). Scientific basis of forensic assessment. In Y. S. Ben-Porath, J. R. Graham, G. C. N. Hall, R. D. Hirschman, & M. S. Zaragoza (Eds.), *Forensic applications of the MMPI-2*. Thousand Oaks, CA: Sage (Pp 18-17).
- Ben-Porath, Y. S. & Sherwood, N. E. (1993). *The MMPI-2 Content Component Scales: Development, psychometric characteristics, and clinical application*. Minneapolis, MN.: University of Minnesota Press.
- Ben-Porath, Y. S. & Tellegen, A. (1995). How (not) to evaluate the comparability of MMPI and MMPI-2 profile configurations: A reply to Humphrey and Dahlstrom. *Journal of Personality Assessment*, 65, 52-58.
- Ben-Porath, Y. S. (1994). The MMPI and MMPI-2: Fifty years of differentiating normal and abnormal personality. Chapter in S. Strack & M. Lorr (Eds). *Differentiating normal and abnormal personality*. New York: Springer. (pp. 61-401)
- Ben-Porath, Y. S., & Butcher, J. N. (1989). Psychometric stability of rewritten MMPI items. *Journal of Personality Assessment*, 53, 645-653.
- Ben-Porath, Y. S., & Butcher, J. N. (1989). The comparability of MMPI and MMPI-2 scales and profiles. *Psychological Assessment: A Journal of Consulting and Clinical Psychology*, 1, 345-347.

- Ben-Porath, Y. S. and Forbey, J. D. (2003). *Non-gendered Norms for the MMPI-2*. Minneapolis, MN.: University of Minnesota Press.
- Ben-Porath, Y. S., & Tellegen, A. (1992). Continuity and changes in MMPI-2 validity indicators: Points of clarification. *MMPI-2 News & Profiles*, 3, 6-8.
- Ben-Porath, Y. S., Butcher, J. N., Graham, J. R. (1991). Contribution of the MMPI-2 scales to the differential diagnosis of schizophrenia and major depression. *Psychological Assessment: A Journal of Consulting and Clinical Psychology*, 3, 634-640.
- Ben-Porath, Y. S., Butcher, J. N., Spiro, A. III., Levenson, M. R., Aldwin, C. M., Bosse, R., Munley, P. H., Archer, R. P., Griffin, R., Aiduk, R., Rouse, S. V.,& Perry, J. N. (2000). Scale reliability. *Butcher, James N. (Ed). Basic sources on the MMPI-2*. (pp. 435-500).
- Ben-Porath, Y. S., Graham, J. R., Hall, G. C., Hirschman, R. D., & Zaragoza, M. S. (Eds.) (1995). *Forensic applications of the MMPI-2*. Thousand Oaks, Calif.: Sage.
- Ben-Porath, Y. S., Hostetler, K., Butcher, J. N., & Graham, J. R. (1989). New subscales for the MMPI-2 Social Introversion (Si) scale. *Psychological Assessment: A Journal of Consulting and Clinical Psychology*, 1, 169-174.
- Ben-Porath, Y. S., McCully, E., & Almagor, M. (1993). Incremental validity of the MMPI-2 Content Scales in the assessment of personality and psychopathology by self-report. *Journal of Personality Assessment*, 61, 557-575.
- Ben-Porath, Y. S., McCully, E., Almagor, M., Butcher, J. N., Graham, J. R., Brems, C., Lloyd, P., Lilienfeld, S. O., Schill, T., Wang, S., Clark, M. E., Chisholm, S. M., & Crowther, J. H. (2000). MMPI-2 content scales. *Butcher, James N. (Ed). Basic sources on the MMPI-2*. (pp. 341-434).
- Ben-Porath, Y. S., Shondrick, D. & Stafford, K. (1994). MMPI-2 and race in a forensic diagnostic sample. *Criminal Justice and Behavior*, 22, 19-32.
- Bender, A. R. (2005). MMPI-2 patterns, treatment adherence and healthcare service utilization in a population of headache patients. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 65(10-B), 5387. US: Univ Microfilms International.
- Benuto, L. T., Leany, B. D., & Lee, A. (2015). Assessing Effort and Malingering with the African American Client. *Guide to Psychological Assessment with African Americans* (pp. 79-85) Springer.
- Berardino, S. D., Meloy, J. R., Sherman, M., & Jacobs, D. (2005). Validation of the

Psychopathic Personality Inventory on a female inmate sample. *Behavioral Sciences & the Law*, 23, 819-836.

Berghout, C. C., Zevalkink, J., & de Jong, J. T. V. M. (2010). Symptoms and personality problems before, during and after long-term psychoanalytic treatment: A multiple-cohort study. [Symptomen en persoonlijkheidsproblemen voor, tijdens en na langdurige psychoanalytische behandelingen: Een multiplecohort studie.] *Psychologie & Gezondheid*, 38(2), 66-75.

Berning, L. C. (1999). Relative external validity of the MMPI-2 substance abuse scales. *Dissertations International: Section B: the Sciences & Engineering*. Vol 59(10-B), 5613. US: Univ Microfilms International.

Berry, D. T. R. (1995). Detecting distortion in forensic evaluations with the MMPI-2. In Y. S. Ben-Porath, J. R. Graham, G. C. N. Hall, R. D. Hirschman, & M.S. Zaragoza (Eds.). *Forensic applications of the MMPI-2*. Thousand Oaks, CA: Sage (Pp 82-103).

Berry, D. T. R., Adams, J. J., Smith, G. T., Greene, R. L., Sekirnjak, G. C., Wieland, G., & Tharpe, B. (1997). MMPI-2 clinical scales and 2-point code types: Impact of varying levels of omitted items. *Psychological Assessment*, 9, 158-160.

Berry, D.T.R. & Butcher, J.N. (1998). Detection of feigning of head injury symptoms on the MMPI-2. Chapter in C. Reynolds (Ed.). *Detection of Malingering in Head Injury Litigation*. (pp.209-238). New York: Plenum Press.

Berry, D. T. R., Cimino, C. R., Chong, N. K., LaVelle, S. N., Ho, I. K., Morse, T. L., & Thacker, S. R. (2001). MMPI-2 fake-bad scales: An attempted cross-validation of proposed cutting scores for outpatients. *Journal of Personality Assessment*, 76(2), 295-314.

Berry, D.T.R., Schipper, L.J., & Clark, J.A. (2012). Detection of feigning of head injury symptoms on the MMPI-2. In C.R. Reynolds & A.M. Horton, Jr. (Eds.), *Detection of malingering during head injury litigation* (273-286). New York, NY: Springer. doi: 10.1007/978-1-4614-0442-2\_9

Berry, D. T. R., Wetter, M. W., Baer, R. A., Larsen, L., Clark, C., & Monroe, K. (1992). MMPI-2 random responding indices: Validation using a self-report methodology. *Psychological Assessment*, 4, 340-345.

Berry, D. T. R., Wetter, M. W., Baer, R., Youngjohn, J. R., Gass, C., Lamb, D. G., Franzen, M., MacInnes, W. D. & Bucholz, D. (1995). Overreporting of closed-head injury symptoms on the MMPI-2. *Psychological Assessment*, 7, 517-523.

- Berry, D. T. R., Wetter, M. W., Baer, R.A., Widiger, T. A., Sumpter, J. C., Reynolds, S. K., & Hallam, R.A. (1991). Detection of random responding on the MMPI-2: Utility of F, Back F, and VRIN scales. *Psychological Assessment: A Journal of Consulting and Clinical Psychology*, 3, 418-423.
- Berry, D. T., Baer, R. A., & Harris, M. J. (1991). Detection of malingering on the MMPI: A meta-analysis. *Clinical Psychology Review*, 11, 585-591.
- Bethune, M., & Johnson, B.D. (2013). Predicting counselors' academic and internship outcomes: Evidence for the incremental validity of the MMPI-2. *Training and Education in Professional Psychology*, 7, 257.
- Bhandari, A., & Upmanyu, V. V. (2003). Nature of depression in Indian male adolescents as measured by popular self-report instruments. *Journal of Personality & Clinical Studies*, 19(1), 1-6.
- Bhargava, A. (2005). AIDS epidemic and the psychological well-being and school participation of Ethiopian orphans. *Psychology, Health & Medicine*, 10, 263-275.
- Bianchini, K.J., Etherton, J.L., Greve, K.W., Heinly, M.T., & Meyers, J.E. (2008). Classification Accuracy of MMPI-2 Validity Scales in the Detection of Pain-Related Malingering A Known-Groups Study. *Assessment*, 15, 435-449.
- Bianchini, K., Love, J.A., Greve, K.W., & Adams, D. (2005). Detection and diagnosis of malingering in electrical injury. *Archives of Clinical Neuropsychology*, 20, 365-373.
- Bigal, M. E., Sheftell, F. D., Rapoport, A. M., Tepper, S. J., Weeks, R., & Baskin, S. M. (2003). MMPI personality profiles in patients with primary chronic daily headache: A case-control study. *Neurological Sciences*, 24(3), 103-110.
- Biles, L. A. (2006). A taxometric analysis of the MMPI/MMPI-2 depression scales. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 66(7-B), 3939.
- Binder, L. M., Storzbach, D., Campbell, K. A., Rohlman, D. S., Anger, W. K., Salinsky, M. C., Campbell, B. R., & Mueller, R. (2000). Comparison of MMPI-2 profiles of Gulf War veterans with epileptic and nonepileptic seizure patients. *Assessment*. Vol 7(1), 73-78.
- Biondi, M., Picardi, A., Pasquini, M., Gaetano, P., Panzeri, P. (2005). Dimensional psychopathology of depression: Detection of an 'activation' dimension in unipolar depressed outpatients. *Journal of Affective Disorders*, 84, 133-139.

- Blaha, J., Merydith, S. J., Wallbrown, F. H., & Dowd, T. E. (2001). Bringing another perspective to bear on the factor structure of the Minnesota Multiphasic Personality Inventory-2. *Measurement & Evaluation in Counseling, Vol 33(4)*, 234-243.
- Blais, M. A., Hilsenroth, M. J., Castlebury, F., Fowler, J. C., & Baity, M. R. (2001). Predicting DSM-IV cluster B Personality Disorder criteria from MMPI-2 and Rorschach data: A test of incremental validity. *Journal of Personality Assessment, 76(1)*, 150-168.
- Blajer, M., Kucia, K., Klasik, A., & Mac-Blajer, H. (2003). Personality characteristics of police candidates [Polish]. *Psychiatria Polska, 37(2)*, 259-268.
- Black, M. S., Forbey, J. D., Ben-Porath, Y. S., Graham, J. R., McNulty, J. L., Anderson, S. V., & Burlew, A. K. (2004). Using the Minnesota Multiphasic Personality Inventory-2 (MMPI-2) to detect psychological distress and dysfunction in a state correctional setting. *Criminal Justice & Behavior, 31*, 734-751.
- Blake, D. D., Penk, W. E., Mori, D. L., Kleespies, P. M., Walsh, S. S., & Keane, T. M. (1992). Validity and clinical scale comparisons between MMPI and MMPI-2 with psychiatric inpatients. *Psychological Reports, 70*, 323-332.
- Blanchard, D. D. (2001). A comparison of the MMPI-2 and PAI as predictors of faking bad. *Dissertation Abstracts International: Section B: the Sciences & Engineering. Vol 61(7-B), , 3831, US: Univ Microfilms International.*
- Blanchard, D. D., McGrath, R. E., Pogge, D. L., & Khadivi, A. (2003). A comparison of the PAI and MMPI-2 as predictors of faking bad in college students. *Journal of Personality Assessment, 80(2)*, 197-205.
- Blazek, N.L. (2014). Evaluation of behavioral subtypes of sexual addiction: A latent profile analysis of sexual behaviors. Dissertation Abstracts International: Section B: The Sciences and Engineering, Vol 75(3-B(E)), 2014, No Pagination Specified.
- Blazek, N. L., & Forbey, J. D. (2011). A comparison of validity rates between paper-and-pencil and computerized testing with the MMPI-2. *Assessment, 18*, 63-66.
- Blazsanyik, A. J. (2003). Psychological profiles of successful law enforcement personnel. *Dissertation Abstracts International: Section B: The Sciences & Engineering, 64(6-B), 2907. US: Univ Microfilms International.*
- Blevins, C.A., Lee, D.J., Weathers, F.W. (2014). Psychological assessment of veterans with PTSD and other anxiety disorders. In S.S. Bush (Ed.), Psychological assessment of

veterans. (pp. 297-323). New York, NY, US: Oxford University Press.

Block, A.R., Ben-Porath, Y.S., & Marek, R.J. (2012). Psychological risk factors for poor outcome of spine surgery and spinal cord stimulator implant: A review of the literature and their assessment with the MMPI-2-RF. *The Clinical Neuropsychologist*, 27, 81-107.

Block, A. R., Gatchel, R. J., Deardorff, W. W., & Guyer, R. D. (2003). Personality and emotional issues: Use of psychometric testing. In A. R. Block, R. J. Gatchel, et al. (Eds), *The Psychology of Spine Surgery*. Washington, DC: American Psychological Association. (pp 77-99).

Block, A. R., Marek, R. J., Ben-Porath, Y. S., & Kukal, D. (2015). Associations Between Pre-Implant Psychosocial Factors and Spinal Cord Stimulation Outcome: Evaluation Using the MMPI-2-RF. *Assessment*, doi:1073191115601518 [pii]

Block, A.R., Marek, R.J., Ben-Porath, Y.S. & Ohnmeiss, D.D. (2014). Associations between Minnesota Multiphasic Personality Inventory-2-Restructured Form (MMPI-2-RF) scores, workers' compensation status, and spine surgery outcome. *Journal of Applied Biobehavioral Research*, 19(4), 248-267. <http://dx.doi.org/10.1111/jabr.12028>

Board, B. J., & Fritzon, K. (2005). Disordered personalities at work. *Psychology, Crime & Law*, 11, 17-32.

Bodde, N.M.G., Barteleit, D.C.J., Ploegmakers, M., Lazeron, R.H.C., Aldenkamp, A.P., & Boon, P.A.J.M. (2011). MMPI-II personality profiles of patients with psychogenic nonepileptic seizures. *Epilepsy & Behavior*, 20, 674-680.

Bodenhamer-Davis, E.M., Townsend, A.L., & Black, L.M. (2002). QEEG and MMPI-2 patterns of adults reporting childhood sexual abuse. *Applied Psychophysiology and Biofeedback*, 27, 306-306.

Boey, K. W. (1985). The MMPI response pattern of Singapore Chinese. *Acta Psychologica Sinica*, 17(4), 377-383 (in Chinese).

Bolinger, E., Reese, C., Suhr, J., & Larrabee, G. J. (2014). Susceptibility of the MMPI-2-RF Neurological Complaints and Cognitive Complaints Scales to Over-reporting in Simulated Head Injury. *Archives of Clinical Neuropsychology*, 29, 7-15.

Bolinskey, P. K. (2002). Personality as an endophenotype for schizophrenia: MMPI indicators of schizophrenia liability in pre- and post-morbid samples. *Dissertation Abstracts*

*International: Section B: the Sciences & Engineering. Vol 62(7-B), 3372, US: Univ Microfilms International.*

Bolinskey, P. K., Gottesman, I. I., & Nichols, D. S. (2003). The schizophrenia proneness (SzP) scale: An MMPI-2 measure of schizophrenia liability. *Journal of Clinical Psychology*, 59(9), 1032-1044.

Bolinskey, P. K., & Gottesman, I. I. (2010). Premorbid personality indicators of schizophrenia-related psychosis in a hypothetically psychosis-prone college sample. *Scandinavian Journal of Psychology*, 51(1), 68-74.

Bolinskey, P. K., Gottesman, I. I., Nichols, D. S., Shapiro, B. M., Roberts, S. A., Adamo, U. H., & Erlenmeyer-Kimling, L. (2001). A new MMPI-derived indicator of liability to develop schizophrenia: Evidence from the New York High-Risk Project. *Assessment*. Vol 8(2), 127-143.

Bolinskey, P.K., Nichols, D.S. (2011). Construct drift in the MMPI-2 restructured clinical scales: further evidence and a possible historic example. *Journal of Clinical Psychology*, 67, 907-917.

Bolla-Wilson, K. & Bleeker, M. L. (1989). Absence of depression in elderly adults. *Journals of Gerontology*, 44(2), 53-55.

Boone, D. (1995). Differential validity of the MMPI-2 subtle and obvious scales with psychiatric inpatients: Scale 2. *Journal of Clinical Psychology*, 51(4), 526-531.

Boscan, D. C., Penn, N. E., Velasquez, R. J., Reimann, J., Gomez, N., Guzman, M., Berry, E. M., Infantes, L. D., Jaramillo, L. F., & De Romero, M. C. (2000). MMPI-2 profiles of Colombian, Mexican, and Venezuelan university students. *Psychological Reports*. Vol 87(1), 107-110.

Boscan, D. C., Penn, N. E., Velasquez, R. J., Savino, A. V., Maness, P., Guzman, M., & Reimann, J. (2002). MMPI-2 performance of Mexican male university students and prison inmates. *Journal of Clinical Psychology*. Vol 58(4), 465-470.

Bosch, P., Van Luijtelaar, G., Van Den Noort, M., Schenkwald, J., Kueppenbender, N., Lim, S., Egger, J., & Coenen, A. (2014). The MMPI-2 in chronic psychiatric illness. *Scandinavian Journal of Psychology*, 55(5), 513-519.  
<http://dx.doi.org/10.1111/sjop.12152>

Bosquet, M. & Egeland, B. (2000). Predicting parent behaviors from antisocial practices content

- scale scores of the MMPI-2 administered during pregnancy. *Journal of Personality Assessment*, 74(1), 146-162.
- Bottioli, S., Viana, M., Sances, G., Ghiootto, N., Guaschino, E., Galli, F., . . . Tassorelli, C. (2016). Psychological factors associated with failure of detoxification treatment in chronic headache associated with medication overuse. *Cephalgia : An International Journal of Headache*, doi:0333102416631960 [pii]
- Boutros, N. N., Lisanby, S. H., McClain-Furmanski, D., Oliwa, G., Gooding, D., & Kosten, T. R. (2005). Cortical excitability in cocaine-dependent patients: A replication and extension of TMS findings. *Journal of Psychiatric Research*, 39, 295-302.
- Bouvard, M., Fontaine-Buffe, M., Cungi, C., Adeleine, P., Chapoutier, C., Durafour, E., Bouchard, C., & Cottraux, J. (1999). Preliminary study of the structured diagnostic interview for personality disorders: The SCID II. [French]. *Encephale*. Vol 25(5) 416-421.
- Bowden, S.C., White, J.R., Simpson, L., & Ben-Porath, Y.S. (2014). Elevation discrepancies between MMPI-2 clinical and MMPI-2-RF restructured clinical (RC) scales in people with seizure disorders. *Epilepsy & Behavior*, 34, 92-98.  
<http://dx.doi.org/10.1016/j.yebeh.2014.03.016>
- Boychuk, D.B. (2008). Assessing lesbian domestic violence batterers with the MMPI-2. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 69, 1942.
- Bow, J. N., Flens, J. R., & Gould, J. W. (2010). MMPI-2 and MCMI-III in forensic evaluations: A survey of psychologists. *Journal of Forensic Psychology Practice*, 10(1), 37-52.
- Bowler, R. M. & Schwarzer, R. (1991). Environmental anxiety: Assessing emotional distress and concerns after toxin exposure. *Anxiety Research*, 4(2), 167-180.
- Boz, C., Velioglu, S., Ozmenoglu, M., Sayar, K., Alioglu, Z., Yalman, B., & Topbas, M. (2004). Temperament and character profiles of patients with tension-type headache and migraine. *Psychiatry and Clinical Neurosciences*, 58, 536-543.
- Brackman, L. (2014). MMPI-2-RF profiles of women with an eating disorder: The impact of trauma and hopelessness. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, Vol 74(8-B(E)), No Pagination Specified.
- Brad, C.A., Coupland, R.B.A., & Olver, M.E. (2014). An examination of mental health, hostility, and typology in homicide offenders. *Homicide Studies: An Interdisciplinary &*

*International Journal*, 18(4), Nov 2014, 323-341. <http://dx.doi.org/10.1177/1088767914521416>

Brand, B. L., & Chasson, G. S. (2015). Distinguishing simulated from genuine dissociative identity disorder on the MMPI-2. *Psychological Trauma: Theory, Research, Practice, and Policy*, 7(1), 93.

Brand, B. L., Chasson, G. S., Palermo, C. A., Donato, F. M., Rhodes, K. P., & Voorhees, E. F. (2016). MMPI-2 Item Endorsements in Dissociative Identity Disorder vs. Simulators. *The Journal of the American Academy of Psychiatry and the Law*, 44(1), 63-72. doi:44/1/63 [pii]

Brand, B. L., Webermann, A. R., & Frankel, A. S. (2016). Assessment of complex dissociative disorder patients and simulated dissociation in forensic contexts. *International Journal of Law and Psychiatry*, 49 (B), 197-204.

Branton, R. E. (2004). A multifaceted assessment protocol for successful international assignees. *Dissertation Abstracts International: Section B: The Sciences & Engineering*, 64(8-B), 4024. US: Univ Microfilms International.

Brayton, K. J. (2005). The measurement of bias and risk assessment in perpetrators of bias motivated acts of violence. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 66(1-B), 613. US: Univ Microfilms International.

Brems, C & Lloyd, P. (1995). Validation of the MMPI-2 Low Self Esteem Content Scale. *Journal of Personality assessment*, 65(3), 550-556.

Briddick, W. C. (2006). The correlates of the MMPI-2 Personality Disorder scales in a selected non-clinical population using the Adjective Check List and related characteristics. *Dissertation Abstracts International Section A: Humanities and Social Sciences*, 66(7-A), 2499. US: Univ Microfilms International.

Bridges, S.A., & Baum, L.J. (2013). An Examination of the MMPI-2-RF Lr Scale in an Outpatient Protestant Sample. *Journal of Psychology & Christianity*, 32, 115-123.

Brinker, J.K., Chin, Z.H., & Wilkinson, R. (2014). Ruminative thinking style and the MMPI-2-RF. *Personality and Individual Differences*, 66, 102-105.  
<http://dx.doi.org/10.1016/j.paid.2014.03.001>

Brinkman, J. J. (2005). Psychiatric disorders as an outcome of neurological insult: A

computation of relative risk. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 65(11-B), 6038. US: Univ Microfilms International.

Brock, K.D. (2008). Assessment of malingered depression and pain with the MMPI-2 and Rorschach Inkblot Method. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 69, 2001.

Brokenbough, M. A. (2016). Examining the measurement invariance of the Minnesota Multiphasic Personality Inventory-2-Restructured Form internalizing specific problem scales in African American and Caucasian men. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 77(1-B(E)).

Brophy, A. L. (1992). Goldberg's index to diagnose psychosis vs neurosis from the MMPI-2. *Psychological Reports*, 71, 232.

Brophy, A. L. (1993). Cooke's disturbance index on the MMPI-2. *Psychological Reports*, 72, 345-346.

Brophy, A. L. (1996). Provisional statistics for MMPI-2 dependency, prejudice, social status, control, and low back pain scales. *Psychological Reports*, 78(3, Pt 2) 1075-1078.

Brophy, A. L. (2000). Desirability of old and new MMPI-2 items. *Psychological Reports*. Vol 87(3, Pt 1) , 928.

Brophy, A. L. (2003). MMPI-2 L+K and L+K-F indexes of underreporting: Normative and desirable responding. *Psychological Reports*, 92(1), 223-227.

Brophy, A. L. (2005). Note on Meunier and Bodkins's (2005) "Interpretation of MMPI-A Scale 5 with female patients." *Psychological Reports*, 97, 673-674.

Brown, F. H., Dodrill, C. G., Clark, T., & Zych, K. (1991). An investigation of the relationship between self-report memory functioning and memory test performance. *Journal of Clinical Psychology*, 47(6), 772-777.

Brown, T. G., Ouimet, M. C., Nadeau, L., Tremblay, J., & Pruessner, J. (2015). Sex differences in the personality and cognitive characteristics of first-time DWI offenders. *Journal of Studies on Alcohol and Drugs*, 76(6), 928-934.

Browning, J. A. (2003). An exploratory investigation into faking good on the adult attachment interview. *Dissertation Abstracts International: Section B: The Sciences & Engineering*, 64(2-B), 956. US: Univ Microfilms International.

Brown, J. M. (2015). *Examination of Differences in the Clinical Presentation of Veterans with Combat-related and Military Sexual-related Posttraumatic Stress Disorder* (Doctoral dissertation, University of Kansas).

Burchett, D., Dargon, W. R., Smith Holbert, A. M., Tarescavage, A. M., Mattson, C. A., ... & Ben-Porath, Y. S. (2016). "False feigners": Examining the impact of non-content-based invalid responding on the Minnesota Multiphasic Personality Inventory-2 Restructured Form content-based invalid responding indicators. *Psychological Assessment*, 28(5), 458-470.

Brulot, Magali M.; Strauss, Esther; Spellacy, Frank (1997). Validity of the Minnesota Multiphasic Personality Inventory-2 correction factors for use with patients with suspected head injury. *Clinical Neuropsychologist*. 4, 391-401.

Brummett, B.H., Helms, M.J., Dahlstrom, W.G., & Siegler, I.C. (2006). Prediction of all-cause mortality by the Minnesota multiphasic personality inventory optimism-pessimism' scale scores: Study of a college sample during a 40-year follow-up period. *Mayo Clinic Proceedings*, 81, 1541-1544.

Burneo, D. C. S., Bowden, S. C., Simpson, L. C. (2016). Incremental validity of the Minnesota Multiphasic Personality Inventory, Second Edition (MMPI-2) relative to the Beck Depression Inventory-Second Edition (BDI-II) in the detection of depressive symptoms. *Australian Psychologist*, 51(5), 389-399.

Brusa, L., Pavino, V., Ceravolo, R., Massimetti, M. C., Stefani, A., Pierantoni, M., . . . Stanzione, P. (2016). Pathological Gambling in Parkinson's disease patients: dopaminergic medication or personality traits fault? *Parkinsonism & Related Disorders*, 22, e61.

Bubp, Corby A. (2005). The effects of role playing and coaching on the ability to simulate a traumatic brain injury profile on the Minnesota Multiphasic Personality Inventory - 2nd edition (MMPI-2). *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 65(11-B), 6038. US: Univ Microfilms International.

Buchanan, R. D. (2002). On not "giving psychology away": The Minnesota Multiphasic Inventory and public controversy over testing in the 1960s. *History of Psychology*. Vol 5(3) , 284-309.

Buffington, A. J. (2015). *The Association of Religious Affiliation with the MMPI-A alcohol/drug Problem Acknowledgment Scale in Post-Soviet Russian Adolescents*. Fielding Graduate University.

- Buffkins, K. R. (2003). Psychological testing with African Americans: A critical review of the literature. *Dissertation Abstracts International: Section B: The Sciences & Engineering*, 64(3-B), 1483. US: Univ Microfilms International.
- Bunevičius, R., & Žilénienė, S. (2015). MMPI and HAD scale comparison. *Psychology*, (11), 95-102.
- Burchett, D.L. (2012). *MMPI-2-RF validity scale scores as moderators of substantive scale criterion validity*. (Doctoral dissertation). Retrieved from: <http://etd.ohiolink.edu/send-pdf.cgi/Burchett%20Danielle%20L.pdf?kent1351280854&dl=y>
- Burchett, D. L., & BenPorath, Y. S. (2010). The impact of overreporting on MMPI-2-RF substantive scale score validity. *Assessment*, 17(4), 497-516.
- Burchett, D. L., & BenPorath, Y. S. (2011). "The impact of overreporting on MMPI-2-RF substantive scale score validity": Erratum. *Assessment*, 18(1), 123-126.
- Burge DeBrule, G. (2010). A psychometric evaluation of the Revised Optimism-Pessimism Scale of the MMPI-2. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 70(10-B), 6541.
- Burkiewicz, A., Sumila, A., Buczny, J., & Bartosinska, A. (2013). 1942—Correlation between defense mechanisms and mmpi-2 profiles in patients with depressive disorders. *European Psychiatry*, 28, 1.
- Bullard, D. C. (2003). Methods for evaluating consistency of item endorsement on the MMPI-2. *Dissertation Abstracts International: Section B: the Sciences & Engineering*. Vol 63(98-B), 3904, US: Univ Microfilms International.
- Bury, A.S. (2014). Detecting feigned post-traumatic stress disorder with the Minnesota Multiphasic Personality Inventory-2 and the Trauma Symptom Inventory. Dissertation Abstracts International: Section B: The Sciences and Engineering, Vol 75(6-B(E)), No Pagination Specified.
- Bury, A. S., & Bagby, R. M. (2002). The detection of feigned uncoached and coached posttraumatic stress disorder with the MMPI-2 in a sample of workplace accident victims. *Psychological Assessment*. Vol 14(4), 472-484.
- Bush, B. A., Novack, T. A., Schneider, J. J., & Madan, A. (2004). Depression following traumatic brain injury: The validity of the CES-D as a brief screening device. *Journal of Clinical Psychology in Medical Settings*, 11, 195-201.

Butcher, J. N. (Editor-in-Chief), & Hooley, J. M. (Ed.) (2018). *APA Handbook of Psychopathology: Vol 1. Understanding, assessing, and treating adult mental disorders.* Washington, DC: American Psychological Association.

Butcher, J. N. (Editor-in-Chief), & Kendall, P.C. (Ed.) (2018). *APA handbook of psychopathology: Vol 2. Psychopathology of children and adolescents.* Washington, D. C. American Psychological Association.

Butcher, J. N. (2018). Personality assessment of adolescents with psychological problems. Vita: J.N. Butcher Page 17 In J. N. Butcher (Editor-in-Chief), & P. Kendall (Ed.). *APA of psychopathology: Vol 2. Psychopathology of children and adolescents.* Washington, D. C. American Psychological Association.

Butcher, J. N. (2016). Personality assessment of airline pilot applicants. Bor, R., Eriksen, C. Oakes, M. & Scragg, P. (Eds.) *Pilot Mental Health Assessment and Support: A Practitioner's Guide* (p. 62-78). London: Routledge, Taylor & Francis.

Butcher, J. N. (2017). James N. Butcher Autobiography. In V. Zeigler-Hill & T. S. Shackelford (Eds.) *Encyclopedia of Personality and Individual Differences.* London: Springer International Publishing. DOI 10.1007/978-3-319-28099-8\_390-1

Butcher, J. N., Hass, G. & Paulsen, J. (2016). Clinical Assessment in International Settings. In F. M. Cheung (Ed). (pp. 217-230). *International Handbook of Testing and Assessment.* International Test Commission.

Butcher, J. N., Hass, G. A., Greene, R. L. & Nelson, L. D. (2015). *Using the MMPI-2 in Forensic Assessment.* Washington, D.C.: American Psychological Association.

Butcher, J. N. (2016). Objective Personality Assessment With the MMPI-2: An Internationally Adaptable Measure 175-191). In, U. Kumar (Ed.)). *Personality Assessment: The Way Forward,* Sage Publications.

Butcher, J. N. (2017). Actuarial Prediction. In Amy E. Wenzel. (Ed.). *The SAGE Encyclopedia of Abnormal and Clinical Psychology.*

Butcher, J. N. , Front, C. & Ones, D. (2018). Psychopathology in the workplace. In J.N. Butcher (Ed.-in-Chief), J.M. Hooley (Associate Ed.), *APA handbook of psychopathology: Vol 1. Understanding, assessing, and treating adult mental disorders* (pp. [xxx]). [http://dx.doi.org/10.1037/\[chapter DOI\]](http://dx.doi.org/10.1037/[chapter DOI])

Butcher, J. N. (2017). Minnesota Multiphasic Personality Inventory, In Amy E. Wenzel. (Ed.) *The SAGE Encyclopedia of Abnormal and Clinical Psychology.*

Butcher, J.N. (2015). Minnesota Multiphasic Personality Inventory. In: James D. Wright (editor-in-chief), International Encyclopedia of the Social & Behavioral Sciences, 2nd edition, Vol 15. Oxford: Elsevier. pp. 566–568. ISBN: 9780080970868

Butcher, J. N. (2013). Computerized psychological assessment. In J R. Graham & J. Naglieri (Eds). *Handbook of Psychology* (Volume 10) (Second Edition)(p. 165-191. New York: Wiley Press.

Butcher, J. N. (2010). Personality assessment from the nineteenth to the early twenty-first century: Past achievements and contemporary challenges. *Annual Review of Clinical Psychology*, 6, 1-20.

Butcher, J. N. (2011). The analysis of complex cases: Code-type interpretation. In Butcher, J.N., *A beginner's guide to the MMPI-2* (3rd ed.), pp. 67-83. Washington, DC: American Psychological Association.

Butcher, J. N. (2011). *A beginner's guide to the MMPI-2* (3rd ed.). Washington, DC: American Psychological Association.

Butcher, J. N. (2011). A bond with the past: The MMPI-2 basic or clinical scales. In Butcher, J.N., *A beginner's guide to the MMPI-2* (3rd ed.), pp. 39-66. Washington, DC: American Psychological Association.

Butcher, J. N. (2011). The content scales: An assessment of client content themes. In Butcher, J.N., *A beginner's guide to the MMPI-2* (3rd ed.), pp. 85-103. Washington, DC: American Psychological Association.

Butcher, J. N. (2011). Departures from MMPI-2 empirical traditions: The fake bad scale, restructured clinical scales, and the MMPI-2-RF. In Butcher, J.N., *A beginner's guide to the MMPI-2* (3rd ed.), pp. 175-194. Washington, DC: American Psychological Association.

Butcher, J. N. (2011). The MMPI-2 supplemental scales: An appraisal of special problems. In Butcher, J.N., *A beginner's guide to the MMPI-2* (3rd ed.), pp. 105-118. Washington, DC: American Psychological Association.

Butcher, J. N. (2011). Putting it all together: How to interpret an MMPI-2 profile and organize test inferences. In Butcher, J.N., *A beginner's guide to the MMPI-2* (3rd ed.), pp. 119-137. Washington, DC: American Psychological Association.

Butcher, J. N. (2011). The report: Documenting and explaining the results of the MMPI-2 evaluations. In Butcher, J.N., *A beginner's guide to the MMPI-2* (3rd ed.), pp. 157-173. Washington, DC: American Psychological Association.

- Butcher, J. N. (2011). To believe or not to believe, that is the question: Assessing the validity of MMPI-2 test results. In Butcher, J.N., *A beginner's guide to the MMPI-2* (3rd ed.), pp. 21-38. Washington, DC: American Psychological Association.
- Butcher, J. N. (2011). Using the MMPI-2 in various settings and populations. In Butcher, J.N., *A beginner's guide to the MMPI-2* (3<sup>rd</sup> ed.), pp. 139-156. Washington, DC: American Psychological Association.
- Butcher, J. N. (2011). A well-traveled path: MMPI use and administration. In Butcher, J.N., *A beginner's guide to the MMPI-2* (3rd ed.), pp. 3-20. Washington, DC: American Psychological Association.
- Butcher, J. N. (Ed) (2009). *Oxford Handbook of Personality Assessment*. New York: Oxford University Press.
- Butcher, J. N. (2009). How to Use Computer-Based Reports. In J. N. Butcher (Ed). *Oxford Handbook of Personality Assessment*. (pp.693-706). New York: Oxford University Press.
- Butcher, J. N. (2009). Clinical Personality Assessment: History, Theoretical Bases , Contemporary Models And Practical Applications. In J. N. Butcher (Ed). (Pp. 5-20). *Handbook of Personality Assessment*. New York: Oxford University Press.
- Butcher, J. N. (2006). Pathways to MMPI-2 use: A practitioner's guide to test usage in diverse settings. In J. N. Butcher (Ed.). *MMPI-2: The practitioner's handbook*. (pp. 3-13). Washington, D. C.: American Psychological Association.
- Butcher, J. N. (ed) (2006). *MMPI-2: The practitioner's handbook* Washington, D. C.: American Psychological Association.
- Butcher, J. N. (2005). *MMPI-2: A beginner's guide* (Second Edition). Washington DC: The American Psychological Association.
- Butcher, J. N., Perry, J., & Hahn, J. (2004). Computers in Clinical Assessment: Historical developments, present status, and future challenges. *Journal of Clinical Psychology*, 60, 331-346.
- Butcher, J. N. & Perry, J. N. (2008). Personality assessment in treatment planning: *Use of the MMPI-2 and BTPI*. New York: Oxford University Press.
- Butcher, J. N. (Ed), *International adaptations of the MMPI-2: Research and clinical applications*. Minneapolis, MN: University of Minnesota Press.

- Butcher, J. N., Atlis, M., & Hahn, J. (2003). Assessment with the MMPI-2: Research base and future developments. In D. Segal (Ed.), *Comprehensive handbook of psychological assessment*. (Pp. 30-38). New York: John Wiley.
- Butcher, J. N. (2003). *The MMPI-2 in the Encyclopedia of Psychology*. New York: Wiley.
- Butcher, J. N. (2005). Exploring universal personality characteristics: An objective approach. *International Journal of Clinical and Health Psychology*, 5, 553-566.
- Butcher, J. N. (2004). Personality assessment without borders: Adaptation of the MMPI-2 across cultures. *Journal of Personality Assessment*, 83 (2), 90-104.
- Butcher, J. N. (2009). Clinical Personality Assessment: History, Evolution, Contemporary Models And Practical Applications. In J. N. Butcher (Ed). *Oxford Handbook of Personality Assessment*. (pp. 5-21). New York: Oxford University Press.
- Butcher, J. N. (2009). How to Use Computer-Based Reports. In J. N. Butcher (Ed). *Oxford Handbook of Personality Assessment*. (pp.693-706). New York: Oxford University Press.
- Butcher, J. N. (2009). Overview and Future Directions. In J. N. Butcher (Ed). *Oxford Handbook of Personality Assessment*. (pp. 702-718). New York: Oxford University Press.
- Butcher, J. N., Gucker, D. K. & Hellervik, L. W. (2009). Clinical Personality Assessment in the Employment Context. In J. N. Butcher (Ed). *Oxford Handbook of Personality Assessment*. (pp.582-598). New York: Oxford University Press.
- Butcher, J. N., Hass, G. & Paulsen, J. (2016). Clinical assessment in international settings. In F. T. Leong, D. Bartram, F. M. Cheung, K. Geisinger, & D. Ilieseu (Eds). *International Handbook of Testing and Assessment* (pp. 217-230). Oxford, UK: Oxford University Press.
- Butcher, J. N. (Ed.-in-Chief), P.C. Kendall (Associate Ed.), APA handbook of psychopathology: Vol 2. Psychopathology of children and adolescents. Washington, D. C. American Psychological Association. [http://dx.doi.org/10.1037/\[chapter DOI\]](http://dx.doi.org/10.1037/[chapter DOI])
- Butcher, J. N. (Ed.-in-Chief), J.M. Hooley (Associate Ed.), APA handbook of psychopathology: Vol 1. Understanding, assessing, and treating adult mental disorders. Washington, D. C. American Psychological Asociation. [http://dx.doi.org/10.1037/\[chapter DOI\]](http://dx.doi.org/10.1037/[chapter DOI])
- Butcher, J. N. & Hooley, J. (in press). Introduction to Understanding Psychopathology. In J.N. Butcher (Ed.-in-Chief), J.M. Hooley (Associate Ed.), APA handbook of

psychopathology: Vol 1. Understanding, assessing, and treating adult mental disorders (pp. [xxx]). [http://dx.doi.org/10.1037/\[chapter DOI\]](http://dx.doi.org/10.1037/[chapter DOI])

Butcher, J. N & Kendall, P. C. (In press). Introduction to Childhood and Adolescent. In J.N. Butcher (Ed.-in-Chief), P.C. Kendall (Associate Ed.), APA handbook of psychopathology: Vol 2. Psychopathology of children and adolescents (pp. [xxx]). [http://dx.doi.org/10.1037/\[chapter DOI\]](http://dx.doi.org/10.1037/[chapter DOI])

Butcher, J. N., Bubany, S. & Mason, S. N. (2013). Assessment of personality and psychopathology with self-report inventories. In Geisinger, K. F., Bracken, B. A., Carlson, J. F., Hansen, J. C., Kuncel, N. R., Reise, S. P., & Rodriguez, M C. (Eds). *APA Handbook of Testing and Assessment in Psychology, Vol. 2: Testing and Assessment in Clinical and Counseling Psychology*. (pp. 171-192). Washington, DC, US: American Psychological Association. DOI: 10.1037/14048-011

Butcher, J. N., Perry, J. & Dean, B. L. (2009). Computer Based Assessment. In J. N. Butcher (Ed). *Oxford Handbook of Personality Assessment*. (pp. 163-182). New York: Oxford University Press.

Butcher, J. N. & Ben-Porath, Y. S. (2004). Use of the MMPI-2 in medico legal evaluations: An alternative interpretation For the Senior & Douglas (2001) critique. *Australian Psychologist*, 39, 44-50.

Butcher, J. N., Arbisi, P. A., Atlis, M., & McNulty, J. (2003). The construct validity of the Lees-Haley Fake Bad Scale (FBS): Does this scale measure malingering and feigned emotional distress? *Archives of Clinical Neuropsychiatry*, 18, 473-485.

Butcher, J. N. (2003). Discontinuities, Side Steps, and Finding a Proper Place: An Autobiographical Account. *Journal of Personality Assessment*, 80, 223-236.

Butcher, J. N., Derkzen, J., Sloore, H., & Sirigatti, S. (2003). Objective personality assessment of people in diverse cultures: European adaptations of the MMPI-2. *Behavior Research and Therapy*, 41, 819-840.

Butcher, J. N., Cabiya, J., Lucio, E. M., Garrido, M. (2007). *Assessing Hispanic Clients Using the MMPI-2 and MMPI-A*. Washington, D. C.: American Psychological Association.

Butcher, J. N., Cheung, F. M, & Lim, J. (2003). Use of the MMPI-2 with Asian Populations. *Psychological Assessment*, 15, 248-256.

- Butcher, J. N., Gass, C. S., Cumella, E., Kally, Z., & Williams, C. L. (2008). Potential for bias in MMPI-2 assessments using the Fake Bad Scale (FBS). *Psychological Injury and the Law*, 1, 191-209.
- Butcher, J. N., Hass, G. A., Greene, R. L. & Nelson, L. D. (2015). *Using the MMPI-2 in Forensic Assessment*. Washington, D.C.: American Psychological Association.
- Butcher, J.N., & Perry, J.N. (2008). *Personality assessment in treatment planning: Use of the MMPI-2 and BTPI*. New York, NY, US: Oxford University Press.
- Butcher, J. N., Tsai, J., Coelho, S.,& Nezami, E. (2006). Cross cultural applications of the MMPI-2. In J. N. Butcher (Ed.). *MMPI-2: The practitioner's handbook*. (pp. 505-537) Washington, D. C.: American Psychological Association.
- Butcher, J. N., Ones, D.S. & Cullen, M. (2006). Personnel screening with the MMPI-2. In J. N. Butcher (Ed.). *MMPI-2: The practitioner's handbook*. (pp. 381-406) Washington, D. C.: American Psychological Association.
- Butcher, J. N. & Coelho, S. A. (1997). The Minnesota Multiphasic Personality Inventory-2 (MMPI-2). *The Security Journal*, 8, 121-124.
- Butcher, J. N. (2002). Computer-based psychological assessment. In J.R. Graham & J. Naglieri (Eds.), *Comprehensive handbook of psychology*, Vol. 10: Assessment psychology. (Pp 141-164). New New York: Wiley.
- Butcher, J. N. & Han, K. (1995). Development of an MMPI-2 scale to assess the presentation of self in a superlative manner: The S Scale. In J. N. Butcher and C. D. Spielberger (Eds.) *Advances in personality assessment*, Volume 10. Hillsdale, N. J.: LEA Press. (pp. 25-50)
- Butcher, J. N. & Han, K. (1996). Methods of establishing cross-cultural equivalence. In J. N. Butcher (Ed), *International adaptations of the MMPI-2: Research and clinical applications*. Minneapolis, MN: University of Minnesota Press. (pp 44-66).
- Butcher, J. N., Hass, G. A., Greene, R. L., & Nelson, L. D. (2015). *Using the MMPI-2 in Forensic Assessment*. Washington, DC: American Psychological Association.
- Butcher, J. N., Hass, G. A., Greene, R. L., & Nelson, L. D. (2015). Computer-based interpretation in forensic evaluations. (pp. 221-236). Washington, DC, US: American Psychological Association. doi:10.1037/14571-013
- Butcher, J. N., Hass, G. A., Greene, R. L., & Nelson, L. D. (2015). The MMPI-2 in neuropsychological assessment. (pp. 91-114). Washington, DC, US: American

Psychological Association. doi:10.1037/14571-006

Butcher, J. N., Hass, G. A., Greene, R. L., & Nelson, L. D. (2015). Overview of the MMPI-2 clinical, content, and supplementary scales. (pp. 49-67). Washington, DC, US: American Psychological Association. doi:10.1037/14571-004

Butcher, J. N., Hass, G. A., Greene, R. L., & Nelson, L. D. (2015). Preparation for court testimony with the MMPI-2. (pp. 11-25). Washington, DC, US: American Psychological Association. doi:10.1037/14571-002

Butcher, J. N., Hass, G. A., Greene, R. L., & Nelson, L. D. (2015). Summary, conclusions, and future directions. (pp. 265-274). Washington, DC, US: American Psychological Association. doi:10.1037/14571-016

Butcher, J. N. & Miller, K. B. (1998). Personality assessment in personal injury litigation. In A.K. Hess & I.B. Weiner *The Handbook of Forensic Psychology*. (pp 104-126). New York: Wiley.

Butcher, J. N. & Perry, J. L. (2008). *Personality Assessment in Treatment Planning*. New York: Oxford University Press.

Butcher, J. N. & Pope, K. S. (1992). Forensic psychology: Psychological evaluation in family custody cases--Role of the MMPI-2 and MMPI-A. *Family Law News*, 15, 25-28.

Butcher, J.N., & Pope, K.S. (2006). The MMPI-A in Forensic Assessment. In S.N. Sparta & G.P. Koocher (Eds), *Forensic mental health assessment of children and adolescents*. (pp. 401-411). New York, NY: Oxford University Press.

Butcher, J. N. & Pope, K. S. (1993). Seven issues in conducting forensic assessments: Ethical responsibilities in light of new standards and new tests. *Ethics and Behavior*, 3, 267-288.

Butcher, J. N. & Rouse, S. (1996). Clinical personality assessment. *Annual Review of Psychology*, 47, 87-111.

Butcher, J.N., & Williams, C.L. (2012). Problems with using the MMPI-2-RF in forensic evaluations: A clarification to Ellis. *Journal of Child Custody*, 9, 217-222.

Butcher, J. N., & Williams, C. L. (2009). Personality assessment with the MMPI-2: Historical roots, international adaptations, and current challenges. *Applied Psychology: Health and Well-Being*, 1(1), 105-135.

- Butcher, J. N. & Williams, C. L. (1992). *MMPI-2 and MMPI-A: Essentials of clinical interpretation*. Minneapolis, MN: University of Minnesota Press.
- Butcher, J. N. (1982). *User's guide for the MMPI-2 Minnesota Report: Adult Clinical System*. Minneapolis: National Computer Systems.
- Butcher, J. N. (1987). The use of computers in psychological assessment: An overview of practices and issues. In J. N. Butcher (Ed). *Computerized psychological assessment: A practitioner's guide* (pp 3-15). New York: Basic Books.
- Butcher, J. N. (1989). Education level and MMPI-2 measured psychopathology: A case of negligible influence. *News and Profiles*, 1(2), 3.
- Butcher, J. N. (1989). *User's guide for the MMPI-2 Minnesota Report: Personnel Selection System*. Minneapolis: National Computer Systems.
- Butcher, J. N. (1989). *User's guide for the MMPI-2 Minnesota Report: Adult clinical system*. Minneapolis: National Computer Systems.
- Butcher, J. N. (2005). *User's guide for the MMPI-2 Minnesota Report: Adult clinical system (4<sup>th</sup> Edition)*. Minneapolis: Pearson Assessments.
- Butcher, J. N. (1990). *Use of the MMPI-2 in treatment planning*. New York: Oxford University Press.
- Butcher, J. N. (1990, October). Basic features of the MMPI-2. *Clinician's Research Digest*, SB #7.
- Butcher, J. N. (1990a). What interpretive changes do the educational differences between the original MMPI and MMPI-2 normative samples require? *MMPI-2 News and Profiles*, 1(1), 2.
- Butcher, J. N. (1990b). Education level and MMPI-2 measured psychopathology: A case of negligible influence. *MMPI-2 News and Profiles*, 1(2), 2.
- Butcher, J. N. (1991). Screening for psychopathology: Industrial applications of the Minnesota Multiphasic Personality Inventory-2 (MMPI-2). In J. Jones, B.D. Steffey, & D. Bray (Eds.). *Applying psychology in business: The manager's handbook*. Boston: Lexington Books. (pp 835-850).
- Butcher, J. N. (1991). *User's guide for the MMPI-2 Minnesota Report: Alcohol and Drug Program*. Minneapolis: National Computer Systems.

Butcher, J. N. (1992). The MMPI-2: A step in the right direction. *National Psychologist*, 1, 12.

Butcher, J. N. (1993). *User's guide for the MMPI-2 Minnesota Report: Adult Clinical System*. Minneapolis: National Computer Systems.

Butcher, J. N. (2005). *User's guide for the MMPI-2 Minnesota Report: Adult Clinical System (Fourth Edition)*. Minneapolis: Pearson Assessment Systems.

Butcher, J. N. (1994). Psychological assessment by computer: Potential gains and problems. *Psychiatric Annals*, 20, 20-24.

Butcher, J. N. (1994). Psychological assessment of airline pilot applicants with the MMPI-2. *Journal of Personality Assessment*, 62, 31-44.

Butcher, J. N. (1995). Clinical Personality Assessment: An Overview. In J. N. Butcher (Ed.). (1995). *Clinical personality assessment: Practical approaches*. New York: Oxford University Press. (pp 3-9).

Butcher, J. N. (1995). How to use Computer-Based Test Reports. In J. N. Butcher (Ed.). (1995). *Clinical personality assessment: Practical approaches*. New York: Oxford University Press. (pp 78-94)

Butcher, J. N. (1995). Item Content in the Interpretation of the MMPI-2. In J. N. Butcher (Ed.). *Clinical personality assessment: Practical approaches*. New York: Oxford University Press. (302-316)

Butcher, J. N. (1995). Linee di tendenza nella valutazione della personalita: come sara il nuovo secolo? *Bollettino di Psicologia Applicata*, 213, 3-9.

Butcher, J. N. (1995). Personality patterns of personal injury litigants: The role of computer-based MMPI-2 evaluations. In Y. S. Ben-Porath, J. R. Graham, G. C. N. Hall, R. D. Hirschman, & M. S. Zaragoza (Eds.), *Forensic applications of the MMPI-2*. Thousand Oaks, CA: Sage (Pp 179-201).

Butcher, J. N. (1995). *User's guide for The Minnesota Report: Revised Personnel Report*. Minneapolis, MN: National Computer Systems.

Butcher, J. N. (1996). *International adaptations of the MMPI-2: Research and clinical applications*. Minneapolis, MN: University of Minnesota Press.

Butcher, J. N. (1996). Of errors and questionable advice: A clarifying response to Gordon's evaluation of MMPI/MMPI-2. *Colorado Psychological Association Bulletin*, January, 3,

8-9.

- Butcher, J. N. (1996). Translation and adaptation of the MMPI-2 for international use. In J. N. Butcher (Ed), *International adaptations of the MMPI-2: Research and clinical applications*. Minneapolis, MN: University of Minnesota Press. (pp 26-43).
- Butcher, J. N. (1996). Understanding abnormal behavior across cultures: The use of objective personality assessment methods. In J. N. Butcher (Ed), *International adaptations of the MMPI-2: Research and clinical applications*. Minneapolis, MN: University of Minnesota Press. (pp 3-25).
- Butcher, J. N. (1997). Assessment and treatment in the era of managed care. In J. N. Butcher (Ed) *Personality assessment in managed care: Using the MMPI-2 in treatment planning*. New York: Oxford University Press. (pp 3-12).
- Butcher, J. N. (1997). Use of computer-based personality test reports in treatment planning. In J. N. Butcher (Ed) *Personality assessment in managed care: Using the MMPI-2 in treatment planning*. New York: Oxford University Press. (pp 153-172).
- Butcher, J. N. (1998). Assessing MMPI-2 profile validity. In G.P. Koocher, J.C. Norcross, & S. S. Hill III (Eds), *Psychologist's Desk Reference*. New York: Oxford University Press. (pp 122-125).
- Butcher, J. N. (1998). Empirical interpretation of the MMPI-2 codetypes. In G.P. Koocher, J.C. Norcross, & S. S. Hill III (Eds), *Psychologist's Desk Reference*. New York: Oxford University Press. (pp 126-129).
- Butcher, J. N. (1999). *MMPI-2: A beginner's Guide to the MMPI-2*. Washington DC: American Psychological Association.
- Butcher, J. N. (2000). Dynamics of personality test responses: The empiricist's manifesto revisited. *Journal of Clinical Psychology*, 56(3), 375-386.
- Butcher, J. N. (2000). Revising psychological tests: Lessons learned from the revision of the MMPI. *Psychological Assessment*. Vol 12(3), 263-271.
- Butcher, J. N. (2000). Starke Rosecrans Hathaway: Biography of an empiricist. Chapter in G. Kimble & M. Wertheimer (eds). *Pioneers in Psychology*. Washington DC: American Psychological Association.
- Butcher, J. N. (Ed) (1997). *Personality assessment in managed care: Using the MMPI-2 in treatment planning*. New York: Oxford University Press.

- Butcher, J. N. (Ed). (2000). *Basic sources for the MMPI-2*. Minneapolis: University of Minnesota Press.
- Butcher, J. N. (Ed.) (1987). *Computerized psychological assessment: A practitioner's guide*. New York: Basic Books.
- Butcher, J. N. (Ed.), (1972). *Objective personality assessment: Changing perspectives*. New York: Academic Press. (Note: Contains early articles highlighting problems with the original MMPI and the need for a revision).
- Butcher, J.N. (2002). Assessing pilots with 'the wrong stuff': A call for research on emotional health factors in commercial aviators. *International Journal of Selection and Assessment*, 10, 168-184.
- Butcher, J. N. (2003). Discontinuities, Side Steps, and Finding a Proper Place: An Autobiographical Account. *Journal of Personality Assessment*, 80, 223-236.
- Butcher, J. N. (2003). Assessment in forensic practice: An objective approach. In Van Dorsten, B. *Forensic psychology: From classroom to courtroom*. New York: Kluwer Academic Press/Plenum.
- Butcher, J. N. (2005). The report: Documenting the results of MMPI-2 evaluations. In J. N. Butcher (Ed.), *A beginner's guide to the MMPI-2, 2nd ed.* (pp. 163-177). Washington, DC: American Psychological Association.
- Butcher, J. N. (2005). Using the MMPI-2 in clinical cases from diverse settings. In J. N. Butcher (Ed.), *A beginner's guide to the MMPI-2, 2nd ed.* (pp. 145-162). Washington, DC: American Psychological Association.
- Butcher, J. N. (2005). Putting it all together: How to interpret a profile and organize test inferences. In J. N. Butcher (Ed.), *A beginner's guide to the MMPI-2, 2nd ed.* (pp. 125-143). Washington, DC: American Psychological Association.
- Butcher, J. N. (2005). The MMPI-2 Supplemental Scales: An appraisal of special problems. In J. N. Butcher (Ed.), *A beginner's guide to the MMPI-2, 2nd ed.* (pp. 109-123). Washington, DC: American Psychological Association.
- Butcher, J. N. (2005). The Content Scales: An assessment of client content themes. In J. N. Butcher (Ed.), *A beginner's guide to the MMPI-2, 2nd ed.* (pp. 93-107). Washington, DC: American Psychological Association.

- Butcher, J. N. (2005). The analysis of complex cases: Code-type interpretation. In J. N. Butcher (Ed.), *A beginner's guide to the MMPI-2, 2nd ed.* (pp. 75-91). Washington, DC: American Psychological Association.
- Butcher, J. N. (2005). A bond with the past: The MMPI-2 Basic Clinical Scales. In J. N. Butcher (Ed.), *A beginner's guide to the MMPI-2, 2nd ed.* (pp. 39-73). Washington, DC: American Psychological Association.
- Butcher, J. N. (2005). To believe or not to believe, that is the question: Assessing MMPI-2 test result validity. In J. N. Butcher (Ed.), *A beginner's guide to the MMPI-2, 2nd ed.* (pp. 21-37). Washington, DC: American Psychological Association.
- Butcher, J. N. (2005). A well-traveled path: MMPI use and administration. In J. N. Butcher (Ed.), *A beginner's guide to the MMPI-2, 2nd ed.* (pp. 3-20). Washington, DC: American Psychological Association.
- Butcher, J. N. (2005). *A beginner's guide to the MMPI-2, 2nd ed.* Washington, DC: American Psychological Association.
- Butcher, J. N., & Hostetler, K. (1990). Abbreviating MMPI item administration: Past problems and prospects for MMPI-2. *Psychological Assessment: A Journal of Consulting and Clinical Psychology*, 2, 12-21.
- Butcher, J. N., & Miller, K. B. (1999). Personality assessment in personal injury litigation. A. K. Hess, & I. B. Weiner(Eds.), *The handbook of forensic psychology* (2nd ed.). (pp. 104-126).
- Butcher, J. N., & Pope, K. (1992). Response to Drs. Horvath and Fekken. *Canadian Psychologist*, 33, 88-91.
- Butcher, J. N., & Pope, K. (1992). The research base, psychometric properties, and clinical uses of the MMPI-2 and MMPI-A. *Canadian Psychologist*, 33, 61-78.
- Butcher, J. N., & Pope, K. S. (1990). MMPI-2: A practical guide to clinical, psychometric, and ethical issues. *Independent Practitioner*, 10, 33-40.
- Butcher, J. N., Aldwin, C., Levenson, M., Ben-Porath, Y. S., Spiro, A., & Bossé, R. (1991). Personality and aging: A study of the MMPI-2 among elderly men. *Psychology of Aging*, 6, 361-370.

- Butcher, J. N., Arbisi, P. A., Atlis, M. M., McNulty, J. L. (2003). The construct validity of the Lees-Haley Fake Bad Scale: Does this measure somatic malingering and feigned emotional distress? *Archives of Clinical Neuropsychology*, 18(5), 473-485.
- Butcher, J. N., Atlis, M. M., & Fang, L. (2000). Effect of altered instructions on the MMPI-2 profiles of college students who are not motivated to distort their responses. *Journal of Personality Assessment*. Vol 75(3), 492-501.
- Butcher, J. N., & Ben-Porath, Y. S. (2004). Use of the MMPI-2 in medico-legal evaluations: An alternative interpretation for the Senior and Douglas (2001) critique. *Australian Psychologist*, 39(1), 44-50.
- Butcher, J. N., Berah, E., Ellertsen, B., Miach, P., Lim, J., Nezami, E., Pancheri, P., Derksen, J. & Almagor, M. (1998). Objective Personality Assessment: Computer-based MMPI-2 Interpretation in International Clinical Settings. In C. Belar (Ed). *Comprehensive clinical psychology: Sociocultural and individual differences*. New York: Elsevier. (pp 277-312).
- Butcher, J. N., Ellertsen, B., Ubostad, B., Bubb, E, Lucio, E., Lim, J., Ophir, M., Almagor, M., Kokkevi, A., Gillet, I., Castro, D., Cheung, F., Tsang, M., Pongpanich, L. O., Atlis, M. M., Atlas, M., Derksen, J., Scott, R., Mamani, W., Aroztegui Valez, J., Parabera, S., Sirigatti, S., Massai, V., Graziani, G., Tanzella, M. & Elsbury, S. (2000). *International case studies on the MMPI-A: An objective approach*. Minneapolis, Mn: University of Minnesota Press.
- Butcher, J. N., Cheung, F. M., & Lim, J. (2003). Use of the MMPI-2 with Asian populations. *Psychological Assessment*, 15(3), 248-256.
- Butcher, J. N., Dahlstrom, W.G., Graham, J. R., & Tellegen, A. (1990). The MMPI-2 and Classic Coke. *APA Monitor*, May Issue.
- Butcher, J. N., Dahlstrom, W.G., Graham, J. R., Tellegen, A., & Kaemmer, B. (1989). *Minnesota Multiphasic Personality Inventory-2 (MMPI-2): Manual for administration and scoring*. Minneapolis: University of Minnesota Press.
- Butcher, J. N., Derksen, J., Sloore, H., & Sirigatti, S. (2003). Objective personality assessment of people in diverse cultures: European adaptations of the MMPI-2. *Behavior Research and Therapy*, 41, 819-840.
- Butcher, J. N., Fekken, C., & Taylor, J. (1998). Objective Personality Assessment With Adults. In C. Reynolds (Ed). *Comprehensive clinical psychology*. New York: Elsevier. (pp 403-429)

Butcher, J. N., Graham, J. R., Kamphuis, J. & Rouse, S. (2006). Evaluating MMPI-2 research: Considerations for practitioners. In J. N. Butcher (Ed.). *MMPI-2: The practitioner's handbook*. (pp. 15-38). Washington, D. C.: American Psychological Association.

Butcher, J. N., Graham, J. R., & Ben-Porath, Y. S. (1995). Methodological problems and issues in MMPI/MMPI-2/MMPI-A research. *Psychological Assessment*, 7, 320-329.

Butcher, J. N., Graham, J. R., Ben-Porath, Y. S., Tellegen, Y. S., Dahlstrom, W. G., & Kaemmer, B. (2001). *Minnesota Multiphasic Personality Inventory-2: Manual for administration and scoring*. (Revised edition). Minneapolis, MN: University of Minnesota Press.

Butcher, J. N. & Graham, J. R. (1994). The MMPI-2: A new standard for personality assessment and research in counseling settings. *Measurement and Evaluation in Counseling and Development*, 27, 131-150.

Butcher, J. N., Graham, J. R., Dahlstrom, W.G., & Bowman, E. (1990). The MMPI-2 with college students. *Journal of Personality Assessment*, 54, 1-15.

Butcher, J. N., Graham, J. R., Williams, C.L., & Ben-Porath, Y. S. (1990). *Development and use of the MMPI-2 Content Scales*. Minneapolis: University of Minnesota Press.

Butcher, J. N., Jeffrey, T., Cayton, T.G., Colligan, S., DeVore, J. & Minnegawa, R. (1990). A study of active duty military personnel with the MMPI-2. *Military Psychology*, 2, 47-61.

Butcher, J. N., Lim, J., & Nezami, E. (1998). Objective study of abnormal personality in cross-cultural settings: The Minnesota Multiphasic Personality Inventory (MMPI-2). *Journal of Cross-Cultural Psychology*, 20, 189-211.

Butcher, J. N., Morfitt, R. C., Rouse, S. V., & Holden, R. R. (1997). Reducing MMPI-2 defensiveness: The effect of specialized instructions on retest validity in a job applicant sample. *Journal of Personality Assessment*, 68(2), 385-401.

Butcher, J. N., Narikiyo, T. & Bemis-Vitousek, K. (1992). Understanding abnormal behavior in cultural context. In H. Adams & P. Sutker (Eds.). *Comprehensive handbook of psychopathology* (Second edition) New York: Plenum. (pp 83-108).

Butcher, J. N., Nezami, E., & Exner, J. (1998) Psychological assessment of people in diverse cultures. In S. Kazarian & D. R. Evans. *Cross cultural clinical psychology*. (pp 61-105). New York: Oxford University Press.

- Butcher, J. N., Rouse, S. V., & Perry, J. (1998). Assessing resistance to psychological treatment. *Measurement and Evaluation in Counseling and Development*, 31, 95-108.
- Butcher, J. N., Rouse, S. V., & Perry, J. N. (2000). Empirical description of psychopathology in therapy clients: Correlates of MMPI-2 scales. (pp 487-500). Chapter in J. N. Butcher (Ed) (2000). *Basic sources on the MMPI-2*. Minneapolis, MN: University of Minnesota Press.
- Butcher, J. N., & Williams, C. L. (2000). Essentials of MMPI-2 and MMPI-A interpretation (2nd ed.).
- Cabiya, J. J. (1996). Use of the MMPI and the MMPI-2 in Puerto Rico. In J. N. Butcher (Ed), *International adaptations of the MMPI-2: Research and clinical applications*. Minneapolis, MN: University of Minnesota Press. (pp 284-304).
- Cabiya, J.J., & Dávila, G. (2013). Cultural differences in MMPI-2 scores between North Americans and Puerto Ricans. *Revista Puertorriqueña de Psicología*, 12, 144-158.
- Cabiya, J. J., & Dávila, G. (2015). Cultural differences in MMPI-2 scores between North Americans and Puerto Ricans. *Revista Puertorriqueña De Psicología*, 12(1).
- Cabiya, J. J., Lucio, E., Chavira, D. A., Castellanos, J., Gomez, F. C. J., & Velasquez, R. J. (2000). MMPI--2 scores of Puerto Rican, Mexican, and U.S. Latino college students: A research note. *Psychological Reports*. Vol 87(1), 266-268.
- Caillouet, B. A., Boccaccini, M. T., Varela, J. G., Davis, R. D., & Rostow, C. D. (2010). Predictive validity of the MMPI-2 PSY-5 scales and facets for law enforcement officer employment outcomes. *Criminal Justice and Behavior*, 37(2), 217-238.
- Calderon, I. (2002). Effects of acculturation on the performance of Mexican-American adolescents on selected scales of the MMPI-A (L, K, SC, and MA). *Dissertation Abstracts International: Section B: the Sciences & Engineering*. Vol 63(2-B), 1083
- Caldwell, A. B. (1991). Commentary on “The Minnesota Multiphasic Personality Inventory-2: A review”. *Journal of Counseling and Development*, 69(6), 568-569.
- Caldwell, A. B. (2006). Maximal measurement or meaningful measurement: The interpretive challenges of the MMPI-2 Restructured Clinical (RC) scales. *Journal of Personality Assessment*, 87 (2), 193-201.
- Caldwell, A. B. (1997). Whither goest our redoubtable mentor, the MMPI/MMPI-2?. *Journal of Personality Assessment*, 68(1), 47-68.

- Caldwell, A. B. (2001). What do the MMPI scales fundamentally measure? Some hypotheses. *Journal of Personality Assessment*, Vol 76(1), 1-17.
- Caldwell, A. B. (2004). My love affair with an instrument. *Journal of Personality Assessment*, 82(1), 4-10.
- Caldwell-Andrews, A. A. (2001). Relationships between MMPI-2 validity scales and NEO PI-R experimental validity scales in police candidates. *Dissertation Abstracts International: Section B: the Sciences & Engineering*. Vol 61(7-B), 3833, US: Univ Microfilms International.
- Callaway, T. G. (2006). Treatment outcomes related to EEG-biofeedback for chemical dependency: Changes in MMPI-2(TM) personality measures and long term abstinence rates. *Dissertation Abstracts International: Section B: The Sciences and Engineering*. Vol 66(7-B), 3941.
- Campanella, S., Vanhoolandt, M.E., & Philippot, P. (2005). Emotional deficit in subjects with psychopathic tendencies as assessed by the Minnesota Multiphasic Personality Inventory-2: an event-related potentials study. *Neuroscience Letters*, 373, 26-31.
- Camara, W. J., Nathan, J. S., & Puente, A. E. (2000). Psychological test usage: Implications in professional psychology. *Professional Psychology: Research and Practice*, 31, 141-154.
- Campbell, A. (2005). Gender differences in adolescents with disruptive behavior disorders: A look at self-report, projective, and treatment outcome measures. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 65(9-B), 4819. US: Univ Microfilms International.
- Campbell, C. E. (1999). MMPI-2 patterns of adults with Attention Deficit Hyperactivity Disorder. *Dissertation s International: Section B: the Sciences & Engineering*. Vol 59(7-B), 3683. US: Univ Microfilms International.
- Campbell, J. E. (2003). Predictive variables for invalid Minnesota Multiphasic Personality Inventory-2 profiles: An inpatient sample. *Dissertation Abstracts International: Section B: The Sciences & Engineering*, 63(11-B), 5507. US: Univ Microfilms International.
- Cannon, E. M. C. (2015). *Eye-Tracker Correlates of MMPI-2-RF Negative Emotionality Scales*. Western Carolina University.
- Caparevic, Z. V., Diligenski, V. M., Stojanovic, D. M., & Bojkovic, G. D. (2005). Psychological Evaluation of Patients with a Nodular Goiter Before and After Surgical Treatment. In A. Columbus (Ed), *Advances in psychology research*, 37, pp. 47-61. US: Nova Science Publishers.

- Carlson, D. A. J. (2001). Computerized vs. written administration of the MMPI-A in clinical and non-clinical settings. *Dissertation Abstracts International: Section B: the Sciences & Engineering*. Vol 62(2-B), 1130, US: Univ Microfilms International.
- Carmody, D.P., & Crossman, A.M. (2005). Youth deception: Malingering traumatic stress. *Journal of Forensic Psychiatry & Psychology*, 16, 477-493.
- Carone, D.A. & Ben-Porath, Y.S. (2014). Dementia does not preclude very reliable responding on the MMPI-2 RF: A case report. *The Clinical Neuropsychologist*, 28(6), 1019-1029. <http://dx.doi.org/10.1080/13854046.2014.930182>
- Carr, G. D., Moretti, M. M., Cue, B. J. H. (2005). Evaluating Parenting Capacity: Validity Problems With the MMPI-2, PAI, CAPI, and Ratings of Child Adjustment. *Professional Psychology: Research and Practice*, 36, 188-196.
- Carriere, M. F. (2010). Rorschach and MMPI-2 construct specific convergence: Disentangling the roles of response style and general psychopathology. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 71(3-B), 2041.
- Carstairs, K.S., Beazley Richards, J., Fletcher, E.G., Droscher, H.K., & Ecob, R. (2012). Comparison of MMPI-2 trends in UK and USA parental competency examinees. *Journal of Child Custody*, 9, 195-200.
- Carter, J. W., Parnas, J., Cannon, T. D, Schulsinger, F., & Mednick, S. A. (1999). MMPI variables predictive of schizophrenia in the Copenhagen High-Risk Project: A 25-year follow-up. *Acta Psychiatrica Scandinavica*. Vol 99(6), 432-440.
- Carter, M. E. (1999). Use of the MMPI-2 and penile plethysmograph to differentiate between three types of sexual offenders. *Dissertation s International: Section B: the Sciences & Engineering*. Vol 60(5-B), 2332. US: Univ Microfilms International.
- Carvalho, R. G. G. (2016). Gender differences in academic achievement: The mediating role of personality. *Personality and Individual Differences*, 94, 54-58.
- Carvalho, R.G. & Novo, R.F. (2014). The relationship between structural dimensions of personality and school life in adolescence. *Psicologia: Reflexão e Crítica*, 27(2), 368-376. <http://dx.doi.org/10.1590/1678-7153.201427218>
- Carvalho, R.G., Novo, R.F. (2014). Personalidade e comportamentos problema: Um estudo comparativo com adolescentes em contexto escolar. / Personality and problem behavior: A comparative study with adolescents in school context. *Psicologia: Reflexão e Crítica*,

27(1), 64-70. <http://dx.doi.org/10.1590/S0102-79722014000100008>

Carvalho, L. D. F., Primi, R., & Capitao, C. G. (2016). Personality assessment in chronic pain patients. *Estudos de Psicologia (Campinas)*, 33, 645-653.

Cashel, M. L., Ovaert, L., & Holliman, N. G. (2000). Evaluating PTSD in incarcerated male juveniles with the MMPI-A: An exploratory analysis. *Journal of Clinical Psychology*. Vol 56(12), 1535-1549.

Cassisi, J. E. & Workman, D. E. (1992). The detection of malingering and deception with a short form of the MMPI-2 based on the L, F, and K scales. *Journal of Clinical Psychology*, 48, 54-58.

Castellano, M. (2004). A comparative study, of MMPI-2 profiles, between obese Hispanics and non Hispanics seeking gastric bypass surgery. *Dissertation Abstracts International: Section B: The Sciences & Engineering*, 64(8-B), 4097. US: Univ Microfilms International.

Castro, R. S. G. (2015). los rasgos de personalidad medidos con el MMPI-II como predictores del rendimiento académico en estudiantes universitarios. *ALTAmira Revista Academica*, (10), 24-37.

Castro, Y., Gordon, K.H., Brown, J.S., Anestis, J.C., & Joiner, T.E. Jr. (2008). Examination of racial differences on the MMPI-2 clinical and restructured clinical scales in an outpatient sample. *Assessment*, 15, 277-286.

Casullo, M. M. & Samartino, L. G. (1996). Studies of the MMPI-2 in Argentina. In J. N. Butcher (Ed), *International adaptations of the MMPI-2: Research and clinical applications*. Minneapolis, MN: University of Minnesota Press. (252-264).

Caviaola, A. A., Strohmetz, D. B., Wolf, J. M., & Lavender, N. J. Comparison of DWI offenders with non-DWI individuals on the MMPI-2 and the Michigan Alcoholism Screening Test. *Addictive Behaviors*, 28(5), 971-977.

Chang, C.H., & Wright, B. D. (2001). Detecting unexpected variables in the MMPI-2 Social Introversion scale. *Journal of Applied Measurement*. Vol 2(3) , 227-240.

Charles, T. L. (2000). Usefulness of the Minnesota Multiphasic Personality Inventory-2 in detection of deception in a personal injury type forensic population. *Dissertation Abstracts International: Section B: the Sciences & Engineering*. Vol 60(10-B), 5221, US: Univ Microfilms International.

- Chang, Y. T., Tam, W. C. C., & Chiang, S. K. (2017). Detection of Feigning Psychosis With Multiscale Personality Inventories: A Simulation Design Pilot Study in Taiwan. *SAGE Open*, 7(3).
- Chang, Y. T., Tam, W. C. C., Shiah, Y. J., & Chiang, S. K. (2017). A pilot study on the Chinese Minnesota Multiphasic Personality Inventory-2 in detecting feigned mental disorders: Simulators classified by using the Structured Interview of Reported Symptoms. *PsyCh Journal*, 6(3), 175-184.
- Charter, R. A., & Lopez, M. N. (2003). MMPI-2: Confidence intervals for random responding to the F, F back and VRIN scales. *Journal of Clinical Psychology*, 59(9), 985-991.
- Cheng, M.K. (2008). Structural equation modeling of the restructured clinical scales of the MMPI-2. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 69, 728.
- Chenghui, T., Zhengsheng, D., & Jifang, X. (2000). The validity of MMPI-2 in patients with schizophrenia. [Chinese]. *Chinese Journal of Clinical Psychology*. Vol 8(1), 43-44.
- Cheung, F. M. (2004). Use of western and indigenously developed personality tests in Asia. *Applied Psychology: An International Review*, 53(2), 173-191.
- Cheung, F.M. (1985). Cross-cultural considerations for the translation and adaptation of the Chinese MMPI in Hong Kong. Chapter in J.N. Butcher and C.D. Spielberger (Eds.) *Advances in personality assessment, Volume IV*. Hillsdale, N.J.: Lawrence Erlbaum Associates, 131-158.
- Cheung, F. M. (1995). *The Chinese Minnesota Multiphasic Personality Inventory Manual*. Hong Kong: The Chinese University Press.
- Cheung, F. M. (1996). The assessment of psychopathology in Chinese societies. In M. H. Bond (ed.), *Handbook of Chinese psychology* (pp. 393-411). Hong Kong: Oxford University Press.
- Cheung, F.M. (2003). *Manual of the Minnesota Multiphasic Personality Inventory-2 (MMPI-2 Chinese edition)*. Hong Kong: The Chinese University Press.
- Cheung, F. & Butcher, J. N. (2008). *Cross-Cultural Application of the MMPI-2 and the Adaptation of the Minnesota Report Computer System for the MMPI-2 in Hong Kong*. Hong Kong, China: Chinese University of Hong Kong.
- Cheung, F. M., & Cheung, S. F. (2003). Measuring personality and values across cultures: Imported versus indigenous measures. In W. J. Lonner, D. L. Dinnel, S. A. Hayes, & D. N. Sattler (Eds.), *Online Readings in Psychology and Culture* (Unit 6, Chapter 5), (<http://www.wvu.edu/~culture>), Center for Cross-Cultural Research, Western Washington University, Bellingham, Washington USA.
- Cheung, F. M., Cheung, S. F., & Zhang, J. X. (2004). Convergent validity of the Chinese

- Personality Assessment Inventory and the Minnesota Multiphasic Personality Inventory-2: Preliminary findings with a normative sample. *Journal of Personality Assessment*, 82, 92-103.
- Cheung, F. M., & Ho, R. M. (1997). Standardization of the Chinese MMPI-A in Hong Kong: A preliminary study. *Psychological Assessment*, 9, 499-502.
- Cheung, F. M., & Leung, K. (1998). Indigenous personality measures: Chinese examples. *Journal of Cross-Cultural Psychology*, 29, 233-248.
- Cheung, F. M., Cheung, S., & Zhang, J. (2004). Convergent validity of the Chinese Personality Assessment Inventory and the Minnesota Multiphasic Personality Inventory-2: Preliminary findings with a normative sample. *Journal of Personality Assessment*, 82(1), 92-103.
- Cheung, F. M., Leung, K., Fan, R. M., Song, W. Z., Zhang, J. X., & Zhang, J. P. (1996). Development of the Chinese Personality Assessment Inventory. *Journal of Cross-Cultural Psychology*, 27, 143-164.
- Cheung, F. M., Leung, K., Zhang, J. X., Sun, H. F., Gan, Y. Q., Song, W. Z., & Xie, D. (2001). Indigenous Chinese personality construct: Is the Five Factor Model complete? *Journal of Cross-Cultural Psychology*, 32, 407-433.
- Cheung, F. M., & Song, W. Z. (1989). A review on the clinical applications of the Chinese MMPI. *Psychological Assessment: A Journal of Consulting and Clinical Psychology*, 1, 230-237.
- Cheung, F. M., Song, W. Z., & Butcher, J. N. (1991). An infrequency scale for the Chinese MMPI. *Psychological Assessment: A Journal of Consulting and Clinical Psychology*, 3, 648-653.
- Cheung, F. M., Song, W., & Zhang, J. (1996) The Chinese MMPI-2: Research and applications in Hong Kong and the People's Republic of China. In J. N. Butcher (Ed), *International adaptations of the MMPI-2: Research and clinical applications*. Minneapolis, MN: University of Minnesota Press. (137-161).
- Cheung, F. M., Zhao, J. C., & Wu, C. Y. (1992). Chinese MMPI profiles among neurotic patients. *Psychological Assessment*, 4, 214-218.
- Childs, R. A., Dahlstrom, W. G., Kemp, S. M., & Panter, A. T. (2000). Item response theory in personality assessment: A demonstration using the MMPI-2 Depression scale. *Assessment*. Vol 7(1), 37-54.
- Chisholm, S. M., Crowther, J. H., & Ben-Porath, Y. S. (1997). Selected MMPI-2 scales' ability to predict premature termination and outcome from psychotherapy. *Journal of Personality Assessment*, 69, 127-144.
- Chmielewski, M., Zhu, J., Burchett, D., Bury, A. S., & Bagby, R. M. (2016). The comparative capacity of the Minnesota Multiphasic Personality Inventory-2 (MMPI-2) and MMPI-2 Restructured Form (MMPI-2-RF) validity scales to detect suspected malingering in a

disability claimant sample. *Psychological Assessment*. Published online May 16, 2016 (doi:10.1037/pas0000328).

Choca, J. P. (2004). Psychotherapy and the MCMI. In J. P. Choca, *Interpretive guide to the Millon Clinical Multiaxial Inventory (3rd ed.)*. (pp. 223-252). Washington, DC: American Psychological Association.

Choi, J.Y., Choi, Y.M., Gim, M.S., Park, J.H., & Park, S.H. (2014). The effects of childhood abuse on symptom complexity in a clinical sample: Mediating effects of emotion regulation difficulties. *Child Abuse & Neglect*, 38(8), 1313-1319.  
<http://dx.doi.org/10.1016/j.chabu.2014.04.016>

Choi, C.K., Lee, C.G., Song, H.S., Yoo, S.K., Shin, S.Y., & Kim, S.H. (2012). Occupational stress and MMPI-2 profile of workers in some plants undergoing labor dispute. *Korean Journal of Occupational and Environmental Medicine*, 24, 384-396.

Chojnacki, J. T. & Walsh, W. B. (1992). The consistency of scores and configural patterns between the MMPI and MMPI-2. *Journal of Personality Assessment*, 59, 276-289.

Chojnacki, J. T. & Walsh, W. B. (1994). The consistency between scores of the Harris-Lingoes Subscales of the MMPI and MMPI-2. *Journal of Personality Assessment*, 62, 157-165.

Christensen, G. E. (2000). Behavioral rehabilitative programming for offenders: Staff selection, operation, and administration. *Dissertation Abstracts International: Section B: the Sciences & Engineering*. Vol 61(4-B), 2253, US: Univ Microfilms International.

Christenson, G. A., Chernoff-Clementz, E., & Clementz, B. A. (1992). Personality and clinical characteristics in patients with trichotillomania. *Journal of Clinical Psychiatry*, 53, 407-413.

Chu, S. (2001). An analysis of the MMPI results of 47 male criminals. [Chinese]. *Chinese Journal of Clinical Psychology*. Vol 9(3) , 224-225.

Chung, Y. I., Kim, J. K., Lee, J. H., & Jung, Y. C. (2017). Onset of dieting in childhood and adolescence: implications for personality, psychopathology, eating attitudes and behaviors of women with eating disorder. *Eating and Weight Disorders-Studies on Anorexia, Bulimia and Obesity*, 22(3), 491-497.

Chung, I., Lee, M., Jung, S., & Nam, C. (2015). Minnesota multiphasic personality inventory as related factor for post traumatic stress disorder symptoms according to job stress level in experienced firefighters: 5-year study. *Annals of Occupational and Environmental Medicine*, 27(1), 1.

- Chung, J.J., Weed, N.C., & Han, K. (2006). Evaluating cross-cultural equivalence of the Korean MMPI-2 via bilingual test-retest. *International Journal of Intercultural Relations*, 30, 531-543.
- Cigrang, J. A., & Staal, M. A. (2001). Readministration of the MMPI-2 following defensive invalidation in a military job applicant sample. *Journal of Personality Assessment*. Vol 76(3), 472-481.
- Cimino, L., DeRonchi, D., & Atti, A. (2011). P02-175-psychometric correlations between MMPI-2 and aggressivity. *European Psychiatry*, 26, Abstracts of the 19<sup>th</sup> European Congress of Psychiatry, Supplement 1, 771.
- Claes, L., & Müller, A. (2015). Temperament and Personality in Bariatric Surgery—Resisting Temptations? *European Eating Disorders Review*, 23(6), 435-441.
- Clark, M. E. (1994). Interpretive limitations of the MMPI-2 Anger and Cynicism Content Scale. *Journal of Personality Assessment*, 63, 89-96.
- Clark, M. E. (1996). MMPI-2 Negative Treatment Indicators Content and Content Component Scales: Clinical correlates and outcome prediction for men with chronic pain. *Psychological Assessment*, 8, 32-47.
- Clark, M. E., Gironda, R. J., Young, R. W. (2003). Detection of back random responding: Effectiveness of MMPI-2 and Personality Assessment Inventory validity indices. *Psychological Assessment*, 15(2), 223-234.
- Claros, L.B., Cano, M.M., Presa, A.M., Barcelo, J.F., Sataman, P.C., Roca, J.P., Alquezar, A.L., Gutierrez-Zotes, J.A., & Pamias, MJ. (2006). Clinical profiles in fibromyalgia patients of the community mental health center: a predictive index of psychopathological severity. *Acta Espanolas de Psiquiatria*, 34, 112-122.
- Clatworthy, J., Buick, D., Hankins, M., Weinman, J., & Horne, R. (2005). The use and reporting of cluster analysis in health psychology: A review. *British Journal of Health Psychology*, 10, 329-358.
- Clavelle, P. R. (1992). Clinicians' perceptions of the comparability of the MMPI and MMPI-2. *Psychological Assessment*, 4, 466-472.
- Clements, R., & Heintz, J. M. (2002). Diagnostic accuracy and factor structure of the AAS and APS scales of the MMPI-2. *Journal of Personality Assessment*. Vol 79(3), 564-582.
- Clegg, C. B. (2010). Factors associated with treatment acceptance and compliance among

incarcerated male sex offenders. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 71(2-B), 1337.

Cleveland, P.W. (2008). Hope and elevations on the Minnesota Multiphasic Personality Inventory-2 in cross-cultural missionaries. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 69, 2668.

Clifford, D., Byrne, M. K., & Allan, C. (2004). Getting caught in court: Base rates for malingering in Australasian litigants. *Psychiatry, Psychology & Law*, 11, 197-201.

Clinton, D. A. (2010). An archival study examining the effects and interactions of coping and attributional styles upon treatment with a chronically shy population. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 71(3-B), 2042.

Coady, E.L. (2009). Comparison of personality characteristics, psychiatric status, and demographic factors among patients with psychogenic non-epileptic seizures, epilepsy, and comorbid for both. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 69, 4412.

Cole, K. A. (2003). Using the MMPI-2 with deaf individuals: A test of the test. *Dissertation Abstracts International: Section B: The Sciences & Engineering*, 64(2-B), 957. US: Univ Microfilms International.

Coleman, M. (2014). Examining the effectiveness of the Neurobehavioral Symptoms Inventory (NSI) for Traumatic Brain Injury (TBI) screening following combat deployment. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, Vol 74(12-B(E)), No Pagination Specified.

Colligan, R. C., Offord, K. P., Morse, R. M., & Davis, L. J. Jr. (2003). Association between scores on the SAAST (a direct measure of alcohol misuse) and CAL scale (an indirect measure of alcohol misuse) among medical patients admitted for treatment of alcohol dependence. *Journal of Addictive Diseases*, 22(3), 99-110.

Colligan, R.C., Rasmussen, N.H., Agerter, D.C., Offord, K.P., Malinchoc, M., O'Byrne, M.M., & Benson, J.T. (2008). The MMPI-2: A contemporary normative study of midwestern family medicine outpatients. *Journal of Clinical Psychology in Medical Settings*, 15, 98-119.

Collins, L. J. (1999). Select MMPI-2 scales and consistency of physical effort during trunk extension exercise as predictors of treatment outcome for functional restoration rehabilitation in chronic back pain patients. *Dissertation s International: Section B: the Sciences & Engineering*. Vol 59(10-B), 5573. US: Univ Microfilms International.

Collinsworth, L. L. (2005). Individual and objective influences on psychological outcomes of sexual harassment: A preliminary examination. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 65(11-B), 6040. US: Univ Microfilms International.

Colotla, V. A., Bowman, M. L., & Shercliff, R. J. (2001). Test-retest stability of injured workers' MMPI-2 profiles. *Psychological Assessment. Vol 13(4)*, 572-576.

Conkey, V. A. (2000). Determining the sensitivity of the MMPI-A to random responding and malingering in adolescents. (Minnesota Multiphasic Personality Index, validity scales). *Dissertation Abstracts International: Section B: the Sciences & Engineering. Vol 60(7-B)*, 3608, US: Univ Microfilms International.

Contini de Gonzalez, E. N., Figueroa, M. I., Cohen Imach, S., & Coronel de Pace, P. (2001). The use of the MMPI-A in the identification of psychopathological traits in adolescents of Tucuman (Argentina). [Spanish]. *Revista Iberoamericana de Diagnostico y Evaluacion Psicologica. Vol 12(2)* , 85-96.

Cook, J.M., & O'Donnell, C. (2005). Assessment and psychological treatment of posttraumatic stress disorder in older adults. *Journal of Geriatric Psychiatry and Neurology*, 18, 61-71.

Cooke, G. (2010). MMPI-2 defensiveness in child custody evaluations: The role of education and socioeconomic level. *American Journal of Forensic Psychology*, 28(2), 5-16.

Cooper, R. A. (2016). A taxometric analysis of the 4-7/7-4 MMPI codetypes: Taxonic or dimensional. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 76(8-B(E)).

Cooper, J. E. (2003). Identifying the superlative self-presentation of Christian clergy clients: An investigation of the MMPI-2 S scale factor structure and client typologies. *Dissertation Abstracts International: Section B: the Sciences & Engineering. Vol 60(7-B)*, 3505, US: Univ Microfilms International.

Copeland, C. T., Mahoney, J. J., Block, C. K., Linck, J. F., Pastorek, N. J., Miller, B. I., . . . Sim, A. H. (2016). Relative Utility of Performance and Symptom Validity Tests. *Archives of Clinical Neuropsychology : The Official Journal of the National Academy of Neuropsychologists*, 31(1), 18-22. doi:10.1093/arclin/acv065 [doi]

- Coppola, A., Caccavale, C., Santulli, L., Balestrini, S., Cagnetti, C., Licchetta, L., . . . Provinciali, L. (2016). Psychiatric comorbidities in patients from seven families with autosomal dominant cortical tremor, myoclonus, and epilepsy. *Epilepsy & Behavior*, 56, 38-43.
- Coppola, G., Costantini, A., Bascelli, E., & Forte, A. (2014). The relation between adults' state of mind with respect to attachment and automatic thoughts in clinical and healthy conditions: The mediating role of self-esteem. *Psicoterapia Cognitiva e Comportamentale*, 20(2), 147-160.
- Cornell, A. M. (2015). *Development of a Childhood Sexual Abuse Scale for the MMPI-A*. Regent University.
- Coss, N. S. (2000). The incidence of false positives on the Rorschach and MMPI-2 in a sample of Greek-Americans. *Dissertation Abstracts International: Section B: the Sciences & Engineering*. Vol 60(11-B), 5822, US: Univ Microfilms International.
- Costello, B.A., Mcleod, T.G., Locke, G.R., et al. (2002). Minnesota Multiphasic Personality Inventory (MMPI) correlates of patient satisfaction in medical outpatients. *Journal of General Internal Medicine*, 17, 187-187.
- Coussinoux, S., Gallarda, T., Smith, J., Bourdel, M. C., Cordier, B., Bremont, C., Poirier, M. F., Haddou, M., & Olie, J. P. (2005). Personality tests and gender identification in male transsexuals. [French]. *Encephale*, 31, 24-30.
- Cox, A., Pant, H., Gilson, A.N., Rodriguez, J.L., Young, K.R., Kwon, S., & Weed, N.C. (2012). Effects of augmenting response options on MMPI-2 RC scale psychometrics. *Journal of Personality Assessment*, 94, 613-619.
- Cox, A. C., Weed, N. & Butcher, J. N. (2009). The Minnesota Multiphasic Personality Inventory-MMPI-2. In J. N. Butcher (Ed). *Oxford Handbook of Personality Assessment*. (pp. 250-276). New York: Oxford University Press.
- Coxe, R., & Holmes, W. (2009). A comparative study of two groups of sex offenders identified as high and low risk on the Static-99. *Journal of Child Sexual Abuse*, 18, 137-153.
- Cragar, D.E., Berry, D.T.R., Schmitt, F.A., et al. (2001). Comparison of two sets of decision rules for the MMPI-2 and diagnosis of nonepileptic seizures. *Archives of Clinical Neuropsychology*, 16, 717-717.

Cragar, D. E., Berry, D. T. R., Schmitt, F. A., Fakhoury, T. A. (2005). Cluster analysis of normal personality traits in patients with psychogenic nonepileptic seizures. *Epilepsy & Behavior*, 6, 593-600.

Cragar, D. E., Schmitt, F. A., Berry, D. T. R., Cibula, J. E., Dearth, C. M. S., & Fakhoury, T. A. (2003). A comparison of MMPI-2 decision rules in the diagnosis of nonepileptic seizures. *Journal of Clinical and Experimental Neuropsychology*, 25(6), 793-804.

Craig, R. J. (1999). *Interpreting personality tests: A clinical manual for the MMPI-2, MCMI-III, CPI-R, and 16PF*.

Craig, R. J. (2005). Sexual offenders. In R. J. Craig (Ed.), *Personality-guided forensic psychology*. (pp. 169-219). Washington, DC: American Psychological Association.

Craig, R.J. (2008). MMPI-based forensic-psychological assessment of lethal violence. In H.V. Hall (Ed). *Forensic psychology and neuropsychology for criminal and civil cases*. (pp. 393-416). Boca Raton, FL, US: CRC Press.

Craig, R. J. (2005). Assessing Contemporary Substance Abusers with the MMPI Mac Andrews Alcoholism Scale: A Review. *Substance Use & Misuse*, 40, 427-450.

Craig, R. J., & Bivens, A. (2000). Psychological needs associated with MMPI-2 scales in a nonclinical sample. *Journal of Personality Assessment*. Vol 74(3), 439-446.

Craig, R. J., & Olson, R. E. (2003). Predicting the outcome of methadone maintenance treatment with the negative treatment indicators content scale from the MMPI-2. *Psychological Reports*, 93, 1056-1058.

Craig, R.J., & Olson, R.E. (2004). Predicting methadone maintenance treatment outcomes using the addiction severity index and the MMPI-2 content scales (negative treatment indicators and cynism scales). *American Journal of Drug and Alcohol Abuse*, 30, 823-839.

Cramer, K. M. (1995). Comparing three new MMPI-2 randomness Indices in a novel procedure for random profile derivation. *Journal of Personality Assessment*, 65, 514-520.

Craparo, G., Gori, A., Sareri, G. I., & Pace, U. (2015). Personality and Clinical Dimensions of Pathological Gamblers. A Pilot Study. *Mediterranean Journal of Social Sciences*, 6(4), 612.

Crawford, E. F., Greene, R. L., Dupart, T. M., Bongar, B., & Childs, H. (2006). MMPI-2

assessment of malingered emotional distress related to a workplace injury: A mixed group validation. *Journal of Personality Assessment*, 86(2), 217-221.

Crespo, G. S., & Gomez, F. J. (2003). The superlative scale S of Butcher and Han (1995): The "fake-good" in the Spanish adaptation of the MMPI-2. [Spanish]. *Revista de Psicología*, 21(1), 5-39.

Crews, W. D., Jefferson, A. L., Broshek, D. K., Rhodes, R. D., Williamson, J., Brazil, A. M., Barth, J. T., & Robbins, M. K. (2003). Neuropsychological dysfunction in patients with end-stage pulmonary disease: Lung transplant evaluation. *Archives of Clinical Neuropsychology*, 18(4), 353-362.

Crighton, A. H., Marek, R. J., Dragon, W. R., & Ben-Porath, Y. S. (2016). Utility of the MMPI-2-RF Validity Scales in Detection of Simulated Underreporting: Implications of Incorporating a Manipulation Check. *Assessment*, doi:1073191115627011 [pii]

Crighton, A. H., Tarescavage, A. M., Gervais, R. O., & Ben-Porath, Y. S. (2015). The Generalizability of Overreporting Across Self-Report Measures: An Investigation With the Minnesota Multiphasic Personality Inventory-2-Restructured Form and the Personality Assessment Inventory in a Civil Disability Sample. *Assessment*. doi: 1073191115621791.

Crighton, A. H., Wygant, D. B., Holt, K. R., & Granacher, R. P. (2015). Embedded effort scales in the repeatable battery for the assessment of neuropsychological status: do they detect neurocognitive malingering? *Archives of Clinical Neuropsychology : The Official Journal of the National Academy of Neuropsychologists*, 30(3), 181-185. doi:10.1093/arclin/acv002 [doi]

Cripe, L. I. (1999). Use of the MMPI with mild closed head injury. *Varney, Nils R. (Ed), R. J. Roberts, (Ed), The evaluation and treatment of mild traumatic brain injury*. (pp. 291-314).

Critton, T. M. (2001). Identifying borderline personality disorder on the MMPI-2. *Dissertation Abstracts International: Section B: the Sciences & Engineering*. Vol 62(2-B), 1072, US: Univ Microfilms International.

Cross, M. E. (2005). Use of the Personality Assessment Inventory with mild traumatic brain injury. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 66, 1712.

- Cross, T.L., Cassady, J.C., Dixon, F.A., & Adams, C.M. (2008). The psychology of gifted adolescents as measured by the MMPI-A. *Gifted Child Quarterly*, 52, 326-339.
- Crossman, L. L., Casey, T. A., & Reilley, R. R. (1994). Influence of cognitive variables on MMPI-2 scale scores. *Measurement and Evaluation in Counseling and Development*, 27, 151-157.
- Cukrowicz, K. C., Reardon, M. L., Donohue, K. F., & Joiner, T. E. Jr. (2004). MMPI-2 F scale as a predictor of acute versus chronic disorder classification. *Assessment*, 11(2), 145-151.
- Culhane, S.E., Hildebrand, M.M., Walker, S., & Gray, M.J. (2014). MMPI-2 characteristics of male serial murderers. *Applied Psychology in Criminal Justice*, 10, 21-45.
- Cumella, E. J., Wall, A. D., & Kerr-Almeida, N. (2000). MMPI-2 in the inpatient assessment of women with eating disorders. *Journal of Personality Assessment*, 75(3), 387-403.
- Cuneo, J. R. (2016). Comparison in personality profiles between child abusers versus child neglectors. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 77(1-B(E)).
- Curnoe, S., & Langevin, R. (2002). Personality and deviant sexual fantasies: An examination of the MMPIs. *Journal of Clinical Psychology*. Vol 58(7) , 803-815.
- Cuthill, F.M., & Espie, C.A. (2005). Sensitivity and specificity of procedures for the differential diagnosis of epileptic and non-epileptic seizures: A systematic review. *Seizure-European Journal of Epilepsy*, 14, 293-303.
- Cyranka, K., Rutkowski, K., Mielimąka, M., Sobański, J. A., Smiatek-Mazgaj, B., Klasa, K., . . . Rodziński, P. (2016). Zmiany w zakresie funkcjonowania osobowości w wyniku psychoterapii grupowej z elementami psychoterapii indywidualnej u osób u zaburzeniami nerwicowymi i zaburzeniami osobowości-MMPI-2. *Psychiatr.Pol*, 50(1), 105-126.
- D'Agostino, A., Aportone, A., Rossi Monti, M., & Lemma, A. (2016). Beauty matters: Psychological features of surgical and nonsurgical cosmetic procedures. *Psychoanalytic Psychology*. Published online August 8, 2016 (doi: 10.1037/pap0000099).
- Dahl, D. F. (2001). The predictive validity of the K correction on Scale 4 of the MMPI in the assessment of antisocial personality. *Dissertation Abstracts International: Section B: the Sciences & Engineering*. Vol 61(8-B), 4397, US: Univ Microfilms International.
- Dahlstrom, W. G. (1992). Comparability of two-point high-point code patterns from original

MMPI norms to MMPI-2 norms for the restandardization sample. *Journal of Personality Assessment*, 59, 153-164.

Dahlstrom, W. G. (1993). *MMPI-2: Manual Supplement*. Minneapolis, MN.: University of Minnesota Press.

Dahlstrom, W. G., & Archer, R. P. (2000). A shortened version of the MMPI-2. *Assessment. Vol 7(2)*, 131-137.

Dahlstrom, W. G., Archer, R. P., Hopkins, D. G., Jackson, E., & Dahlstrom, L. E. (1994). *Assessing the readability of the Minnesota Multiphasic Personality Inventory instruments - MMPI, MMPI-2, and MMPI-A*. Minneapolis, MN: University of Minnesota Press.

Daigle, M. (2004). MMPI inmate profiles: Suicide completers, suicide attempters, and non-suicidal controls. *Behavioral Sciences & the Law*, 22, 833-842.

Dalton, S., & Senior, G. (2001). The development of critical item scales for the MMPI-2. *Australian Journal of Psychology*, 53, 145-145.

Dana, R. H. (2005). *Multicultural assessment: Principles, applications, and examples*. Mahwah, NJ: Lawrence Erlbaum Associates.

Dana, R.H. (2014). Personality tests and psychological science: Instruments, populations, practice. In F.T.L. Leong, L. Comas-Díaz, G.C. Nagayama Hall, V.C. McLoyd, & J.E. Trimble (Eds.), *APA handbook of multicultural psychology, Vol. 2: Applications and training. APA handbooks in psychology.*, (pp. 181-196). Washington, DC, US: American Psychological Association.

Dao, T.K. (2008). Convergent and incremental validity of the MMPI-2 and Rorschach on psychotic-related indices. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 68, 6377.

Dao, T.K., Prevatt, F., & Horne, H.L. (2008). Differentiating psychotic patients from nonpsychotic patients with the MMPI-2 and Rorschach. *Journal of Personality Assessment*, 90, 93-101.

Daskalakis, K. (2006). The use of the MMPI-2 in complex issues of high conflict child-custody disputes. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 66(7-B), 3943.

Davarani, M. Kafie Masule, M., Maddah, M., Ebrahimi, F.S., Davaran, S.H., Soltani Shal, R., & Saghebi Saedi, K. (2012). Relationship of body mass index with psychological

characteristics (on MMPI-2) in obese patients. *Journal of Guilan University of Medical Sciences*, 21, 15-23.

Davidson, S. L. (2010). Exploring the use of the Rorschach perceptual-thinking index in a heterogeneous patient sample. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 71(4-B), 2741.

Davis, K. M., & Archer, R. P. (2010). A critical review of objective personality inventories with sex offenders. *Journal of Clinical Psychology*, 66(12), 1254-1280.

Davis, D. P. (2005). Psychiatric and emotional variables in the multi-center trial to evaluate the epidemiology, natural history, and treatment response of Hepatitis C in the United States veteran population. *Dissertation Abstracts International: Section B: the Sciences & Engineering*. Vol 65(12-B), 6646, US: Univ Microfilms International.

Day, L. B., Faust, J., Black, R. A., Day, D. O., & Alexander, A. (2017). Personality profiles of factitious disorder imposed by mothers: A comparative analysis. *Journal of Child Custody*, 14(2-3), 191-208.

Dean, A.C., Boone, K.B., Kim, M.S., Curiel, A.R., Martin, D.J., Victor, T.L., Zeller, M.A., & Lang, Y.K. (2008). Examination of the Impact of Ethnicity on the Minnesota Multiphasic Personality Inventory-2 (MMPI-2) Fake Bad Scale. *Clinical Neuropsychologist*, 22, 1054-1060.

DeBear, A. C. (2016). *Cross-validation of the M MMPI-2-RF adaptation of the MMPI-2 Meyers Index* (Doctoral dissertation, Alliant International University).

Del Bene, V. A., Rentería, M. A., Maiman, M., Slugh, M., Gazzola, D. M., Nadkarni, S. S., & Barr, W. B. (2017). Increased odds and predictive rates of MMPI-2-RF scale elevations in patients with psychogenic non-epileptic seizures and observed sex differences. *Epilepsy & Behavior*, 72, 43-50.

De Mey, H. & Derkxen, J. (1995). Het nieuwe uniform van de MMPI-2: omtrent T- scores. *Gerdag & Gezondheid*, 23, 179-184.

de la Rubia, J.M. 2006. Location of alexithymia in regard to the MMPI personality psychopathological features. *Salud Mental*, 29, 41-50.

de la Rubia, J.M. (2014). Dimensiones psicopatológicas de las escalas clínicas del MMPI-2. / Psychopathological dimensions of the MMPI-2 clinical scales. *Revista de Psicopatología y Psicología Clínica*, 19(1), Apr 2014, 45-62.

de Vries, A.L.C., Kreukels, B.P.C., Steensma, T.D., Doreleijers, T.A.H., & Cohen-Kettenis, P.T. (2011). Comparing adult and adolescent transsexuals: An MMPI-2 and MMPI-A study. *Psychiatry Research*, 186, 414-418.

Deardorff, W. W. (2000). The MMPI-2 and chronic pain. *Gatchel, Robert J. (Ed); Weisberg, James N. (Ed). Personality characteristics of patients with pain*. (pp. 109-125).

Deardorff, W. W., Chino, A. F. & Scott, D. W. (1993). Characteristics of chronic pain patients: Factor analysis of the MMPI-2, *Pain*, 54(2) 153-158.

Dearth, C. S., Berry, D. T., Vickery, C. D., Vagnini, V. L., Baer, R., E., Orey, S. A., & Cragar, D. E. (2005). Detection of feigned head injury symptoms on the MMPI-2 in head injured patients and community controls. *Archives of Clinical Neuropsychology*, 20, 95-110.

Deinard, A. S., Butcher, J. N., Thao, U. D., Vang, S. H. M., & Hang, K. (1996). Development of a Hmong translation of the MMPI-2. In J. N. Butcher (Ed), *International adaptations of the MMPI-2: Research and clinical applications*. Minneapolis, MN: University of Minnesota Press. (pp 194-205).

Del Bene, V. A., Rentería, M. A., Maiman, M., Slugh, M., Gazzola, D. M., Nadkarni, S. S., & Barr, W. B. (2017). Increased odds and predictive rates of MMPI-2-RF scale elevations in patients with psychogenic non-epileptic seizures and observed sex differences. *Epilepsy & Behavior*, 72, 43-50.

DeLamatre, J. E., & Schuerger, J. M. (2000). The MMPI-2 in counseling practice. *C. E. Watkins Jr & V. L. Campbell (Eds.), Testing and assessment in counseling practice (2nd ed.), Contemporary topics in vocational psychology*. (pp. 15-44).

Demarco, A. D. (2002). MMPI-2 Content Scale interpretation in cases of chronic low back pain: Do adjustment differences among sufferers lead to different content scores? *Dissertation Abstracts International: Section B: the Sciences & Engineering*. Vol 62(11-B), 5368, US: Univ Microfilms International.

Demidenko, N., Grof, P., Alda, M., Deshauer, D., & Duffy, A. (2004). MMPI as a measure of subthreshold and residual psychopathology among the offspring of lithium responsive and non-responsive bipolar parents. *Bipolar Disorders*, 6, 323-328.

Derkzen, J. (2006). The contributions of the MMPI-2 to the diagnosis of personality disorders. In J. N. Butcher (Ed.). *MMPI-2: The practitioner's handbook*. (pp. 99-120). Washington, D. C.: American Psychological Association.

- Derksen, J., De Mey, H., Sloore, H. & Hellenbosch, G. (1993). *MMPI-2: Handeleiding bij afname, scoring en interpretatie*. Nijmegen: The PEN Test Publishers.
- Derksen, J., Vendrig, L., Egger, J., de Mey, H., & Saschowa, M. (2004). The NVM in relation to the MMPI-2. *Psycholoog*, 39, 357-362.
- Derry, P. A., Harnadek, M. C. S., McLachlan, R. S., Sontrop, J., Blume, W. T., & Girvin, J. P. A longitudinal study of the effects of seizure symptoms on the Minnesota Multiphasic Personality Inventory--2 (MMPI-2) clinical interpretation. *Journal of Clinical Psychology*. Vol 58(7), 817-826.
- Desai, K. (2015). *Clinician Perspectives on Culturally Sensitive MMPI-2 Interpretation with Minnesota Native Americans*. St. Mary's University of Minnesota.
- Deskovitz, M. (2006). Interpretive reliability of six Computer-Based Test Interpretation programs for the Minnesota Multiphasic Personality Inventory-2. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 66(7-B), 3944
- Deskovitz, M. A., Weed, N. C., Chakranarayan, C., & Williams, J. E. (2016). Interpretive reliability of two common MMPI-2 profiles. *Cogent Psychology*, 3(1), ArtID 1161287.
- Deskovitz, M. A., Weed, N. C., McLaughlan, J. K., & Williams, J. E. (2016). Interpretive reliability of six computer-based test interpretation programs for the Minnesota Multiphasic Personality Inventory-2. *Assessment*, 23(2), 250-261.
- Deters, P. B., Novins, D.K., Fickenscher, A. & Beals, J. (2006). Trauma and Posttraumatic Stress Disorder Symptomatology: Patterns Among American Indian Adolescents in Substance Abuse Treatment. *American Journal of Orthopsychiatry*. 76(3) 335-345.
- Detrick, P., Ben-Porath, Y. S., & Sellbom, M. (2015). Associations between MMPI-2-RF (Restructured Form) and Inwald Personality Inventory (IPI) Scale Scores in a Law Enforcement Preemployment Screening Sample. *Journal of Police and Criminal Psychology*, , 1-15.
- Detrick, P., & Chibnall, J.T. (2008). Positive response distortion by police officer applicants: Association of Paulhus Deception Scales with MMPI-2 and Inwald Personality Inventory Validity scales. *Assessment*, 15, 87-96.
- Detrick, P. & Chibnall, J.T. (2014). Underreporting on the MMPI-2-RF in a high-demand police officer selection context: An illustration. *Psychological Assessment*, 26(3), 1044-1049. <http://dx.doi.org/10.1037/pas0000013>

- Detrick, P., Chibnall, J. T., & Rosso, M. (2001). Minnesota Multiphasic Personality Inventory-2 in police officer selection: Normative data and relation to the Inwald Personality Inventory. *Professional Psychology - Research & Practice*. Vol 32(5), 484-490.
- Devan, J. L. (2004). A taxometric analysis of impression management and self-deception on the MMPI-2 among law enforcement applicants. *Dissertation Abstracts International: Section B: The Sciences & Engineering*, 64, 5777. US: Univ Microfilms International.
- DeViva, J. C., & Bloem, W. D. (2003). Symptom exaggeration and compensation seeking among combat veterans with posttraumatic stress disorder. *Journal of Traumatic Stress*, 16(5), 503-507.
- Diehl, S. K. (2003). Adult attachment patterns: The relationship between security of attachment and adjustment to prison and separation from loved ones. *Dissertation Abstracts International: Section B: The Sciences & Engineering*, 63(9-B), 4365. US: Univ Microfilms International.
- Dietz, C. B. (2000). Effects of underreporting of psychopathology on MMPI-2 substance abuse scales among college students. *Dissertation Abstracts International: Section B: the Sciences & Engineering*. Vol 60(8-B), 4215, US: Univ Microfilms International.
- Dight, E. L. (2001). Predicting duration of psychotherapy using the MMPI-2. *Dissertation Abstracts International: Section B: the Sciences & Engineering*. Vol 61(9-B), 4978, US: Univ Microfilms International.
- DiLalla, D. L., Gottesman, I. I., Carey, G., & Bouchard, T. J. Jr. (1999). Heritability of MMPI Harris-Lingoes and Subtle-Obvious subscales in twins reared apart. *Assessment*. Vol 6(4), 353-366.
- Dillon, J. (2010). *The applicability of the Megargee classification system for the MMPI-A*. (Doctoral dissertation). Retrieved from Dissertations and Theses database. (UMI No. 3446448).
- Dimos, J. K., & Hasz, M. (2017). Missionary candidate differences on the MMPI-2: Maintaining a competent psychological assessment process during the ongoing generational shift. *Journal of Psychology & Christianity*, 36(1).
- Dixon, F. A., Cross, T. L., & Adams, C. M. (2001). Psychological characteristics of academically gifted students in a residential setting: A cluster analysis. *Psychology in the Schools*. Vol 38(5) , 433-444.

- Dobmeyer, A., Yerian, S., Green, S., Weeks, D. (2008). MMPI-2 validity, clinical, and revised clinical scales in individuals seeking bariatric surgery. *Annals of Behavioral Medicine*, 35, S211-S211.
- Doleys, D.M., & Brown, J. (2001). MMPI profile as an outcome "predictor" in the treatment of noncancer pain patients utilizing intraspinal opioid therapy. *Neuromodulation*, 4, 93-97.
- Dolgoff-Kaspar, R. (2009). Numinous-like auras and spirituality in persons with focal seizures. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 69, 5774.
- Domingo, L. S. (2001). MMPI-2 assessments of incarcerated males convicted of murder: Differentiating between affective and predatory violence. *Dissertation Abstracts International: Section B: the Sciences & Engineering*. Vol 61(10-B), 5558, US: Univ Microfilms International.
- Dong, Y'L. T. (2001). Cross-cultural equivalence and validity of the Vietnamese MMPI-2: Assessing psychological adjustment of Vietnamese refugees. *Dissertation Abstracts International*. Vol 62(3-A), 1225, US: University Microfilms International.
- Dong, Y. L. T., & Church, A. T. (2003). Cross-cultural equivalence and validity of the Vietnamese MMPI-2: Assessing psychological adjustment of Vietnamese refugees. *Psychological Assessment*, 15, 370-377.
- Doolan, D.C., & Tabirca, S. (2008). Examination of Fault Tolerance in MMPI. *International Journal of Computers Communications & Control*, 3, 265-270.
- Dorfman, W. I., & Leonard, S. (2001). The Minnesota Multiphasic Personality Inventory-2 (MMPI-2). W. L. Dorfman & M. Hersen (Eds.), *Understanding psychological assessment. Perspectives on individual differences*. (pp. 145-171).
- Downing, S.K., Denney, R.L., Spray, B.J., Houston, C.M., & Halfaker, D.A. (2008). Examining the relationship between the Reconstructed scales and the Fake Bad Scale of the MMPI-2. *Clinical Neuropsychologist*, 22, 680-688.
- Dragon, W.R. (2012). *Effects of random responding on the interpretability of the MMPI-2-RF substantive scale scores*. (Doctoral dissertation). Retrieved from: <http://etd.ohiolink.edu/send-pdf.cgi/Dragon%20Wendy%20R.pdf?kent1343055400&dl=y>
- Dragon, W.R., Ben-Porath, Y.S., & Handel, R.W. (2012). Examining the impact of unscorable item responses on the validity and interpretability of MMPI-2/MMPI-2-RF restructured clinical (RC) scale scores. *Assessment*, 19, 101-113.

- Drexler, A.R., Mur, E.J., & Gunther, V.C. (2002). Efficacy of an EMG-biofeedback therapy in fibromyalgia patients. A comparative study of patients with and without abnormality in (MMPI) psychological scales. *Clinical and Experimental Rheumatology*, 20, 677-682.
- Duckworth, J. C. (1991). Response to Caldwell and Graham. *Journal of Counseling and Development*, 69(6), 572-573.
- Duckworth, J. C. (1991). The Minnesota Multiphasic Personality Inventory-2: A review. *Journal of Counseling and Development*, 69(6), 564-567.
- Duckworth, M. P., & Iezzi, T. (2005). Chronic Pain and Posttraumatic Stress Symptoms in Litigating Motor Vehicle Accident Victims. *Clinical Journal of Pain*, 21, 251-261.
- Dugbartey, A.T. (2008). Title: Assessing Hispanic clients using the MMPI-2 and MMPI-A. *Journal of Clinical and Experimental Neuropsychology*, 30, 387-388.
- Dukarm, P., & Hall, S. (2006). Detecting simulated cognitive impairment with MMPI-2 neurocorrection scales. *Clinical Neuropsychologist*, 20, 578-578.
- Durant-Wilson, D., Patch, P.C., & Hartlage, L.C. (2001). Postinjury MMPI-2 profiles related to changes from preinjury behavioral status. *Archives of Clinical Neuropsychology*, 16, 750-750.
- Duris, M. C. (2003). Religiousness as a motivation response characteristic for the MMPI-2 lie scale. *Dissertation Abstracts International: Section B: The Sciences & Engineering*, 64(4-B), 1940. US: Univ Microfilms International.
- Duris, M. C., Bjorck, J. P. & Gorsuch, R. L. (2007). Christian Subcultural Differences in Item Perceptions of the MMPI-2 lie Scale. *Journal of Psychology and Christianity*, 27, 356-366. 62
- Dunn, J. T. & Lees-Haley, P. R. (1995). The MMPI-2 correction factor for closed-head injury: A caveat for forensic cases. *Assessment*, 2(1) 47-51.
- Dunston, K.T. (2006). An examination of the Minnesota Multiphasic Personality Inventory - 2 (MMPI-2) profiles of incarcerated women based on criminal offense, criminal history, and substance use. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 67, 538.
- Dzherelievskaya, M.A., Vizgina, A.V., Pantileev, S.R., Yashina, L.L. (2014). A substantial psychometric analysis of the scales of the Minnesota Multiphasic Personality inventory:

F. B. Berezin's version, the MMIL. *Psychology in Russia: State of the Art*, Vol 7(1), 105-121.

Eakin, D.E., Weathers, F.W., Benson, T.B., Anderson, C.F., & Funderburk, B. (2006). Detection of Feigned Posttraumatic Stress Disorder: A Comparison of the MMPI-2 and PAI. *Journal of Psychopathology and Behavioral Assessment*, 28, 145-155.

Earle, R. H. & Witte, R. R. (1997). Incorporations of objective assessment in mental health care provision: An important role for the practicing psychologist. In J. N. Butcher (Ed) *Personality assessment in managed care: Using the MMPI-2 in treatment planning*. New York: Oxford University Press. (pp 81-92).

Ebrahim, S., Bance, S., Mulla, S. M., Montoya, L., Malachowski, C., Kamal el Din, M., & Busse, J. W. (2015). Measures of Symptom Exaggeration for Mental Health Disorders: A Systematic Review. *Journal of Insurance Medicine*, 45(2), 103-109.

Echols, M. A. (1999). The relative contributions of the F-Psychopathology scale and MMPI-2 validity scales in the assessment of MMPI-2 protocol validity of African-American and Caucasian dual-diagnosis patients. *Dissertations International: Section B: the Sciences & Engineering*. Vol 60(2-B), 0825. US: Univ Microfilms International.

Edmindson, N.J. (2010). *A correlational validity study of the MMPI-2 restructured clinical scales*. (Doctoral dissertation). Retrieved from Dissertations and Theses database. (UMI No. 3428929).

Edmundson, M., Berry, D. T., High Jr, W. M., Shandera-Ochsner, A. L., Harp, J. P., & Koehl, L. M. (2015). A Meta-Analytic Review of Minnesota Multiphasic Personality Inventory—2nd Edition (MMPI-2) Profile Elevations Following Traumatic Brain Injury. *Psychological Injury and Law*, , 1-22.

Edwards, D. W., Dahmen, B. A., Wanlass, R. L., Homquist, L. A., Wicks, J. J., Davis, C., & Morrison, T. L. (2003). Personality assessment in neuropsychology: The nonspecificity of MMPI-2 neurocorrection methods. *Assessment*, 10(3), 222-227.

Edwards, D. W., Morrison, T. L., & Weissman, H. N. (1993). The MMPI and MMPI-2 in an outpatient sample: Comparisons of code types, validity scales, and content scales. *Journal of Personality Assessment*, 61, 1-18.

Edwards, E. L., Holmes, C. B., & Carvajal, H. H. (1998). Oral and booklet presentation of MMPI-2. *Journal of Clinical Psychology*, 54(5), 593-596.

- Edwards, K. J. (1999). Instruction sets and standardized ethical principles: Implications of apa ethical standards on validity scales of the MMPI-2. (American Psychological Association, confidentiality). *Dissertation s International: Section B: the Sciences & Engineering. Vol 60(5-B)*, 2336. US: Univ Microfilms International.
- Efendov, A.A., Sellbom, M., & Bagby, R.M. (2008). The utility and comparative incremental validity of the MMPI-2 and Trauma symptom Inventory validity scales in the detection of feigned PTSD. *Psychological Assessment*, 20, 317-326.
- Egeland, B., Erickson, M., Butcher, J. N., & Ben-Porath, Y. S. (1991). MMPI-2 profiles of women at risk for child abuse. *Journal of Personality Assessment*, 57, 254-263.
- Egger, J. (2002). *Construct validity of the Dutch MMPI-2*. Doctoral dissertation. Free University of Brussels. Belgium.
- Egger, J., De Mey, H. R. A., Derkxen, J. J. L., van der Staak, C. P. F. (2003). Cross-cultural replication of the five-factor model and comparison of the NEO-PI-R and MMPI-2 PSY-5 scales in a Dutch psychiatric sample. *Psychological Assessment*, 15(1), 81-88.
- Egger, J., De Mey, H., Derkxen, J., & van der Staak, C. (2003). MMPI-2 and MCMI-III scores among Dutch inpatient substance abusers: Assessing correspondence and cross-cultural equivalence. *Current Psychology: Developmental, Learning, Personality, Social*, 22(2), 117-124.
- Egger, J., Delsing, P., & De Mey, H. (2003). Differential diagnosis using the MMPI-2: Goldberg's index revisited. *European Psychiatry*, 18(8), 409-411.
- Egger, J.I.M., Wester, A.J., & De Mey, H.R.A., et al. (2002). Korsakoff's syndrome on the MMPI-2. *Acta Neuropsychiatrica*, 14, 231-236.
- Elder, J. T. (1999). MMPI-1 profiles of multiple sclerosis patients: A comparison of neurocorrective approaches and the development of the multiple sclerosis neurocorrection. *Dissertation s International: Section B: the Sciences & Engineering. Vol 60(3-B)*, 1299. US: Univ Microfilms International.
- Elder, M. E. (2016). Too negative to have fun? PSY-5 negative emotionality/neuroticism and leisure activities. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 76(7-B(E)).
- Elhai, J. D. (2000). The detection of genuine and malingered posttraumatic stress disorder: An examination of fake bad indices on the MMPI-2. *Dissertation Abstracts International*:

*Section B: the Sciences & Engineering. Vol 61(5-B), 2755, US: Univ Microfilms International.*

- Elhai, J. D., Baugher, S. N., Quevillon, R. P., Sauvageot, J., & Frueh, B. C. (2004). Psychiatric symptoms and health service utilization in rural and urban combat veterans with posttraumatic stress disorder. *Journal of Nervous & Mental Disease*, 192, 701-704.
- Elhai, J. D., & Frueh, B. C. (2001). Subtypes of clinical presentations in malingerers of posttraumatic stress disorder: An MMPI-2 cluster analysis. *Assessment*. Vol 8(1), 75-84.
- Elhai, J. D., Flitter, J. M. K., Gold, S. N., & Sellers, A. H. (2001). Identifying subtypes of women survivors of childhood sexual abuse: An MMPI-2 cluster analysis. *Journal of Traumatic Stress*. Vol 14(1) , 157-175.
- Elhai, J. D., Forbes, D., Creamer, M., McHugh, T. F., & Frueh, B. C. (2003). Clinical symptomatology of Posttraumatic Stress Disorder-diagnosed Australian and United States Vietnam combat veterans: An MMPI-2 comparison. *Journal of Nervous and Mental Disease*, 191(7), 458-464.
- Elhai, J. D., Frueh, B. C., Davis, J. L., Jacobs, G. A., & Hammer, M. B. (2003). Clinical presentations in combat veterans diagnosed with posttraumatic stress disorder. *Journal of Clinical Psychology*, 59(3), 385-397.
- Elhai, J. D., Frueh, B. C., Gold, P. B., Hamner, M. B., & Gold, S. N. (2003). Posttraumatic stress, depression and dissociation as predictors of MMPI-2 Scale 8 scores in combat veterans with PTSD. *Journal of Trauma & Dissociation*. Vol 4(1) , 51-64.
- Elhai, J. D., Gold, P. B., Frueh, B. C., & Gold, S. N. (2000). Cross-validation of the MMPI-2 in detecting malingered Posttraumatic Stress Disorder. *Journal of Personality Assessment*, 75(3), 449-463.
- Elhai, J. D., Gold, P. B., Frueh, B. C., & Gold, S. N. (2001). Cross-validation of the MMPI-2 in detecting malingered posttraumatic stress disorder: Errata. *Journal of Personality Assessment*. Vol 77(1), 189.
- Elhai, J. D., Gold, S. N., Mateus, L. F., & Astaphan, T. A. (2001). Scale 8 elevations on the MMPI-2 among women survivors of childhood sexual abuse: Evaluating posttraumatic stress, depression, and dissociation as predictors. *Journal of Family Violence*. Vol 16(1) , 47-57.

- Elhai, J. D., Gold, S. N., Sellers, A. H., & Dorfman, W. I. (2001). The detection of malingered posttraumatic stress disorder with MMPI-2 Fake Bad Indices. *Assessment*. Vol 8(2), 221-236.
- Elhai, J. D., Naifeh, J. A., Zucker, I. S., Gold, S. N., Deitsch, S. E., Frueh, B. C., & Elhai, J. D. (2004). Discriminating malingered from genuine civilian posttraumatic stress disorder: A validation of three MMPI-2 infrequency scales (F, Fp, and Fptsd). *Assessment*, 11(2), 139-144.
- Elhai, J. D., Naifeh, J. A., Zucker, I. S., Gold, S. N., Deitsch, S. E., & Frueh, B. C. (2004). Discriminating malingered from genuine civilian posttraumatic stress disorder: A validation of three MMPI-2 infrequency scales (F, Fp, and Fptsd): Erratum. *Assessment*, 11(3), 271-271.
- Elhai, J. D., Ruggiero, K. J., Frueh, B. C., Beckham, J. C., & Gold, P. B. (2002). The Infrequency-Posttraumatic Stress Disorder Scale(Fptsd) for the MMPI-2: Development and initial validation with veterans presenting with combat-related PTSD. *Journal of Personality Assessment*. Vol 79(3) , 531-549.
- Ellertsen, B., Havik, O. E., & Skavhellen, R. R. (1996). The Norwegian MMPI-2. In J. N. Butcher (Ed), *International adaptations of the MMPI-2: Research and clinical applications*. Minneapolis, MN: University of Minnesota Press. (pp 350-367).
- Ellingson, J.M., Fleming, K.A., Vergés, A., Bartholow, B.D., & Sher, K.J. (2014). Working memory as a moderator of impulsivity and alcohol involvement: Testing the cognitive-motivational theory of alcohol use with prospective and working memory updating data. *Addictive Behaviors*, 39(11), 1622-1631. <http://dx.doi.org/10.1016/j.addbeh.2014.01.004>
- Ellis, E.M. (2012). When are MMPI-2 test results considered “outdated” for use in a child custody case? *Journal of Forensic Psychology Practice*, 12, 48-56.
- Ellis, E.M. (2012). Are MMPI-2 scale 4 elevations common among child custody litigants? *Journal of Child Custody*, 9, 179-194.
- Elwood, R.W. (1993). The clinical utility of the MMPI-2 in diagnosing unipolar depression among male alcoholics. *Journal of Personality Assessment*, 60, 511-521.
- El-Shaieb, M. (2005). The MMPI-2 and client feedback: A quantitative investigation and exploratory analysis of feedback models. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 66(4-B), 2303.

- Emiru, T. (2004). The Amharic translation of MMPI-2: Inventory adaptation and equivalence evaluation. *Dissertation Abstracts International: Section B: The Sciences & Engineering*, 64, 5213. US: Univ Microfilms International.
- Endler, N. S., Parker, J. D., & Butcher, J. N. (1993). A factor analytic study of coping styles and the MMPI-2 Content Scales. *Journal of Clinical Psychology*, 49, 523-527.
- Endler, N. S., Parker, J. D. A., & Butcher, J. N. (2003). A factor analytic study of coping styles and the MMPI-2 content scales. *Journal of Clinical Psychology*, 59(10), 1049-1054.
- Endler, N. S., Rutherford, A., & Denisoff, E. (1999). Beck Depression Inventory: Exploring it's dimensionality in a nonclinical population. *Journal of Clinical Psychology*, 55(10), 1307-1312.
- Englert, D. R., Weed, N. C., & Watson, G. S. (2000). Convergent, discriminant, and internal properties of the Minnesota Multiphasic Personality Inventory (2nd ed.) Low Self-Esteem Content Scale. *Measurement & Evaluation in Counseling & Development*. Vol 33(1) , 42-49.
- Ercolani, M., Farinelli, M., Li Calzi, S., Shurdhi, A., & Cassani, F. (2005). Psychological aspects and stress vulnerability of patients affected by Systemic Lupus Erythematosus (SLE). [Italian]. *Medicina Psicosomatica*, 50, 55-61.
- Erickson, N.S. (2005). Use of the MMPI-2 in child custody evaluations involving battered women: What does psychological research tell us?. *Family Law Quarterly*, 39, 87-108.
- Eren, N., Öğünç, N.E., Keser, V., Bıkmaz, S., Şahin, D., & Saydam, B. (2014). Psychosocial, symptomatic and diagnostic changes with long-term psychodynamic art psychotherapy for personality disorders. *The Arts in Psychotherapy*, 41(4), 375-385.  
<http://dx.doi.org/10.1016/j.aip.2014.06.004>
- Erreca, K. (2010). *MMPI-2-RF profiles of women with eating disorders in an inpatient setting*. (Doctoral dissertation). Retrieved from Dissertations and Theses database. (UMI No. 3437609).
- Erwin, M. J., Gershon, R. R. M., Tiburzi, M., & Lin, S. (2005). Reports of Intimate Partner Violence Made Against Police Officers. *Journal of Family Violence*, 20, 13-19.
- Escoto, C. A., & Flowers, J. V. (2003). MMPI-2 scores as a function of intensity and duration of HIV and AIDS. *North American Journal of Psychology*, 5(3), 387-396.

- Espelage, D. L., Cauffman, E., Broidy, L., Piquero, A. R., Mazerolle, P., & Steiner, H. (2003). A cluster-analytic investigation of MMPI profiles of serious male and female juvenile offenders. *Journal of the American Academy of Child and Adolescent Psychiatry*, 42(7), 770-777.
- Espina, A. (2003). Eating disorders and MMPI profiles in a Spanish sample. *European Journal of Psychiatry*, 17(4), 201-211.
- Espina, A., Joaristi, L., Ortego, M. A., & de Alda, I. O. (2003). Eating disorders, family interventions and changes in MMPI profiles. An exploratory study. [Spanish]. *Estudios de Psicología*, 24(3), 359-375.
- Espinosa, J. R. P., Rueda, A. A., Gomez, F. J., & Crespo, G. S. (2005). Evaluation of the Aggressive and Violent Personality of abusive mothers and delinquent women. [Spanish]. *Revista Iberoamericana de Diagnóstico y Evaluación Psicológica*, 20, 35-58.
- Eurelings-Bontekoe, E.H.M., Onnink, A., Williams, M.M.,& Snellen, W.M. (2008). A new approach to the assessment of structural personality pathology: Theory-driven profile interpretation of the Dutch Short Form of the MMPI. *New Ideas in Psychology*, 26, 23-40.
- Eurelings-Bontekoe, E.H.M., Peen, J., Noteboom, A., Alkema, M., & Dekker, J. (2012). Differential treatment response of subtypes of patients with borderline personality organization, as assessed with theory-driven profiles of the Dutch short form of the MMPI: A naturalistic follow-up study. *Journal of Personality Assessment*, 94, 380-392.
- Evans, P. D. (2010). MMPI to MMPI-2 to MMPI-2-RF: An examination of the psychometric properties in a sample of patients with medically unexplained physical symptoms. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 71(3-B), 2044.
- Everly, G. S., & Lating, J. M. (2004). Psychological and psychophysiological assessment of posttraumatic stress. In G. S. Everly, & J. M. Lating (Eds), *Personality-guided Therapy for Posttraumatic Stress Disorder. Personality-guided Psychology*. Washington, DC: American Psychological Association. (pp 73-88).
- Fabry, J.J., Bertinetti, J.F., & Guzman-Cavazos, L. (2011). Characteristics of juvenile offenders with invalid and valid MMPI-A profiles. *Psychological Reports*, 108, 908-918.
- Facy, F., Rabaud, M., Lys, M., & Rene, M.-N. (1999). Personality characteristics and psychotropic substances use in young adults undergoing a health examination: Use of the Mini-Mult. [French]. *Annales Medico-Psychologiques*. Vol 157(1), 27-39.

- Fan, Q. (2000). A research on the personalities of 1,557 criminals and law-violators. *Psychological Science (China)*, 23(1), 55-58 (in Chinese).
- Fariña, F., Arce, R., Vilariño, M., & Novo, M. (2014). Assessment of the standard forensic procedure for the evaluation of psychological injury in intimate-partner violence. *The Spanish Journal of Psychology*, 17, Article E32.
- Fariña, F., Redondo, L., Seijo, D., Novo, M., & Arce, R. (2017). A meta-analytic review of the MMPI validity scales and indexes to detect defensiveness in custody evaluations. *International journal of Clinical and Health Psychology*, 17(2), 128-138.
- Farnikova, K., Obereigneru, R., Prasko, J., & Kanovsky, P. (2011). P03-29-Parkinson's disease and predictors of impulse control disorders in MMPI-2. *European Psychiatry*, 26, Supplement 1, Abstracts of the 19<sup>th</sup> European Congress of Psychiatry, 1198.
- Farrell, S. (2005). Post-traumatic stress syndrome among adult children of alcoholics. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 65(10-B), 5397. US: Univ Microfilms International.
- Fattapposta, F., Venturi, P., Prada, O. C., Costamagna, L., D'Alessio, C., Mostarda, M., Mina, C., Parisi, L., Pirro, C., & Amabile, G. (2004). Personality and the effects of acute alcohol intake: A contingent negative variation study in healthy subjects. *Functional Neurology: New Trends in Adaptive & Behavioral Disorders*, 19(1), 25-30.
- Faulhaber, M. M. (2005). Comparison of the responses of male and female police candidates on MMPI-2 scales using full and short versions in police selection: Theoretical and practical implications. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 66(1-B), 606. US: Univ Microfilms International.
- Faull, R. & Meyer, G. J. (1993, March). *Assessment of depression with the MMPI-2: Distinctions between Scale 2 and the DEP*. Paper presented at the Midwinter Meeting of the Society for Personality Assessment. San Francisco, Calif. March 19, 1993.
- Faunce, G. J., Mapledoram, P. K., & Job, R. F. S. (2004). Type A behaviour pattern and attentional bias in relation to anger/hostility, achievement, and failure. *Personality & Individual Differences*, 36(8), 1975-1988.
- Faust, D., & Waller, N. (2004). Paul E. Meehl (1920-2003). *American Psychologist*, 59, 557-558.
- Fazio, R.L., Wunderlich, T., Wilson, N., & Akeson, S. (2014). MMPI-2-RF characteristics of individuals with interstitial cystitis. *Journal of Psychosomatic Research*, 77(5), 359-362.

<http://dx.doi.org/10.1016/j.jpsychores.2014.09.010>

Feldman, J. M. (2003). The impact of panic disorder on asthma. *Dissertation Abstracts International: Section B: The Sciences & Engineering*. Vol 63(10-B), 4898. US: Univ Microfilms International.

Ferguson, C.J. & Negy, C. (2014). Development of a brief screening questionnaire for histrionic personality symptoms. *Personality and Individual Differences*, 66, 124-127.  
<http://dx.doi.org/10.1016/j.paid.2014.02.029>

Ferri, F., Serati, M., Colombo, E. M., Gallo, F., & Buoli, M. (2016). Samaritan donation: A new challenge for the Italian transplant community. *Psychiatry Research*, 242, 26-27.

Ferrando, P.J., & Demestre, J. (2007). Item characteristics that predict response latency in personality measures. *Psicothema*, 19, 337-342.

Figuered, B. V. (2002). The concurrent validity of the Minnesota Multiphasic Personality Inventory-Adolescent in the assessment of depression. *Dissertation Abstracts International: Section B: the Sciences & Engineering*. Vol 62(10-B), 4782, US: Univ Microfilms International.

Fillion, D. T. (2003). Theoretical taxonomies of child molesters. *Dissertation Abstracts International: Section B: The Sciences & Engineering*. Vol 64(2-B), 961. US: Univ Microfilms International.

Finger, M. S., & Ones, D. S. (1999). Psychometric equivalence of the computer and booklet forms of the MMPI: A meta-analysis. *Psychological Assessment*. Vol 11(1), 58-66.

Finger, M. S., Ones, D. S., Shores, E. A., Carstairs, J. R., Butcher, J. N., Berah, E., Ellertsen, B., Miach, P., Lim, J., Nezami, E., Pancheri, P., Derksen, J., & Almagor, M. (2000). Computer applications of the MMPI-2. *Butcher, James N. (Ed). Basic sources on the MMPI-2*. (pp. 537-628).

Finkel, H. K. (2005). The effects of deceptive self-report (fake-good and fake-bad) on selected MMPI-2 scales: A within-subjects instructional set design. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 66(1-B), 549. US: Univ Microfilms International.

Finn, J.A., Arbisi, P.A., Erbes, C.R., Polusny, M.A., & Thuras, P. (2013). The MMPI-2 restructured form personality psychopathology five scales: Bridging DSM-5 section 2 personality disorders and DSM-5 section 3 personality trait dimensions. *Journal of personality assessment*, 96, 173-184.

- Finn, J. A., Ben-Porath, Y. S., & Tellegen, A. (2015). Dichotomous versus polytomous response options in psychopathology assessment: Method or meaningful variance? *Psychological Assessment*, 27(1), 184.
- Finn, S. E. (2011). Journeys through the valley of death: Multimethod psychological assessment and personality transformation in long-term psychotherapy. *Journal of Personality Assessment*, 93(2), 123-141.
- Finlay, S. W., & Kapes, J. T. (2000). Scale 5 of the MMPI and MMPI-A: Evidence of disparity. *Assessment. Vol 7(1)*, 97-101.
- Finn, S. E. & Martin, H. (1997). Therapeutic assessment with the MMPI-2 in managed care. In J. N. Butcher (Ed) *Personality assessment in managed care: Using the MMPI-2 in treatment planning*. New York: Oxford University Press. (pp 131-152).
- Finn, S. E. (1996). Assessing feedback integrating MMPI-2 and Rorschach findings. *Journal of Personality Assessment*, 67(3), 543-557 .
- Finn, S. E., & Butcher, J. N. (1990). Clinical objective personality assessment. In M. Hersen, A. E. Kazdin, & A.S. Bellack (Eds.). *The clinical psychology handbook* (2nd Ed.). New York: Pergamon Press.(pp 362-373).
- Finn, S. E., & Tonsager, M. (1992). Therapeutic effects of providing MMPI-2 test feedback to college students awaiting therapy. *Psychological Assessment*, 4, 278-287.
- Finn, S. E. & Kamphuis, J. H. (2006). Therapeutic assessment with the MMPI-2. In J. N. Butcher (Ed.). *MMPI-2: The practitioner's handbook*. (pp. 165-191). Washington, D. C.: American Psychological Association.
- First, M. B., Williams, J. B. W., & Spitzer, R. L. (1997). *DTREE: The DSM-IV Expert*. Toronto, Canada: MultiHealth Systems.
- Fisha, S. (2003). Depression among African patients: Three diagnostic approaches. *Dissertation Abstracts International: Section B: The Sciences & Engineering*, 63(10-B), 4899. US: Univ Microfilms International.
- Fisher, C., Peterson, N., Goodpaster, K., Lavery, M., & Heinberg, L. (2017). History of trauma and relationship with the Minnesota Multiphasic Personality Inventory-2 Restructured Form (MMPI-2-RF) in individuals seeking bariatric surgery. *Surgery for Obesity and Related Diseases*, 13(10), S43-S44.

Fishbain, D. A., Cutler, R. B., Rosomoff, H. L., Rosomoff, R. S. (2004). Is there a relationship between nonorganic physical findings (Waddell signs) and secondary gain/malingering? *Clinical Journal of Pain*, 20, 399-408.

Fleishman, J. (2012). *MMPI-II profile types and frequencies of bariatric surgery candidates and chronic pain patients* (Doctoral dissertation, Pacific University). Retrieved from: <http://commons.pacificu.edu/spp/377>

Flitter, J. M. K., Elhai, J. D., & Gold, S. N. (2003). MMPI-2 F scale elevations in adult victims of child sexual abuse. *Journal of Traumatic Stress*, 16(3), 269-274.

Flores, N. L. (2015). *Underreporting of Psychological Symptoms in Mexican-American Workers' Compensation Litigants Seeking Treatment for Chronic Pain*. Alliant International University.

Floyd, M. (2000). MMPI-2 and PCL-R characteristics of female prison inmates. *Dissertation Abstracts International: Section B: the Sciences & Engineering*. Vol 60(12-B), 6360, US: Univ Microfilms International.

Fontaine, J. L. (2000). The effects of varying clinical elevation demarcations on classification accuracy of the MMPI-A. *Dissertation Abstracts International: Section B: the Sciences & Engineering*. Vol 61(2-B), 1080, US: Univ Microfilms International.

Fontaine, J. L., Archer, R. P., Elkins, D. E., & Johansen, J. (2001). The effects of MMPI-A T-score elevation on classification accuracy for normal and clinical adolescent samples. *Journal of Personality Assessment*. Vol 76(2) , 264-281.

Forbes, D., Elhai, J. D., Miller, M. W., & Creamer, M. (2010). Internalizing and externalizing classes in posttraumatic stress disorder: A latent class analysis. *Journal of Traumatic Stress*, 23(3), 340-349.

Forbes, D., Creamer, M., Allen, N., Elliott, P., McHugh, T., Debenham, P., & Hopwood, M. (2003). MMPI-2 based subgroups of veterans with combat-related PTSD: Differential patterns of symptom change after treatment. *Journal of Nervous and Mental Disease*, 191(8), 531-537.

- Forbes, D., Creamer, M., Allen, N., Elliott, P., McHugh, T., Debenham, P., & Hopwood, M. (2002). The MMPI-2 as a predictor of symptom change following treatment for posttraumatic stress disorder. *Journal of Personality Assessment*. Vol 79(2), 321-336.
- Forbes, D., Creamer, M., Allen, N., McHugh, T., Debenham, P., & Hopwood, M. (2003). MMPI-2 as a predictor of change in PTSD symptom clusters: A further analysis of the Forbes et al. (2002) data set. *Journal of Personality Assessment*, 81(2), 183-186.
- Forbes, D., Creamer, M., McHugh, T. (1999). MMPI-2 data for Australian Vietnam veterans with combat-related PTSD. *Journal of Traumatic Stress*. Vol 12(2), 371-378.
- Forbey, J. D. (2002). Incremental validity of the MMPI-A content scales and interpretative utility of the content component scales of the MMPI-A in a residential treatment facility. *Dissertation Abstracts International: Section B: the Sciences & Engineering*. Vol 63(1-B), 522, US: Univ Microfilms International.
- Forbey, J.D., & Ben-Porath, Y.S. (2008). Empirical correlates of the MMPI-2 Restructures Clinical (RC) scales in a nonclinical setting. *Journal of Personality Assessment*, 90, 136-141.
- Forbey, J. D., & Ben-Porath, Y. S. (2001). Minnesota Multiphasic Personality Inventory-Adolescent (MMPI-A). W. L. Dorfman & M. Hersen (Eds.), *Understanding psychological assessment. Perspectives on individual differences*. (pp. 313-334).
- Forbey, J.D., & Ben-Porath, Y.S. (2002). Use of the MMPI-2 in the treatment of offenders. *International Journal of Offender Therapy and Comparative Criminology*, 46, 308-318.
- Forbey, J. D., Ben-Porath, Y. S. (2002). Use of the MMPI-2 in the treatment of offenders. *International Journal of Offender Therapy & Comparative Criminology*. Vol 46(3) , 308-318.
- Forbey, J.D., Ben-Portath, Y.S., Arbisi, P.A. (2011). The MMPI-2 computerized adaptive version (MMPI-2-CA) in a veterans administration medical outpatient facility. *Psychological Assessment*. Advance online publication. doi: 10.1037/a0026509
- Forbey, J.D., Ben-Porath, Y.S., & Arbisi, P.A. (2012). The MMPI-2 computerized adaptive version (MMPI-2-CA) in a Veterans Administration medical outpatient facility. *Psychological Assessment*, 24, 628-639.

- Forbey, J. D., Ben-Porath, Y. S., & Davis, D. L. (2000). A comparison of sexually abused and non-sexually abused adolescents in a clinical treatment facility using the MMPI-A. *Child Abuse & Neglect*. Vol 24(4) , 557-568.
- Forbey, J. D., Handel, R. W., & Ben-Porath, Y. S. (2000). A real-data simulation of computerized adaptive administration of the MMPI-A. *Computers in Human Behavior*. Vol 16(1), 83-96.
- Forbey, J.D., & Lee, T.T.C. (2011). An exploration of the impact of invalid MMPI-2 protocols on collateral self-report measure scores. *Journal of Personality Assessment*, 93, 556-565.
- Forbey, J.D., Lee, T.T.C., Ben-Porath, Y.S., Arbisi, P.A., & Gartland, D. (2013). Associations between MMPI-2-RF validity scale scores and extra-test measures of personality and psychopathology. *Assessment*, 20, 448-461.
- Forbey, J. D., Lee, T. T. C., & Handel, R. W. (2010). Correlates of the MMPI-2-RF in a college setting. *Psychological Assessment*, 22(4), 737-744.
- Fournier, J. (2015). *Détection De La Simulation De l'Invalidité Découlant De La Douleur (SIDD) à l'Aide De Quatre Échelles De Validité De La Forme Révisée Du Minnesota Multiphasic Personnality Inventory-2 (MMPI-2-RF)*. Universite de Sherbrooke.
- Fow, N. R., Dorris, G., Sittig, M., & Smith-Seemiller, L. (2002). An analysis of the influence of insurance sponsorship on MMPI changes among patients with chronic pain. *Journal of Clinical Psychology*. Vol 58(7) , 827-832.
- Fowler, R. D. (1969). Automated interpretation of personality test data. In J. N. Butcher (Ed.) *MMPI: Research developments and clinical applications*. (pp 325-342). New York: McGraw-Hill.
- Fowler, R. D. (1987). Developing a computer-based test interpretation system. In J. N. Butcher (Ed.) *Computerized psychological assessment*. (pp. 50-63). New York: Basic Books.
- Fox, D. D. (2010). Equations for prorating the Symptom Validity Scale (FBS) for the 370-item MMPI-2. *The Clinical Neuropsychologist*, 24(7), 1238-1242.
- Fox, D. D., & Lees-Haley, P. R. (2001). MMPI-2 scores do not correlate with employment status. *Journal of Forensic Neuropsychology*. Vol 2(2) , 53-56.

- Franklin, C. L. (2001). A taxometric analysis of the MMPI-2 depression and anxiety scales. *Dissertation Abstracts International: Section B: the Sciences & Engineering*. Vol 62(2-B), 1136, US: Univ Microfilms International.
- Franklin, C. L., Repasky, S. A., Thompson, K. E., Shelton, S. A., & Uddo, M. (2002). Differentiating overreporting and extreme distress: MMPI-2 use with compensation-seeking veterans with PTSD. *Journal of Personality Assessment*. Vol 79(2), 274-285.
- Franklin, C. L., Repasky, S. A., Thompson, K. E., Shelton, S. A., & Uddo, M. (2003). Assessment of response style in combat veterans seeking compensation for posttraumatic stress disorder. *Journal of Traumatic Stress*, 16(3), 251-255.
- Franklin, C. L., Strong, D. R., & Greene, R. L. (2002). A taxometric analysis of the MMPI-2 Depression Scales. *Journal of Personality Assessment*. Vol 79(1), 110-121.
- Franklin, C. L., & Thompson, K. E. (2005). Response style and posttraumatic stress disorder (PTSD): A review. *Journal of Trauma & Dissociation*, 6, 105-123.
- Franz, A. O., Harrop, T. M., & McCord, D. M. (2017). Examining the construct validity of the MMPI-2-RF Interpersonal Functioning scales using the Computerized Adaptive Test of Personality Disorder as a comparative framework. *Journal of Personality Assessment*, 99(4), 416-423.
- Franzen, A.G. (2014). An evaluation of the utility of the MMPI-2 personality Psychopathology five (PSY-5) scales on a pedophile sample as compared to a non-sex offending criminal sample. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, Vol 74(12-B(E)), No Pagination Specified.
- Freeman, K. A., Dexter-Mazza, E. T., & Hoffman, K. C. (2005). Comparing Personality Characteristics of Juvenile Sex Offenders and Non-Sex Offending Delinquent Peers: A Preliminary Investigation. *Sexual Abuse: Journal of Research and Treatment*, 17, 3-12.
- Freeman, T., Powell, M., & Kimbrell, T. (2008). Measuring symptom exaggeration in veterans with chronic posttraumatic stress disorder. *Psychiatry Research*, 158, 374-380.
- Friedman, J.H. (2001). Effects of reviewing DATATOP videotapes on IQ and MMPI in PSG coordinators and investigators, or, whatever happened to Tony Lang?. *Movement Disorders*, 16, 792-792.
- Friedman, A. F., Archer, R. P., & Handel, R. W. (2005). Minnesota Multiphasic Personality

Inventories (MMPI/MMPI-2, MMPI-A) and Suicide. In R. I. Yufit, & D. Lester (Eds), *Assessment, treatment, and prevention of suicidal behavior* (pp. 63-91). Hoboken, NJ: John Wiley & Sons, Inc.

Friedman, A. F., Lewak, R., Nichols, D. S., & Webb, J. T. (2001). Psychological assessment with the MMPI-2.

Frueh, B. C., Leverett, M. J., & Kinder, B. (1995). Interrelationship between MMPI-2 and Rorschach variables. *Journal of Personality Assessment, 64*, 312-319.

Frueh, B. C., Elhai, J. D., Gold, P. B., Monnier, J., Magruder, K. M., Keane, T. M., & Arana, G. W. (2003). Disability compensation seeking among veterans evaluated for posttraumatic stress disorder. *Psychiatric Services, 54*(1), 84-91.

Frueh, B. C., Elhai, J. D., Hamner, M. B., Magruder, K. M., Sauvageot, J. A., & Mintzer, J. (2004). Elderly veterans with combat-related posttraumatic stress disorder in specialty care. *Journal of Nervous & Mental Disease, 192*(1), 75-79.

Frueh, B. C., Elhai, J. D., Monnier, J., Hamner, M. B., & Knapp, R. G. (2004). Symptom patterns and service use among African American and Caucasian veterans with combat-related PTSD. *Psychological Services, 1*(1), 22-30.

Gacono, C. B., & Hughes, T. L. (2004). Differentiating emotional disturbance from social maladjustment: Assessing psychopathy in aggressive youth. *Psychology in the Schools, 41*, 849-860.

Gacano, C. B. & Meloy, J. R.. (2009). Assessing anti social and psychopathic personalities. J. N. Butcher (Ed). *Oxford Handbook of Personality Assessment*. (pp.567-581). New York: Oxford University Press.

Galala, F. R., Kairupan, B. H., Elim, C., & Ekawardani, N. (2015). Profil content scale minnesota multiphasic personality inventory-2 (MMPI-2) adaptasi indonesia pada mahasiswa semester 1 tahun akademik 2013/2014 fakultas kedokteran universitas sam ratulangi. *E-Clinic, 3*(1).

Gale, S.D., & Hill, S.W. (2012). Concurrent administration of the MMPI-2 and PAI in a sample of patients with epileptic or non-epileptic seizures: Implications for an inpatient epilepsy monitoring unit. *Epilepsy and Behavior, 25*, 181-184.

Gallarda, T., Coussinoux, S., Cordier, B., Luton, J. P., & Bourdel, M. C. (2001). Value of MMPI and Rorschach tests in differentiating M-F transsexuals from transvestites. [French]. *Annales Medico-Psychologiques. Vol 159*(6) , 466-470.

Galletta, D., Aurino, C., Sica, G., Amodio, A., & Elce, C. (2015). Self-Injurious Behaviour: Self Identity, Impulsiveness and Self-Injury in Patients with Borderline Personality Disorders and Bulimia. *African Journal of Psychiatry*, 18(262), 2.

Galli, F., Pozzi, G., Frustaci, A., Allena, M., Anastasi, S., Chirumbolo, A., ... Tassorelli, C. (2011). Differences in the personality profile of medication-overuse headache sufferers and drug addict patients: A comparative study using MMPI-2. *Headache: The Journal of Head and Face Pain*, 51, 1212-1227.

Galloway-Sharp, S. (2004). Utilizing the Dean-Woodcock Emotional Status Examination to predict pathology. *Dissertation Abstracts International: Section B: The Sciences & Engineering*, 65, 1027. US: Univ Microfilms International.

Gamez, A.M. (2010). *The use of the Minnesota multiphasic personality inventory-II (MMPI-2) in pre-employment evaluations*. (Doctoral dissertation). Retrieved from Dissertations and Theses database. (UMI No. 3424837).

Gandolfo, R. (1995). MMPI-2 profiles of worker's compensation claimants who present with complaints of harassment. *Journal of Clinical Psychology* 51(5), 711-715.

Ganellen, R. J. (1996). Exploring MMPI-Rorschach relationships. *Journal of Personality Assessment*, 67(3), 529-542.

Ganellen, R. J. (2013). *Integrating the Rorschach and the MMPI-2 in personality assessment*. London, England: Routledge.

Galletta, D., Sica, G., Califano, A., Aurino, C., Di Lorenzo, P., & Buccelli, C. (2014). Mobbing: From a social phenomenon to psychopathology: Preliminary data. *African Journal of Psychiatry*, 17(5), 1-4.

Ganzach, Y. (2000). The weighing of pathological and non-pathological information in clinical judgment. *Acta Psychologica*. Vol 104(1), 87-101.

Gao, C. G., Ji, S. M., Su, Z. Q., & Gao, H. R. (2001). A study of clinical features and personality types on obsessive-compulsive disorder. *Chinese Journal of Clinical Psychology*, 9(1), 24-27 (in Chinese).

Garb, H. N., Florio, C. M., & Grove, W. M. The validity of the Rorschach and the Minnesota Multiphasic Personality Inventory: Results from meta-analyses. *Psychological Science*, 9(5), 402-404.

- Garb, H. N., Florio, C. M., & Grove, W. M. (1999). The Rorschach controversy: Reply to Parker, Hunsley, and Hanson. *Psychological Science*. Vol 10(3), 293-294.
- Garb, H. N., Wood, J. M., Nezworski, M. T., Grove, W. M., & Stejskal, W. J. (2001). Toward a resolution of the Rorschach controversy. *Psychological Assessment*. Vol 13(4) , 433-448.
- Garcia-Alba, C. (2004). Anorexia and depression: Depressive comorbidity in anorexic adolescents. *Spanish Journal of Psychology*, 7(1), 40-52.
- Garcia, H. A., Franklin, C. L., & Chambliss, J. (2010). Examining MMPI-2 F-family scales in PTSD-diagnosed veterans of Operation Enduring Freedom and Operation Iraqi Freedom. *Psychological Trauma: Theory, Research, Practice, and Policy*, 2(2), 126-129.
- Garcia, H. A., Kelley, L. P., Rentz, T. O., & Lee, S. (2011). Pretreatment predictors of dropout from cognitive behavioral therapy for PTSD in Iraq and Afghanistan war veterans. *Psychological Services*, 8(1), 1-11.
- Garkavenko, V.V., Bachinskaya, N.Y., & Karaban, I.N. (2000). Interrelations between EEG parameters and personality characteristics in Parkinsonian patients. *Neurophysiology*, 32, 400-405.
- Garyfallos, G., Adamopoulos, A., Karastergiou, A., Voikli, M., Sotiropoulou, A., Donias, S., Giouzepas, J., & Paraschos, A. (1999). Personality disorders in dysthymia and major depression. *Acta Psychiatrica Scandinavica*, 99(5), 332-340.
- Garrett, A. (2012). *A comparison of MMPI code types using MMPI and MMPI-2 norms*. (Doctoral dissertation). Retrieved from Dissertations and Theses database. (UMI No. 3475889).
- Garrido, M. & Velasquez, R. (2006). Interpretation of Latino/Latina MMPI-2 profiles: Review and application of empirical findings and cultural-linguistic considerations. In J. N. Butcher (Ed.). *MMPI-2: The practitioner's handbook*. (pp. 477-504). Washington, D. C.: American Psychological Association.
- Gass, C. S. (2009). Use of the MMPI-2 in Neuropsychological Evaluations. J. N. Butcher (Ed). *Oxford Handbook of Personality Assessment*. (pp.432-456). New York: Oxford University Press.
- Gass, C. S. (2006). Use of the MMPI-2 in neuropsychological evaluations. In J. N. Butcher (Ed.). *MMPI-2: The practitioner's handbook*. (pp. 301-326). Washington, D. C.: American Psychological Association.

- Gass, C. S. (1991). MMPI-2 interpretation and closed head injury: A correction factor. *Psychological Assessment: A Journal of Consulting and Clinical Psychology*, 3, 27-31.
- Gass, C. S. (1992). MMPI-2 interpretation of patients with cerebrovascular disease: A correction factor. *Archives of Neuropsychology*, 7, 17-27.
- Gass, C. S. (1996). MMPI-2 variables in attention and memory test performance. *Psychological Assessment*, 8, 135-138.
- Gass, C. S. (2000). Assessment of emotional functioning with the MMPI-2. G. Groth-Marnat (Ed), *Neuropsychological assessment in clinical practice: A guide to test interpretation and integration*. (pp. 457-532).
- Gass, C. S. & Brown, M. C. (1992). Neuropsychological test feedback to patients with brain dysfunction. *Psychological Assessment*, 4(3), 272-277.
- Gass, C. S., & Gonazalez, C. (2003). MMPI-2 short form proposal: CAUTION. *Archives of Clinical Neuropsychology*, 18(5), 521-527.
- Gass, C. S., & Luis, C. A. (2001). MMPI-2 Scale F(p) and symptom feigning: Scale refinement. *Assessment*. Vol 8(4), 425-429.
- Gass, C. S., & Luis, C. A. (2001). MMPI-2 Short Form: Psychometric characteristics in a neuropsychological setting. *Assessment*. Vol 8(2), 213-219.
- Gass, C.S., & Odland, A.P. (2012). Minnesota multiphasic personality inventory-2 revised form symptom validity scale-revised (MMPI-2-RF FBS-r; also known as fake bad scale): Psychometric characteristics in a nonlitigation neuropsychological setting. *Journal of Clinical and Experimental Neuropsychology*, 34, 561-570.
- Gass, C.S., & Odland, A.P. (2014). MMPI-2 symptom validity (FBS) scale: Psychometric characteristics and limitations in a veterans affairs neuropsychological setting. *Applied Neuropsychology: Adult*, 21, 1-8.
- Gass, C. S., Rogers, D., & Kinne, E. (2017). Psychological characteristics in acute mild traumatic brain injury: An MMPI-2 study. *Applied Neuropsychology: Adult*, 24(2), 108-115.
- Gatchel, R.J., Mayer, T.G., Eddington, A. (2006). MMPI disability profile: The least known, most useful screen for psychopathology in chronic occupational spinal disorders. *Spine*, 31, 2973-2978.

- Ge, X., Donnellan, M. B., & Wenk, E. (2003). Differences in personality and patterns of recidivism between early starters and other serious male offenders. *Journal of the American Academy of Psychiatry & the Law*, 31(1), 68-77.
- Genovese, G., Cicciarelli, C., Rizzo, A., & Crucitti, M. (2015). Perceptual derailment and confabulation in the Rorschach projective technique: a clinical report. *Mediterranean Journal of Clinical Psychology*, 3(3).
- Gerra, G., Bertacca, S., Zaimovic, A., Pirani, M., Branchi, B., & Ferri, M. (2008). Relationship of personality traits and drug of choice by cocaine addicts and heroin addicts. *Substance Use & Misuse*, 43, 317-330.
- Gerra, G., Calbiani, B., Zaimovic, A., Sartori, R., Ugolotti, G., Ippolito, L., Delsignore, R., Rustichelli, P., & Fontanesi, B. (1998). Regional cerebral blood flow and comorbid diagnosis in abstinent opioid addicts. *Psychiatry Research: Neuroimaging*, 83(2), 117-126.
- Gershon, R. R. M., Tiburzi, M., Lin, S., & Erwin, M. J. (2005). Reports of Intimate Partner Violence Made Against Police Officers: Erratum. *Journal of Family Violence*, 20, 259.
- Gerson, A., & Fox, D. (2003). Fibromyalgia revisited: Axis II factors in MMPI and historical data in compensation claimants. *American Journal of Forensic Psychology*, 21(3), 21-25.
- Gervais, R.O. (2005). Development of a response bias scale for the MMPI-2. *Archives of Clinical Neuropsychology*, 20, 891-891.
- Gervais, R. O., BenPorath, Y. S., Wygant, D. B., & Sellbom, M. (2010). Incremental validity of the MMPI-2-RF over-reporting scales and RBS in assessing the veracity of memory complaints. *Archives of Clinical Neuropsychology*, 25(4), 274-284.
- Gervais, R. O., BenPorath, Y. S., Wygant, D. B., & Sellbom, M. (2010). Incremental validity of the MMPI-2-RF over-reporting scales and RBS in assessing the veracity of memory complaints: Erratum. *Archives of Clinical Neuropsychology*, 25(5), 473.
- Gervais, RO. Ben-Porath, Y.S., Wygant, D.B., & Green, P. (2008). Differential sensitivity of the Response Bias Scale (RBS) and MMPI-2 validity scales to memory complaints. *Clinical Neuropsychologist*, 22, 1061-1079.

- Gervais, R.O., Ben-Porath, Y.S., Wygant, D.B., Sellbom, M. (2008). Incremental validity of the MMPI-2-RF over-reporting scales and RBS in assessing memory complaints. *Archives of Clinical Neuropsychology*, 23, 668-668.
- Gervais, R. O., Tarescavage, A. M., Greiffenstein, M. F., Wygant, D. B., Deslauriers, C., & Arends, P. (2017). Inconsistent Responding on the MMPI-2-RF and Uncooperative Attitude: Evidence from Cognitive Performance Validity Measures. *Psychological Assessment*.
- Gervais, R.O., Wygant, D.B., & Ben-Porath, Y.S. (2005). Word Memory Test (WMT) performance and MMPI-2 validity scales and indices. *Archives of Clinical Neuropsychology*, 20, 891-892.
- Gervais, R.O., Wygant, D.B., Sellbom, M., & Ben-Porath, Y.S. (2011). Associations between symptom validity test failure and scores on the MMPI-2-RF validity and substantive scales. *Journal of Personality Assessment*, 93, 508-517.
- Gibson Madsen, K. A. (2003). Detecting psychopathy using the MMPI-2: The Dangerousness Scale. *Dissertation Abstracts International: Section B: The Sciences & Engineering*, 64(5-B), 2431. US: Univ Microfilms International.
- Gillet, I., Simon, M., Guelfi, J. D., Brun-Eberenz, A., Monier, C., Seunevel, F., & V-Svarna, L. (1996). The MMPI-2 in France. In J. N. Butcher (Ed), *International adaptations of the MMPI-2: Research and clinical applications*. Minneapolis, MN: University of Minnesota Press. (pp 395-415).
- Gilman, L. K. (2015). *Common Profiles and Clinical Utility of the MMPI-2-RF in Competency to Stand Trial Evaluations*. Indiana University of Pennsylvania.
- Gilmore, J. D., Lash, S. J., Foster, M. A., & Blosser, S. L. (2001). Adherence to substance abuse treatment: Clinical utility of two MMPI-2 scales. *Journal of Personality Assessment*. Vol 77(3), 524-540.
- Gironda, R. J. (1999). Comparative validity of MMPI-2 scores of African-Americans and Caucasians in a forensic diagnostic sample. *Dissertation s International: Section B: the Sciences & Engineering*, 60(6-B), 2942. US: Univ Microfilms International.
- Girrens, K. F. V. (2004). The construct validity of narcissism: Investigating the possibility of multiple dimensions. *Dissertation Abstracts International: Section B: The Sciences & Engineering*. Vol 64(12-B), 6328. US: Univ Microfilms International.

- Gizer, I. R., SeatonSmith, K. L., Ehlers, C. L., Vieten, C., & Wilhelmsen, K. C. (2010). Heritability of MMPI-2 scales in the UCSF family alcoholism study. *Journal of Addictive Diseases*, 29(1), 84-97.
- Glaser, B. A., Calhoun, G. B., & Petrocelli, J. V. (2002). Personality characteristics of male juvenile offenders by adjudicated offenses as indicated by the MMPI-A. *Criminal Justice & Behavior*. Vol 29(2) , 183-201.
- Glassmire, D. M., Kinney, D. I., Greene, R. L., Stolberg, R. A., Berry, D. T. R., & Cripe, L. (2003). Sensitivity and specificity of MMPI-2 neurologic correction factors: Receiver operating characteristic analysis. *Assessment*, 10(3), 299-309.
- Glassmire, D. M., Jhawar, A., Burchett, D., & Tarescavage, A. M. (2016). Evaluating item endorsement rates for the MMPI-2-RF F-r and Fp-r scales across ethnic, gender, and diagnostic groups with a forensic inpatient sample. *Psychological Assessment*. Published online July 14, 2016 (doi: 10.1037/pas0000366).
- Glassmire, D. M., Stolberg, R. A., Greene, R. L., & Bongar, B. (2001). The utility of MMPI-2 suicide items for assessing suicidal potential: Development of a suicidal potential scale. *Assessment*. Vol 8(3), 281-290.
- Glassmire, D. M., Tarescavage, A. M., Burchett, D., Martinez, J., & Gomez, A. (2015). Clinical Utility of the MMPI-2-RF SUI Items and Scale in a Forensic Inpatient Setting: Association With Interview Self-Report and Future Suicidal Behaviors. *Psychological Assessment*, , No Pagination Specified. doi:10.1037/pas0000220
- Glenn, D. M., Beckham, J. C., Sampson, W. S., Feldman, M. E., Hertzberg, M. A., & Moore, S. D. (2002). MMPI-2 profiles of Gulf and Vietnam combat veterans with chronic posttraumatic stress disorder. *Journal of Clinical Psychology*. Vol 58(4), 371-381.
- Golden, Z., & Golden, C. J. (2003). Impact of brain injury severity on personality dysfunction. *International Journal of Neuroscience*, 113(5), 733-745.
- Golden, Z., & Golden, C. J. (2003). The differential impacts of Alzheimer's dementia, head injury, and stroke on personality dysfunction. *International Journal of Neuroscience*, 113(6), 869-878.
- Goldstein, M. L. (2016). Projective Personality Assessment in Child Custody Evaluations. *Handbook of Child Custody* (pp. 85-92) Springer.

- Goldstein, R. Z., Alia-Klein, N., Leskovjan, A. C., Fowler, J. S., Wang, G., Gur, R. C., Hitzemann, R., & Volkow, N. D. (2005). Anger and depression in cocaine addiction: Association with the orbitofrontal cortex. *Psychiatry Research: Neuroimaging*, 138, 13-22.
- Golimbet, V.E., Alfimova, M.V., Sherbatikh, T.V., et al. (2003). Serotonin transporter gene polymorphism and personality traits measured by MMPI. *Russian Journal of Genetics*, 39, 435-439.
- Gomez, F. C. J., Johnson, R., Davis, Q., & Velasquez, R. J. (2000). MMPI--A performance of African and Mexican American adolescent first-time offenders. *Psychological Reports*. Vol 87(1), 309-314.
- Gomula, J., Paja, W., Pancerz, K., & Szkola, J. (2012). Rule-based analysis of MMPI data using the Copernicus system. *Human-Computer Systems Interaction: Backgrounds and Applications*, 99, 191-203.
- Gong, J., Miao, D., Xiao, W., Luo, Z., & Wang, W. (2005). The Characteristics and Influencing Factors of F Scale in MMPI-215. [Chinese]. *Psychological Science (China)*, 28, 956-957.
- Gomez-Gil, E., Vidal-Hagemeijer, A., & Salamero, M. (2008). MMPI-2 characteristics of transsexuals requesting sex reassignment: Comparison of patients in prehormonal and presurgical phases. *Journal of Personality Assessment*, 90, 368-374.
- Gonzalez-Ibanez, A., Mora, M., Gutierrez-Maldonado, J., Ariza, A., & Lourido-Ferreira, M. R. (2005). Pathological Gambling and Age: Differences in personality, psychopathology, and response to treatment variables. *Addictive Behaviors*, 30, 383-388.
- Goodman, G. M. (2015). *Exploratory and Confirmatory Factor Analysis of Scale 8 (Sc) of the MMPI-2 Fuller*. Theological Seminary, School of Psychology.
- Goodman-Delahunty, J. & Foote, W. E. (1995). Compensation for pain and suffering and other psychological injuries: The impact of Daubert on employment discrimination claims. *Behavioral Sciences and the Law*, 13, 183-206.
- Goodpaster, K. P., Marek, R. J., Lavery, M. E., Ashton, K., Rish, J. M., & Heinberg, L. J. (2016). Graze Eating among Bariatric Surgery Candidates: Prevalence and Psychosocial Correlates. *Surgery for Obesity and Related Diseases*, no pagination specified.

- Goodwin, B. E., Sellbom, M., & Arbisi, P. A. (2013). Posttraumatic stress disorder in veterans: The utility of the MMPI-2-RF validity scales in detecting overreported symptoms. *Psychological assessment*, 25, 671-678.
- Gordon, D. H. Jr. (2003). Validation of the MMPI-2 ADHD scale in a clinical, psychoeducational sample. *Dissertation Abstracts International: Section B: The Sciences & Engineering*, 63(11-B), 5515. US: Univ Microfilms International.
- Gordon, M. (2004). Aggression profiles in juvenile firesetters. *Dissertation Abstracts International: Section B: The Sciences & Engineering*, 64, 5768. US: Univ Microfilms International.
- Gordon, R. M. (2001). MMPI/MMPI-2 changes in long-term psychoanalytic psychotherapy. *Issues in Psychoanalytic Psychology*. Vol 23(1-2) , 59-79.
- Gordon, R. M. (2006). False assumptions about psychopathology, hysteria and the MMPI-2 restructured clinical scales. /Psychological Reports, 98/, 870-872.
- Gordon, R.M. & Stoffey, R.W. (2014). Operationalizing the Psychodynamic Diagnostic Manual: A preliminary study of the Psychodiagnostic Chart. *Bulletin of the Menninger Clinic*, 78(1), 1-15. <http://dx.doi.org/10.1521/bumc.2014.78.1.1>
- Gordon, R.M., Stoffey, R., & Bottinelli, J. (2008). MMPI-2 findings of primitive defenses in alienating patients. *American Journal of Family Therapy*, 36, 211-228.
- Gordon, R.M., Stoffey, R.W., & Perkins, B.L. (2013). Comparing the sensitivity of the MMPI-2 clinical scales and the MMPI-RC scales to clients rated as psychotic, borderline or neurotic on the psychodiagnostic chart. *Psychology*, 4, 12-16.
- Gorecki, K. M. (2006). Personality characteristics as a function of circumstances of divorce. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 66(7-B), 3947.
- Goreczny, A.J., Nussbaum, P.D., & Haddad, L. (1994). Measuring depressive symptomatology of patients referred to a behavioral medicine clinic: Concordance of self-report measures. *Journal of Clinical Psychology in Medical Settings*, 1(3), 255-259.
- Gori, A., LauroGrotto, R., Giannini, M., & Schuldberg, D. (2010). Predicting treatment outcome by combining different assessment tools: Toward an integrative model of decision support in psychotherapy. *Journal of Psychotherapy Integration*, 20(2), 251-269.

- Goštautas, A., Berneris, V., & Jurevičiūtė, E. (2015). Standardization of questionnaire methods (MMPI AND 16 PF) for adolescent examination. *Psychology*, (4), 41-46.
- Gottfried, E., Bodell, L., Carbonell, J., & Joiner, T. (2014). The clinical utility of the MMPI-2-RF Suicidal/Death Ideation Scale. *Psychological Assessment*, 26(4), 1205-1211. <http://dx.doi.org/10.1037/pas0000017>
- Gow, C. H. (2010). Understanding emotional and cognitive factors in symptom validity testing. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 70(7-B), 4483.
- Gotts, E. E., & Knudsen, T. E. (2005). *The clinical interpretation of the MMPI-2: A content cluster approach*. Mahwah, NJ: Lawrence Erlbaum Associates.
- Graham, J. R. (1991). Comments on Duckworth's review of the Minnesota Multiphasic Personality Inventory-2. *Journal of Counseling and Development*, 69(6), 570-571.
- Graham, J. R. (1998). Characteristics of high and low scores on the MMPI-2 Clinical scales. MMPI-2. In G.P. Koocher, J.C. Norcross, & S. S. Hill III (Eds), *Psychologist's Desk Reference*. New York: Oxford University Press. (pp 130-137).
- Graham, J. R. (1998). Clinical scales of the MMPI-2. In G.P. Koocher, J.C. Norcross, & S. S. Hill III (Eds), *Psychologist's Desk Reference*. New York: Oxford University Press. (pp 117-121).
- Graham, J. R. (2000). *MMPI-2: Assessing personality and psychopathology*. Third Edition. New York: Oxford University Press.
- Graham, J. R. (2006). *MMPI-2: Assessing personality and psychopathology*. Fourth Edition. New York: Oxford University Press.
- Graham, J.R. (2011). *MMPI-2: Assessing personality and Psychopathology* (5<sup>th</sup> Ed.). New York, NY: Oxford University Press.
- Graham, J. R., Barthlow, D. L., Stein, L. A. R., Ben-Porath, Y. S., & McNulty, J. L. (2002). Assessing general maladjustment with the MMPI-2. *Journal of Personality Assessment*. Vol 78(2), 334-347.
- Graham, J. R., Ben-Porath, Y. S. & McNulty, J. (1999). *Using the MMPI-2 in outpatient mental health settings*. Minneapolis, MN: University of Minnesota Press.
- Graham, J. R., Ben-Porath, Y. S. & Stafford, K. (1995). Forensic applications of the MMPI-2:

Current status and future directions. In Y. S. Ben-Porath, J. R. Graham, G. C. N. Hall, R. D. Hirschman, & M.S. Zaragoza (Eds.), *Forensic applications of the MMPI-2*. Thousand Oaks, CA: Sage (pp 253-271).

Graham, J. R., Ben-Porath, Y. S., & McNulty, J. (1997). Empirical correlates of low scores on MMPI-2 scales in an outpatient mental health setting. *Psychological Assessment, 9*(4), 386-391.

Graham, J. R., Timbrook, R., Ben-Porath, Y. S., & Butcher, J. N. (1991). Code-type congruence between MMPI and MMPI-2: Separating fact from artifact. *Journal of Personality Assessment, 57*, 205-215.

Graham, J. R., Watts, D., & Timbrook, R. (1991). Detecting fake-good and fake-bad MMPI-2 profiles. *Journal of Personality Assessment, 57*, 264-277.

Graham, J.R., Ben-Porath, Y.S., & McNulty, J.L. (1999). *MMPI-2 correlates for outpatient mental health settings*. Minneapolis: University of Minnesota Press.

Gramstad, A., Helgeland, A., Ellertsen, B., & Engelsen, B.A. (2005). Higher scores on clinical MMPI-2 scales in patients with left than in patients with right temporal epileptic foci. *Epilepsia, 46*, 315-316.

Granoff, T. R. (2000). Assessment of child molesters with the MMPI-2: Critical items, special scales, and forensic implications. *Dissertation Abstracts International: Section B: the Sciences & Engineering. Vol 61(2-B)*, 1082, US: Univ Microfilms International.

Gray, H. (2005). An exploration of MMPI-2 extratest correlates for female criminal defendants. *Dissertation Abstracts International: Section B: The Sciences and Engineering, 66*(3-B), 1718.

Gready, P.A. (2006). Use of the MMPI-2 in child custody evaluations and child protection evaluations: An examination of defensive responding and psychopathology. *Dissertation Abstracts International: Section B: The Sciences and Engineering. Vol 66*(11-B), 6272.

Green, B. A., Handel, R. W., & Archer, R. P. (2006). External Correlates of the MMPI-2 Content Component Scales in Mental Health Inpatients. *Assessment, 13*, 80-97.

Green, A. N. (2000). Minnesota Multiphasic Personality Inventory-Adolescent excitatory scales and demographics as predictors of male juvenile delinquent placement. *Dissertation Abstracts International: Section B: the Sciences & Engineering. Vol 61*(3-B), 1635, US: Univ Microfilms International.

Green, J. B. (2003). A comparison of personality characteristics between incarcerated male pedophiles and incarcerated male nonpedophiles as measured by the Minnesota Multiphasic Personality Inventory-2 (MMPI-2). *Dissertation Abstracts International: Section B: The Sciences & Engineering*, 64(4-B), 1933. US: Univ Microfilms International.

Greenblatt, R. L., & Davis, W. E. (1999). Differential diagnosis of PTSD, schizophrenia, and depression with the MMPI-2. *Journal of Clinical Psychology*. Vol 55(2), 217-223.

Greene, R. L., Rouse, S. V., Butcher, J. N., Nichols, D. S., & Williams, C. L. (2009). The MMPI-2 Restructured Clinical (RC) Scales and Redundancy: Response to Tellegen, Ben-Porath, and Sellbom. *Journal of Personality Assessment*, 91(3), 1-5.

Greene, C. (2005). A direct comparison of the MMPI-2 and the PAI in the detection of malingering. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 65(8-B), 4285. US: Univ Microfilms Internationl.

Greene, R. L. (1988). Assessment of malingering and defensiveness by objective personality inventories. In R. Rogers (Ed.), *Clinical assessment of malingering and deception*. New York: Guilford. (pp. 123-128).

Greene, R. L. (2005). Use of the MMPI-2 in outpatient mental health settings. In J. N. Butcher (Ed.). *MMPI-2: The practitioner's handbook*. (pp. 253-271). Washington, D. C.: American Psychological Association.

Greene, R. L. (1991). *MMPI-2/MMPI: An interpretive manual*. Boston: Allyn & Bacon.

Greene, R. L. (1998). Using the MMPI-2 in assessing alcohol or drug abuse. MMPI-2. In G.P. Koocher, J.C. Norcross, & S. S. Hill III (Eds), *Psychologist's Desk Reference*. New York: Oxford University Press. (pp 138-141).

Greene, R. L. (2000). *The MMPI-2: An interpretive manual* (2nd ed.). Needham Heights, MA, US: Allyn & Bacon.

Greene, R. L., & Clopton, J. R. (1999). Minnesota Multiphasic Personality Inventory-2 (MMPI-2). M. E. Maruish, (Ed), *The use of psychological testing for treatment planning and outcomes assessment* (2nd ed.), (pp.1023-1049).

Greene, R. L., Gwin, R., & Staal, M. (1997). Current status of MMPI-2 research: A methodologic overview. *Journal of Personality Assessment*, 68(1), 20-36.

- Greene, R. L., Robin, R. W., Albaugh, B., Caldwell, A., & Goldman, D. (2003). Use of the MMPI-2 in American Indians: II. Empirical correlates. *Psychological Assessment, 15*(3), 360-369.
- Greene, R. L., Weed, N. C., Butcher, J. N., Arrendondo, R., & Davis, H. G. (1992). A cross-validation of MMPI-2 substance abuse scales. *Journal of Personality Assessment, 58*, 405-410.
- Greenway, A. P., Milne, L. C., & Clarke, V. (2003). Personality variables, self-esteem and depression and an individual's perception of God. *Mental Health, Religion and Culture, 6*(1), 45-58.
- Gregg, N., Hoy, C., King, W., Moreland, C.M., & et al, (1992). The MMPI-2 profile of individuals with learning disabilities at a rehabilitation setting. *Journal of Applied Rehabilitation Counseling, 23*, 52-59.
- Gregg, N., Hoy, C., King, W., Moreland, C.M., & et al, (1992). The MMPI-2 profile of adults with learning disabilities in university and rehabilitation setting. *Journal of Applied Rehabilitation Counseling, 25*(6) 386-395.
- Greiffenstein, M. F. (2010). The MMPI-2 Symptom Validity Scale (FBS) not influenced by medical impairment: A large sleep center investigation. *Assessment, 17*(2), 269-277.
- Greiffenstein, M. F., Baker, W. J., Tsushima, W. T., Boone, K., & Fox, D. D. (2010). MMPI-2 validity scores in defense-versus plaintiff-selected examinations: A repeated measures study of examiner effects. *The Clinical Neuropsychologist, 24*(2), 305-314.
- Greiffenstein, M.F., & Baker, W.J. (2008). Validity testing in dually diagnosed post-traumatic stress disorder and mild closed head injury. *Clinical Neuropsychologist, 22*, 565-582.
- Greiffenstein, M. R., & Baker, W. J. (2006). Miller was (mostly) right: Head injury severity inversely related to simulation. *Legal and Criminological Psychology, 11*, 131-145.
- Greiffenstein, M. F., & Baker, W. J. (2001). Comparison of premorbid and postinjury MMPI-2 profiles in late postconcussion claimants. *Clinical Neuropsychologist. Vol 15*(2) , 162-170.
- Greiffenstein, M. F., Baker, W. J., Axelrod, B., Peck, E. A., & Gervais, R. (2004). The Fake Bad Scale and MMPI-2 F-Family in detection of implausible psychological trauma claims. *Clinical Neuropsychologist, 18*, 573-590.
- Greiffenstein, M. F., Baker, W. J., Gola, T., Donders, J., & Miller, L. (2002). The Fake Bad Scale in a typical and severe closed head injury litigants. *Journal of Clinical Psychology. Vol 58*(12), 1591-1600.

- Griffith, N.M. (2009). Attributional style and depressive symptoms in patients with intractable seizure disorders: Optimism and pessimism as predictors of seizure group. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 69, 5027.
- Greve, K. W., & Bianchini, K. J. (2004). Response to Butcher et al., The construct validity of the Lees-Haley Fake-Bad Scale... *Archives of Clinical Neuropsychology*, 19(3), 337-339.
- Greve, K.W., Bianchini, K.J., Love, J.M., Brennan, A.H., & Matthew T. (2006). Sensitivity and specificity of MMPI-2 validity scales and indicators to malingered neurocognitive dysfunction in traumatic brain injury. *Clinical Neuropsychologist*, 20, 491-512.
- Grigorieva, V.N., & Ruin, V.A. 2007. The influence of psychic stress on the clinical manifestations and course of myasthenia gravis. *Zhurnal Nevrologii I Psichiatrii Imeni S Korsakova*, 107, 17-25.
- Gross, K. (2002). The incremental validity of the MMPI-2 and demographic variables in assessing major depression. *Dissertation Abstracts International: Section B: the Sciences & Engineering*. Vol 62(12-B), 5963, US: Univ Microfilms International.
- Gross, K., Keyes, M. D., & Greene, R. L. (2000). Assessing depression with the MMPI and MMPI-2. *Journal of Personality Assessment*, 75(3), 464-477.
- Grossi, L. M., Green, D., Belfi, B., McGrath, R. E., Griswold, H., & Schreiber, J. (2015). Identifying Aggression in Forensic Inpatients Using the MMPI-2-RF: An Examination of MMPI-2-RF Scale Scores and Estimated Psychopathy Indices. *International Journal of Forensic Mental Health*, 14(4), 231-244.
- Grossi, L. M., Green, D., Einzig, S., & Belfi, B. (2017). Evaluation of the Response Bias Scale and Improbable Failure Scale in assessing feigned cognitive impairment. *Psychological Assessment*, 29, 531-541.
- Grossman, L. S., Wasyliw, O. E., Benn, A. F., & Gyoerkoe, K. L. (2002). Can sex offenders who minimize on the MMPI conceal psychopathology on the Rorschach? *Journal of Personality Assessment*. Vol 78(3) , 484-501.
- Grossman, S. D. (2005). Facets of personality: A proposal for the development of MCMI-III content scales. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 65(10-B), 5401. US: Univ Microfilms International.
- Groth-Marnat, G. (2003). *Handbook of Psychological Assessment* (4<sup>th</sup> ed.). New York: John Wiley & Sons, Inc.
- Grove, W. M., Zald, D. H., Lebow, B., Snitz, E., & Nelson, C. (2000). Clinical versus

mechanical prediction: A meta-analysis. *Psychological Assessment*, 12, 19-30.

Grover, B.L. (2011). The utility of MMPI-2 scores with a correctional population & convicted sex offenders. *Psychology*, 2, 638-642.

Grubaugh, A. L., Elhai, J. D., Monnier, J., & Frueh, B. C. (2004). Service utilization among compensation-seeking veterans. *Psychiatric Quarterly*, 75, 333-341.

Gruber, E. N., Kajevic, M., Bjedov, M., & Agius, M. (2005). A combination of psychodynamic, supportive and psycho-educational approaches in parents of patients with schizophrenia. *Socijalna Psihijatrija*, 33, 3-9.

Gu, W., Reddy, H. B., Green, D., Belfi, B., & Einzig, S. (2017). Inconsistent Responding in a Criminal Forensic Setting: An Evaluation of the VRIN-r and TRIN-r Scales of the MMPI-2-RF. *Journal of Personality Assessment*, 99, 286-296.

Guan, G., Tang, J., Xue, J., & Zhou, H. (2002). MMPI results of 105 patients with alcohol dependence. [Chinese]. *Chinese Mental Health Journal*. Vol 16(2), 116-120.

Guardado-Soto, R.E. (2014). Cultural differences on the Minnesota multiphasic personality inventory-2 validity scales: A comparison of Latino and Caucasian adult samples. Dissertation Abstracts International: Section B: The Sciences and Engineering, Vol 74(12-B(E)), No Pagination Specified.

Guez, M., Brannstrom, R., Nyberg, L., Toolanen, G., & Hildingsson, C. (2005). Neuropsychological Functioning and MMPI-2 Profiles in Chronic Neck Pain: A Comparison of Whiplash and Non-Traumatic Groups. *Journal of Clinical and Experimental Neuropsychology*, 27, 151-163.

Gumbiner, J. (2000). Limitations in ethnic research on the MMPI-A. *Psychological Reports*. Vol 87(3, Pt 2), 1229-1230.

Gumbiner, J., Arriaga, T., & Stevens, A. (1999). Comparison of MMPI--A, Marks and Briggs, and MMPI--2 norms for juvenile delinquents. *Psychological Reports*. Vol 84(3, Pt 1), 761-766.

Gutierrez-Zotes, J. A., Cortes, M. J., Valero, J., Pena, J., & Labad, A. (2005).

Psychometric properties of the abbreviated Spanish version of TCI-R (TCI-140) and its relationship with the Psychopathological Personality Scales (MMPI-2 PSY-5) in patients. *Actas Espanolas de Psiquiatria*, 33, 231-237.

Haber, J.C. (2014). MMPI-2-RF Scales as predictors of psychiatric diagnoses. Dissertation Abstracts International: Section B: The Sciences and Engineering, Vol 75(6-B(E)), No Pagination Specified.

Haber, J.C. & Baum, L.J. (2014). Minnesota Multiphasic Personality Inventory-2 Restructured Form (MMPI-2-RF) Scales as predictors of psychiatric diagnoses. *South African Journal of Psychology*, 44(4), 439-453. <http://dx.doi.org/10.1177/0081246314532788>

Hagemeijer, A. V., Gil, E. G., & Nogues, J. M. P. (2003). Psychopathology and gender identity disorder. [Spanish]. *Revista de Psiquiatria de la Facultad de Medicina de Barcelona*, 30(3), 147-151.

Haggard, R.A., Stowell, A.W., Bernstein, D., & Gatchel, R.J. (2008). Relationship Between the MMPI-2 and Psychosocial Measures in a Heterogeneous Pain Population. *Rehabilitation Psychology*, 53, 471-478.

Hahn, J. (2003). Faking and defensive responding in Korean MMPI-2. *Dissertation Abstracts International: Section B: The Sciences & Engineering*, 64(6-B), 2971. US: Univ Microfilms International.

Hahn, J. (2005). Faking Bad and Faking Good by College Students on the Korean MMPI-2. *Journal of Personality Assessment*, 85, 65-73.

Haisch, D. C., & Meyers, L. S. (2004). MMPI-2 assessed post-traumatic stress disorder related to job stress, coping, and personality in police agencies. *Stress & Health: Journal of the International Society for the Investigation of Stress*, 20, 223-229.

Halazon, B. L. (2004). Relationship between the Carlson Psychological Survey and the MMPI-2 psychiatric dual-diagnosed adult offenders. *Dissertation Abstracts International: Section B: The Sciences & Engineering*, 64, 5217. US: Univ Microfilms International.

Hale, L. R., Goldstein, D. S., Abramowitz, C. S., Calamari, J. E., & Kosson, D. S. (2004). Psychopathy is related to negative affectivity but not to anxiety sensitivity. *Behaviour Research & Therapy*, 42(6), 697-710.

Halim, M.S. (2004). Adaptation and validation of the Indonesian MMPI-2. *International Journal of Psychology*, 39, 78-78.

Hall, G. C. N., & Phung, A. H. Minnesota Multiphasic Personality Inventory and Millon Clinical Multiaxial Inventory. L. A. Suzuki et al. (Eds.), *Handbook of multicultural assessment: Clinical, psychological, and educational applications* (2nd ed.), (pp. 307-330).

Hall, G. C. N., Bansal, A., & Lopez, I. R. (1999). Ethnicity and psychopathology: A meta-analytic review of 31 years of comparative MMPI/MMPI-2 research. *Psychological Assessment. Vol 11(2)*, 186-197.

Haltiner, A., Vossler, D., Nordstrom, M., Peggy, F., Capizzi, K., Caylor, L., Morgan, J., & Doherty, M. (2004). Multivariate prediction of pseudoseizure diagnosis based on medical, psychiatric, and MMPI profiles. *Epilepsia, 45*, 344-344.

Hammel, S. D. (2001). An investigation of the validity and clinical usefulness of the MMPI-A with female juvenile delinquents. *Dissertation Abstracts International: Section B: the Sciences & Engineering. Vol 61(11-B)*, 6135, US: Univ Microfilms International.

Hamill, M. A. (2004). Cultural sensitivity of probation officers as a measure for preemployment screening. *Dissertation Abstracts International: Section B: The Sciences & Engineering, 64*, 5217. US: Univ Microfilms International.

Hamilton, S. (2005). Applicability of the Megargee MMPI-2 based offender classification system in forensic female inpatients. *Dissertation Abstracts International: Section B: The Sciences and Engineering, 65(10-B)*, 5402. US: Univ Microfilms International.

Hammond, D. C. (2003). QEEG-guided neurofeedback in the treatment of obsessive compulsive disorder. *Journal of Neurotherapy, 7(2)*, 25-52.

Han, K. (1996). The Korean MMPI-2. In J. N. Butcher (Ed), *International adaptations of the MMPI-2: Research and clinical applications*. Minneapolis, MN: University of Minnesota Press. (pp 88-136).

Han, K., Park, H.I., Weed, N.C., Lim, J., Johnson, A., & Joles, C. (2013). Gender differences on the MMPI across American and Korean adult and adolescent normative samples. *Journal of Personality Assessment, 95*, 197-206.

Han, L., Shi, W. Y., Liu, J. L., Tian, B., & et al . (1993). Chinese T score vs. American T score of MMPI: Discriminant validity for neurotic patients and normal subjects. *Chinese Mental Health Journal, 7(3)*, 102-105 (in Chinese).Han, K., Weed, N., Calhoun, R., & Butcher, J. N. (1995). Psychometric characteristics of the MMPI-2 Cook-Medley Hostility Scale. *Journal of Personality Assessment, 65*, 567-586.

Han, K., Weed, N. C. & Butcher, J. N. (2003). Dyadic agreement on the MMPI-2. *Personality and Individual Differences*, 35, 603-615.

Hancock, T. D. (2001). Differential trait and symptom functioning of MMPI-2 items in substance abusers and the restandardization sample: An item response theory approach. *Dissertation Abstracts International: Section B: the Sciences & Engineering*. Vol 61(7-B), 3845, US: Univ Microfilms International.

Handel, R. W. (2001). Incremental validity of MMPI-2 two-point code types. *Dissertation Abstracts International: Section B: the Sciences & Engineering*. Vol 61(11-B), 6135, US: Univ Microfilms International.

Handel, R.W., & Archer, R.P. (2008). An investigation of the psychometric properties of the MMPI-2 Restructured Clinical (RC) Scales with mental health inpatients. *Journal of Personality Assessment*, 90, 239-249.

Handel, R.W., Archer, R.P., Elkins, D.E., Mason, J.A., & Simonds-Bisbee, E.C. (2011). Psychometric properties of the Minnesota multiphasic personality inventory-adolescent (MMPI-A) clinical, content, and supplementary scales in a forensic sample. *Journal of Personality Assessment*, 93, 566-581.

Handel, R. W., Arnau, R. C., Archer, R. P., & Dandy, K. L. (2006). An Evaluation of the MMPI-2 and MMPI-A True Response Inconsistency (TRIN) Scales. *Assessment*, 13, 98-106.

Handel, R. W., & Ben-Porath, Y. S. (2000). Multicultural assessment with the MMPI-2: Issues for research and practice. Dana, Richard Henry (Ed). *Handbook of cross-cultural and multicultural personality assessment. Personality and clinical psychology series*. (pp. 229-245).

Handel, R. W., BenPorath, Y. S., Tellegen, A., & Archer, R. P. (2010). Psychometric functioning of the MMPI-2-RF VRIN-r and TRIN-r scales with varying degrees of randomness, acquiescence, and counter-acquiescence. *Psychological Assessment*, 22(1), 87-95.

Handel, R. W., Ben-Porath, Y. S., & Watt, M. (1999). Computerized adaptive assessment with the MMPI-2 in a clinical setting. *Psychological Assessment*. Vol 11(3) , 369-380.

Hansen, A.L., Stockkeland, L., Pallesen, S., Johnsen, B.H., & Waage, L. (2013). The relationship between the psychopathy checklist-revised and the MMPI-2: A pilot study 1. *Psychological reports*, 112, 445-457.

Hardie, J. C. (2005). A comparison of the MCMI-III and the MMPI-2 in a chronic pain population. *Dissertation Abstracts International: Section B: the Sciences & Engineering*. Vol 65(12-B), 6653, US: Univ Microfilms International.

Harkness, A. R. & McNulty, J. L. (2006). An overview of personality: The MMPI-2 Personality Psychopathology Five (PSY-5) scales. In J. N. Butcher (Ed.). *MMPI-2: The practitioner's handbook*. (pp. 73-97). Washington, D. C.: American Psychological Association.

Harkness, A., McNulty, J., Ben-Porath, Y., & Graham, J. R. (1999). MMPI-2 Personality Psychopathology 5 (PSY-5) Scales. *MMPI-2 Test Reports*. Minneapolis, MN.: University of Minnesota Press.

Harkness, A.R., McNulty, J.L., Finn, J.A., Reynolds, S.M., Shields, S.M., & Arbisi, P. (2014). The MMPI-2-RF personality psychopathology five (PSY-5-RF) scales: Development and validity research. *Journal of Personality Assessment*, 96(2), 140-150.  
<http://dx.doi.org/10.1080/00223891.2013.823439>

Harp, J.P., Jasinski, L.J., Shandera-Ochsner, A.L., Mason, L.H., & Berry, D.T.R. (2011). Detection of malingered ADHD using the MMPI-2-RF. *Psychological Injury and Law*, 4, 32-43.

Harper, J.M., Schmidt, F., Cuttress, L.J., & Mazmanian, D. (2014). An examination of positive impression management validity scales in the context of parenting capacity assessments. *Journal of Forensic Psychology Practice*, 14(2), 102-126. <http://dx.doi.org/10.1080/15228932.2014.890482>

Harrell, T. H., Honaker, L. M., & Parnell, T. (1992). Equivalence of the MMPI-2 with the MMPI in psychiatric patients. *Psychological Assessment*, 4, 460-465.

Harrington, A. R. (2000). The relative validity of computer-based interpretations of the MMPI-2. *Dissertation Abstracts International: Section B: the Sciences & Engineering*. Vol 60(12-B), 6364, US: Univ Microfilms International.

Hart, R. P., Ball, J. D., Stutts, M. L., Barth, J. T., Ingsrisawang, L., & Turf, E. (2002). Correlations for scores on the 180-item version of the MMPI-2 and the Neuroticism scale of the NEO-Personality Inventory. *Psychological Reports*. Vol 90(1), 227-230.

Hartmann, E. & Hartmann, T. (2014). The impact of exposure to Internet-based information about the Rorschach and the MMPI-2 on psychiatric outpatients' ability to simulate

mentally healthy test performance. *Journal of Personality Assessment*, 96(4), 432-444.  
<http://dx.doi.org/10.1080/00223891.2014.882342>

Hartman-Crouch, T. S. (2000). The Minnesota Multiphasic Personality Inventory-2 in the context of child custody litigation. *Dissertation Abstracts International: Section B: the Sciences & Engineering*. Vol 61(5-B), 2762, US: Univ Microfilms International.

Hartmann, E., & Hartmann, T. (2014). The impact of exposure to internet-based information about the Rorschach and the MMPI-2 on psychiatric outpatients' ability to simulate mentally healthy test performance. *Journal of personality assessment*, DOI: 10.1080/00223891.2014.882342

Hartmann, P., Reuter, M., & Nyborg, H. (2006). The relationship between date of birth and individual differences in personality and general intelligence: A large-scale study. *Personality and Individual Differences*, 40, 1349-1362.

Harvey, Quinten J. (2005). Outcome questionnaire-45 as a brief screen for psychological disturbance with learning and attention disabled college students. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 65(7-B), 3709. US: Univ Microfilms International.

Harwood, T. M. & Beutler, L. E. (2009). Assesment of clients in pretreatment planning. In J. N. Butcher (Ed). *Oxford Handbook of Clinical and Personality Assessment* (pp. 643-666). New York: Oxford University Press.

Harwood, T. M., Beutler, L. E., Fisher, D., Sandowicz, M., Albanese, A. L., & Baker, M. (1997). Clinical decision making in managed health care. In J. N. Butcher (Ed) *Personality assessment in managed care: Using the MMPI-2 in treatment planning*. New York: Oxford University Press. (pp 13-41).

Hartmann, P., Larsen, L., & Nyborg, H. (2009). Personality as predictor of achievement. *Journal of Individual Differences*, 30, 65-74.

Hastie, B. A. (2002). Comparisons of validity and pain treatment outcome measures in the multidimensional pain inventory and the MMPI-2 in a chronic headache and orofacial pain population. *Dissertation Abstracts International: Section B: the Sciences & Engineering*. Vol 63(2-B), 1028

Hathaway, S. R., McKinley, J. C., Meehl, P. E., Drake, L. E., Welsh, G. S., & MacAndrew, C. (2000). Construction of the original MMPI. J. N. Butcher (Ed.), *Basic sources on the MMPI-2*. (pp. 1-100).

Haugen, A. E., Preszler, J. R., Cookman, M. L., & King, A. R. (2015). Sibling death and adult maladjustment indices: A brief report. *Journal of Loss and Trauma*, 1-10.

Havik, O. E. (1993). *Klinisk bruk av MMPI/MMPI-2*. Bergen, Norway: Slano.

Hays, F. M. (1999). A comparison of persons found not guilty by reason of insanity and mentally disordered offenders in outpatient treatment using Rorschach and MMPI-2 data. *Dissertation s International: Section B: the Sciences & Engineering*. Vol 60(5-B), 2342. US: Univ Microfilms International.

Hays, S., & McCallum, R. S. (2005). A Comparison of the Pencil-and-Paper and Computer-Administered Minnesota Multiphasic Personality Inventory-Adolescent. *Psychology in the Schools*, 42, 605-613.

Heijden, P.T. van der. (2013). *Integrative assessment of personality and psychopathology: A validation study with the MMPI-2-RF*. (Doctoral dissertation). Retrieved from: <http://repository.ubn.ru.nl/handle/2066/101024>

Heijden, P.T. van der, Egger, J.I.M., Rossi, G.M.P., & Derkx, J.J.L. (2012). Integrating psychopathology and personality disorders conceptualized by the MMPI-2-RF and the MCMI-III: A structural validity study. *Journal of Personality Assessment*, 94, 345-357.

Heijden, P.T. van der, Egger, J.I.M., Rossi, G.M.P., Grundel, G., & Derkx, J.J.L. (2012). The MMPI-2-restructured form and the standard MMPI-2 clinical scales in relation to DSM-IV. *European Journal of Psychological Assessment*, 2012, doi: 10.1027/1015-5759/a000140

Heilbrun, K. (1995). Risk assessment with the MMPI-2. In Y. S. Ben-Porath, J. R. Graham, G. C. N. Hall, R. D. Hirschman, & M.S. Zaragoza (Eds.), *Forensic applications of the MMPI-2*. Thousand Oaks, CA: Sage (pp 160-178).

Heim, M. E. (2000). A validity study of the MMPI-2: The non-generalizability of the illusion of mental health study. *Dissertation Abstracts International: Section B: the Sciences & Engineering*. Vol 61(2-B), 1130, US: Univ Microfilms International.

Heinberg, L. J., Marek, R., Haskins, I. N., Bucak, E., Hanipah, Z. N., & Brethauer, S. (2017). 30-day readmission following weight loss surgery: can psychological factors predict nonspecific indications for readmission?. *Surgery for Obesity and Related Diseases*, 13(8), 1376-1381.

- Heinze, M. C. (2003). Developing sensitivity to distortion: Utility of psychological tests in differentiating malingering and psychopathology in criminal defendants. *Journal of Forensic Psychiatry and Psychology*, 14(1), 151-177.
- Heinze, M. C., & Vess, J. (2005). The relationship among malingering, psychopathy, and the MMPI-2 validity scales in maximum security forensic psychiatric inpatients. *Journal of Forensic Psychology Practice*, 5, 35-53.
- Hellman, B.E. (2010). *Characteristics of the MMPI-2 Fp scale as a function of diagnosis in an active duty inpatient population of combat veterans*. (Doctoral dissertation). Retrieved from Dissertations and Theses database. (UMI No. 3470457).
- Helmes, E. & Reddon, J. R. (1993). A perspective on developments in assessing psychopathology: A critical review of the MMPI and MMPI-2. *Psychological Bulletin*, 113, 453-471.
- Henry, L. M. (1999). Comparison of MMPI and MMPI-A response patterns of African American adolescents. *Dissertation s International: Section B: the Sciences & Engineering*. Vol 60(6-B), 2945. US: Univ Microfilms International.
- Henry, G.K., Heilbronner, R.L., Mittenberg, W., Hellemann, G., & Myers, A. (2014). Development of the MMPI-2 cognitive complaints scale as an embedded measure of symptom validity. *Brain Injury*, 28(3), Mar 2014, 357-363.  
<http://dx.doi.org/10.3109/02699052.2013.865272>
- Henry, G.K., Heilbronner, R.L., Algina, J., & Kaya, Y. (2013). Derivation of the MMPI-2-RF Henry-Heilbronner index-r (HHI-r) scale. *The Clinical Neuropsychologist*, 27, 509-515.
- Henry, G.K., Heilbronner, R.L., Mittenberg, W., Enders, C., & Roberts, D.M. (2008). Empirical derivation of a new MMPI-2 scale for identifying probable malingering in personal injury litigants and disability claimants: The 15-item Malingered Mood Disorder Scale (MMDS). *Clinical Neuropsychologist*, 22, 158-168.
- Henry, G.K., Heilbronner, R.L., Mittenberg, W., Enders, C., & Stanczak, S.R. (2008). Comparison of the Lees-Haley Fake Bad Scale, Henry-Heilbronner Index, and Restructured Clinical Scale 1 in identifying noncredible symptom reporting. *Clinical Neuropsychologist*, 22, 919-929.

- Henry, G. K., Heilbronner, R. L., Mittenberg, W., Hellemann, G., & Myers, A. (2013). Development of the MMPI-2 cognitive complaints scale as an embedded measure of symptom validity. *Brain Injury*, 28, 357-363.
- Henry, J.R., & Senior, G.J. (2001). Examining the diagnostic utility of MMPI-2 Scales in personal injury cases. *Australian Journal of Psychology*, 53, 16-16.
- Hershberger, S. L., & Segal, N. L. (2004). The cognitive, behavioral, and personality profiles of a male monozygotic triplet set discordant for sexual orientation. *Archives of Sexual Behavior*, 33, 497-514.
- Hessen, E., Anderson, V., & Nestvold, K. (2008). MMPI-2 profiles 23 years after paediatric mild traumatic brain injury. *Brain Injury*, 22, 39-50.
- Heyanka, D., Hines, L., Scarisbrick, D., & Golden, C. (2008). Can the MMPI-2 differentiate between neurodegenerative and psychiatric populations? *Archives of Clinical Neuropsychology*, 23, 634-634.
- Hicklin, J. & Widiger, T. A. (2000). Convergent validity of alternative MMPI-2 personality disorder scales. *Journal of Personality Assessment*, 75(3), 502-518.
- Hill, J. S., Pace, T. M., & Robbins, R. R. (2010). Decolonizing personality assessment and honoring indigenous voices: A critical examination of the MMPI-2. *Cultural Diversity and Ethnic Minority Psychology*, 16(1), 16-25.
- Hiller, J. B., Rosenthal, R., Bornstein, R. F., & Berry, D. T. R, (1999). Brunell-Neuleib, Sherrie. A comparative meta-analysis of Rorschach and MMPI validity. *Psychological Assessment*. Vol 11(3) , 278-296.
- Hills, H. A. (1995). Diagnosing personality disorders: An examination of the MMPI-2 and MCMI-II. *Journal of Personality Assessment*, 65, 21-34.
- Hill, J.S. (2006). Decolonizing personality assessment: An examination of the Minnesota Multiphasic Personality Inventory-2. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 66, 6923.
- Hjemboe, S., & Butcher, J. N. (1991). Couples in marital distress: A study of demographic and personality factors as measured by the MMPI-2. *Journal of Personality Assessment*, 57, 216-237.

- Hjemboe, S., Almagor, M., & Butcher, J. N. (1992). Empirical assessment of marital distress: The Marital Distress Scale (MDS) for the MMPI-2. In C.D. Spielberger, & J. N. Butcher (Eds.), *Advances in personality assessment* (Vol. 9). New Jersey: Lawrence Erlbaum Press. (pp 141-152).
- Hoberman, H. M., & Riedel, R. G. (2016). Structured Psychological Assessment in Evaluations of Sexual Offenders: Nature and Applications. *Sexual Offending* (pp. 279-329) Springer.
- Hodsman, S., & Alfano, D. (2008). Construct validity of a neurocorrective index for the MMPI in traumatic brain injury. *Archives of Clinical Neuropsychology*, 23, 690-690.
- Hoelzle, J.B., Nelson, N.W., & Arbisi, P.A. (2012). MMPI-2 and MMPI-2-Restructured form validity scales: Complementary approaches to evaluate response validity. *Psychological Injury and Law*, 5, 174-191.
- Hoffman, R. G., Scott, J. G., Emick, M. A., & Adams, R. L. (1999). The MMPI-2 and closed head injury: Effects of litigation and head injury severity. *Journal of Forensic Neuropsychology*, 1(2), 3-13.
- Hogg, J. L. C. (2010). Impact of personality on communication: An MMPI-2 study of African American college students and their choice in the digital communications age. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 71(3-B), 2092.
- Holden, R. R. (2000). Are there promising MMPI substitutes for assessing psychopathology and personality? Review and prospect. *Dana, Richard Henry (Ed). Handbook of cross-cultural and multicultural personality assessment. Personality and clinical psychology series*. (pp. 267-302).
- Holifield, J. E., Nelson, W. M. III., & Hart, K. J. (2002). MMPI profiles of sexually abused and nonabused outpatient adolescents. *Journal of Adolescent Research*. Vol 17(2), 188-195.
- Hoodin, F., & Kalbfleisch, K. R. (2003). Factor analysis and validity of the Transplant Evaluation Rating Scale in a large bone marrow transplant sample. *Journal of Psychosomatic Research*, 54(5), 465-473.
- Hoodin, F., Kalbfleisch, K. R., Thornton, J., & Ratanatharathorn, V. (2004). Psychosocial influences on 305 adults' survival after bone marrow transplantation: Depression, smoking, and behavioral self-regulation. *Journal of Psychosomatic Research*, 57, 145-154.

Hooley, J. M., Butcher, J. N., Nock, M. K., & Mineka, S. (2017). *Abnormal Psychology* (17<sup>th</sup> Ed.). Boston: Pearson.

Hoppenbrouwers, S. S., Bulten, B. H., & Brazil, I. A. (2016). Parsing fear: A reassessment of the evidence for fear deficits in psychopathy. *Psychological Bulletin*, 142(6), 573-600.

Hopkins, L. C. (1999). The role of the K-scale as a validity measure in court-ordered child custody MMPIs. *Dissertation s International: Section B: the Sciences & Engineering*, 60(6-B), 3010. US: Univ Microfilms International.

Hopkins, T. A., Brawner, C. A., Meyer, M., Zawilinski, L., Carnes, P. J., & Green, B. A. (2016). MMPI-2 Correlates of Sadomasochism in a Sexual Addiction Sample: Contrasting and Men and Women. *Sexual Addiction & Compulsivity*, 23(1), 114-140.

Hopwood, C.J., & Thomas, K.M. (2014). A Review of “Therapeutic feedback with the MMPI-2: A positive psychology approach” Levak, RW, Siegel, L., & Nichols, DS (2011). New York, NY: Taylor & Francis Group (xxii+ 390 pp.). *Journal of personality assessment*, 96, 115-116.

Horan, W. P., Subotnik, K. L., Reise, S. P., Ventura, J., & Nuechterlein, K. H. (2005). Stability and clinical correlates of personality characteristics in recent-onset schizophrenia. *Psychological Medicine*, 35, 995-1005.

Horwitz, JE; Fisher, JM; McCaffrey, RJ. 2006. Do validity scales of the MMPI predict performance on symptom validity tests? Preliminary findings. *Archives of Clinical Neuropsychology*, 21, 551-552.

Hough, P. (2010). Relationship between custody arrangements and psychological functioning of young adults from divorced families. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 70(7-B), 4486.

Hovanitz, C.A. & Gynther, M.D. (1980). The prediction of impulsive behavior: Comparative validities of obvious vs. subtle MMPI hypomania (MA) items. *Journal of Clinical Psychology*, 36, 422–427. doi: 10.1002/jclp.6120360206

Huber, D., & Henrich, G. (2003). Personality traits and stress sensitivity in migraine patients. *Behavioral Medicine*, 29(1), 4-13.

Huesca, R.S., Cruz, V.M.G., Gonzalez, A.C., et al. (2002). Personality profile among cocaine users. *Acta Espanolas de Psiquiatria*, 30, 91-98.

- Humphrey, D. H. & Dahlstrom, W. G. (1995). The impact of changing from the MMPI to MMPI-2 on profile configurations. *Journal of Personality Assessment*, 64, 428-440.
- Hunt, M. E. A comparison between MMPI and CPI adult profiles of children of alcoholics and nonalcoholics. *Substance Use & Misuse*. Vol 34(6) , 921-933.
- Hunter, L. M. (2000). Use of selected MMPI-A factors in the prediction of clinical outcomes in a community-based treatment program for juvenile sexual offenders. *Dissertation Abstracts International: Section B: the Sciences & Engineering*. Vol 60(11-B), 5775, US: Univ Microfilms International.
- Hunter, H.K., Bolinsky, P.K., Novi, J.H., Hudak, D.V., James, A.V., Myers, K.R., & Schuder, K.M. (2014). Using the MMPI-2-RF to discriminate psychometrically identified schizotypic college students from a matched comparison sample. *Journal of Personality Assessment*, 96(6), 596-603. <http://dx.doi.org/10.1080/00223891.2014.922093>
- Husband, S. D. & Iguchi, M. (1995). Comparison of MMPI-2 and MMPI clinical scales and high point scores among methadone maintenance clients. *Journal of Personality Assessment*, 64, 371-375.
- Husser, J. C., Fernandez, L., & Sztulman, H. (2001). Multi-dimensional analyses from some clinical scales of the MMPI-2: Hysteria, depression, masculinity-femininity. [French]. *European Review of Applied Psychology/Revue Europeenne de Psychologie Appliquee*. Vol 51(1-2) , 13-38.
- Hyman, S. M., & Schneider, B. A. (2004). The short-term treatment of a long-term interpersonal avoidance. *Clinical Case Studies*, 3, 313-332.
- Incerti, C. C., Argento, O., Pisani, V., Magistrale, G., Sabatello, U., Caltagirone, C., & Nocentini, U. (2017). A more in-depth interpretation of MMPI-2 in MS patients by using Harris and Lingoes subscales. *Applied Neuropsychology: Adult*, 24(5), 439-445.
- Infrasca, R. (2003). Childhood adversities and adult depression: An experimental study on childhood depressogenic markers. *Journal of Affective Disorders*, 76(1-3), 103-111.
- Ingersoll, K. S., Knisely, J. S., Dawson, K. S., & Schnoll, S. H. (2004). Psychopathology and treatment outcome of drug dependent women in a perinatal program. *Addictive Behaviors*, 29(4), 731-741.
- Ingram, P. B., Kelso, K. M., & McCord, D. M. (2011). Empirical correlates and expanded interpretation of the MMPI-2-RF Restructured Clinical Scale 3 (Cynicism). *Assessment*,

18, 95-101.

Ingram, P. B., & Ternes, M. S. (2016). The detection of content-based invalid responding: A meta-analysis of the MMPI-2-Restructured Form's (MMPI-2-RF) over-reporting validity scales. *The Clinical Neuropsychologist*, 30(4), 473-496.

Inman, T. H., Esther, M. K., Robertson, W. T., Hall, C. D., & Robertson, K. R. (2002). The Minnesota Multiphasic Personality Inventory-2 across the human immunodeficiency virus spectrum. *Assessment. Vol 9(1)*, 24-30.

Ionio, C. & Di Blasio, P. (2014). Post-traumatic stress symptoms after childbirth and early mother-child interactions: An exploratory study. *Journal of Reproductive and Infant Psychology*, 32(2), Mar 2014, 163-181. <http://dx.doi.org/10.1080/02646838.2013.841880>

Isaradisaikul, D., McNally, K.A., Meckler, J.M., Privitera, M.D., Schefft, B.K., & Szaflarski, J.P. (2005). MMPI personality profiles are associated with psychogenic non-epileptic seizure (PNES) types. *Epilepsia*, 46, 67-67.

Iverson, G. L., Henrichs, T. F., Barton, E.A., Allen, S. (2002). Specificity of the MMPI-2 Fake Bad Scale as a marker for personal injury malingering *Psychological Reports*. 90(1), 131-136.

Iverson, G. L., King, R. J, Scott, J. G.& Adams, R., L. (2001). Cognitive complaints in litigating patients with head injuries or chronic pain.. *Journal of Forensic Neuropsychology*, 2, 19-30

Iverson, G. L., & Barton, E. (1999). Interscorer reliability of the MMPI-2: Should TRIN and VRIN be computer scored? *Journal of Clinical Psychology. Vol 55(1)*, 65-69.

Jachyra, D., Gomuła, J., & Pancerz, K. (2014). Rule-Based Classification of Patients Screened with the MMPI Test in the Copernicus System. *Advanced Intelligent Computational Technologies and Decision Support Systems*, 486, 31-42.

Jachyra, D., Pancerz, K., & Gomula, J. (2013). Multiway classification of MMPI profiles. *Digital Technologies (DT), 2013 International Conference on Digital Technologies*, 90-98.

Jacobson, E. J. (2004). The utility of response latencies in detecting malingering using a clinical sample. *Dissertation Abstracts International: Section B: The Sciences & Engineering. Vol 64(7-B)*, 2004, 3527. US: Univ Microfilms International.

- Jacobson, J. M. (2004). Empirical relationships between adult romantic attachment and psychopathology in a clinical and student sample. *Dissertation Abstracts International: Section B: The Sciences & Engineering*, 64(7-B), 3527. US: Univ Microfilms International.
- Jallade, C., Sarfati, Y., Hardy-Bayle, M.-C. (2005). Clinical evolution after self-induced or accidental traumatism: A controlled study of the extent and the specificity of suicidal catharsis. *Journal of Affective Disorders*, 85, 283-292.
- Jamaleddin, N.S. (2012). Surveying mental health status of new students of medical branch, Islamic azad university using MMPI inventory in 2006-2007 educational year. *Medical Sciences Journal of Islamic Azad University*, 21, 292-297.
- James, E. M., Reynolds, C.R., & Dunbar, J. (1994). Self-report instruments. In T.H. Ollendick & N.J. King, et al. (Eds). *International handbook of phobic and anxiety disorders in children and adolescents*. (pp. 317-329). New York: Plenum Press.
- Jamilian, H., Jamilian, M., Darnahal, A., Jamilian, A., & Perillo, L. (2015). A psychological study of people who seek orthodontic treatment: Comparison with untreated controls. *APOS Trends in Orthodontics*, 5(1), 29.
- Jana, Y. A. (2001). The effectiveness of the MMPI-2 in detecting malingered schizophrenia in adult female inmates in Puerto Rico who receive coaching on diagnostic-specific criteria. *Dissertation Abstracts International: Section B: the Sciences & Engineering*. Vol 62(2-B), 1084, US: Univ Microfilms International.
- Jansen, S. J. T., & Duijsens, I. J. (1999). Diagnosing personality disorders: A study of the agreement between questionnaires and the clinical Axis-II diagnosis. [Dutch]. *Tijdschrift voor Psychiatrie*. Vol 41(6), 373-378.
- Jaoul, M., Ozon, A., de Fossey, M., Riazuelo, H., Molina Gomes, D., Chudzic, L., & Wainer, B. (2013). What does a thorough personality questionnaire, the MMPI-2, tell us about psychological aspects of recurrent miscarriage? *Gynecologie Obstetrique & Fertilité*, 41, 297-304.
- Jaoul, M., Ozon, A., Marx, D.F.I., Riazuelo, H., Molina, G.D., Chudzic, L., & Wainer, B. (2013). What does a thorough personality questionnaire, the MMPI-2, tell us about psychological aspects of recurrent miscarriage? *Gynecologie, obstetrique & fertilité*, 41, 297-304.
- Ji, S. M., Chen, P. Z., Ji, Y. P., Dong, Q. H., Cheng, G. (1996). Construct validity of the Chinese version of the MMPI. *Chinese Journal of Clinical Psychology*, 4 (1), 20-23 (in Chinese).

Ji, S., Gao, C., Li, M., Ji, Y., Guo, C., & Fang, M. (1999). Effect of K correction on the profile of the MMPI. [Chinese]. *Chinese Journal of Clinical Psychology*. Vol 7(1), 12-15.

Jia, F., Yang, D., Wang, X., Zhang, B., Xue, G., Men, X., & Zhang, H. (1999). Results of the MMPI of those paralyzed in the Tangshan earthquake 21 years later. [Chinese]. *Chinese Mental Health Journal*. Vol 13(5), 297.

Jia-tong, W., Lei, M., & Jian-xin, Z. (2005). Stress disorder assessing with the MMPI-PK scale. [Chinese]. *Chinese Journal of Clinical Psychology*, 13, 279-281.

Jimenez Gomez, F., & Sanchez Crespo, G. (2001). The contribution of "obvious-subtle" subscales MMPI-2 to malingering detection. [Spanish]. *Revista Iberoamericana de Diagnostico y Evaluacion Psicologica*. Vol 11(1), 111-130.

Johnson, M., Jones, G., & Brems, C. (1995). Concurrent validity of the MMPI-2 Feminine Gender Role (GF) and Masculine Gender Role (GM) Scales. *Journal of Personality Assessment*, 66, 153-168.

Jiménez-Gómez, F., Sánchez-Crespo, G., & Ampudia-Rueda, A. (2013). Is there a social desirability scale in the MMPI-2-RF?. *Clinica y Salud*, 24, 161-168.

Johnson, A. L., Storzbach, D., Binder, L. M., Barkhuizen, A., Anger, W. K., Salinsky, M. C., Tun, S., & Rohlman, D. S. (2010). MMPI-2 profiles: Fibromyalgia patients compared to epileptic and non-epileptic seizure patients. *The Clinical Neuropsychologist*, 24(2), 220-234.

Johnston, B. A. (1999). Determining cutoff scores for the MMPI-2 substance abuse scales for an inmate population. *Dissertation s International: Section B: the Sciences & Engineering*. Vol 60(3-B), 1346. US: Univ Microfilms International.

Johnston, S. W. (2003). The training of malingering assessment and detection strategies in clinical psychology programs: A survey of American Psychological Association graduate student affiliates. *Dissertation Abstracts International: Section B: The Sciences & Engineering*, 64(5-B), 2391. US: Univ Microfilms International.

Johnson, B.J. (2008). Prediction of restraint use in a large forensic psychiatric facility: An examination of MMPI-2 scores. *Dissertation Abstracts International Section A: Humanities and Social Sciences*, 69, 1857.

Jones, A. (2001). An examination of the MMPI-2 Wiener-Harmon subtle subscales for D and Hy: Implications for parent scale and neurotic triad interpretation. *Journal of Personality Assessment*. Vol 77(1), 105-121.

- Jones, A. (2005). An Examination of Three Sets of MMPI-2 Personality Disorder Scales. *Journal of Personality Disorders*, 19, 370-385.
- Jones, A. (2016). Cutoff scores for MMPI-2 and MMPI-2-RF cognitive-somatic validity scales for psychometrically defined malingering groups in a military sample. *Archives of Clinical Neuropsychology*, 31, 786-801.
- Jones, C. C. (2005). A correlational study between the MMPI-2 and the NEO-PI-R with a department of social services referred population. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 65(10-B), 5405. US: Univ Microfilms International.
- Jones, N.S. (2008). Validity and empirical correlates of the MMPI-2 personality psychopathology five (PSY-5) facet subscales with a forensic inpatient sample. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 68, 7666.
- Jones, A., & Ingram, M.V. (2011). A comparison of selected MMPI-2 and MMPI-2-RF validity scales in assessing effort on cognitive tests in a military sample. *The Clinical Neuropsychologist*, 25, 1207-1227.
- Jones, A., Ingram, M.V., & Ben-Porath, Y.S. (2012). Scores on the MMPI-2-RF scales as a function of increasing levels of failure on cognitive symptom validity tests in a military sample. *The Clinical Neuropsychologist*, 26, 790-815.
- Jordan, R.J. (2012). *Use of the Rorschach and MMPI-2 in distinguishing pedophilic and teleophilic sexual offenders*. (Doctoral dissertation). Retrieved from Dissertations and Theses database. (UMI No. 3491597).
- Juhnke, G. A., & Kelly, V. A. (2005). Addictions Counseling With Adolescents. In V. A. Kelly & G. A. Juhnke (Eds), *Critical incidents in addictions counseling*, pp. 107-112. US: American Counseling Association.
- Jung-Shaarawy, R. L. (2010). Derivation of female felon norms for the Sixteen Personality Factor Questionnaire. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 70(7-B), 4525.
- Kadri, Z. N. (1971). The use of the MMPI for personality study of Singapore students. *British Journal of Social and Clinical Psychology*, 10, 90-91.
- Kafka, A. (2010). Construct validity of the unethical behavior scale and its subscales on the

Matrix-Predictive Uniform Law Enforcement Selection Evaluation. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 70(7-B), 4522.

Kafka, M. P. (2015). DSM-IV Axis I Psychopathology in Males with Non-Paraphilic Hypersexual Disorder. *Current Addiction Reports*, 2(3), 202-206.

Kahn, K. J. (2000). Measures of narcissism in the Rorschach: A systematic replication of reflection responses and idealization scores using a college sample. *Dissertation Abstracts International: Section B: the Sciences & Engineering*. Vol 60(8-B), 4286, US: Univ Microfilms International.

Kalpakci, A., & Sharp, C. (2015). Assessing for Personality Disorders in the African American Client. *Guide to Psychological Assessment with African Americans* (pp. 217-236) Springer.

Kamkari, K., Kamkari, K., & Shokrzadeh, S. (2013). Minnesota multiphasic personality inventory restructured form (MMPI-2RF) manpower sports ministry. *Advances in Environmental Biology*, 7, 2151-2154.

Kamkary, K., & Shokrzadeh, S. (2012). Scale standardization tendency to addiction (with emphasis on MMPI-ARF) secondary school students and pre-university. *European Journal of Experimental Biology*, 2, 1868-1879.

Kamkary, K., Zolfaghari, S., Davaei, M., & Shokrzadeh, S. (2012). Justifiability diagnostic survey of MMPI-2-RF in the way of scrupulosity tribulation. *European Journal of Experimental Biology*, 2, 2366-2371.

Kamphuis, J.H., Arbisi, P.A., Ben-Porath, Y.S., & McNulty, J.L. (2008). Detecting comorbid Axis-II status among inpatients using the MMPI-2 Restructured Clinical Scales. *European Journal of Psychological Assessment*, 24, 157-164.

Kamphuis, J. & Finn, S. (2002) Incorporating base rate information in daily clinical decision making. In J. N. Butcher (Ed). *Clinical personality assessment (2<sup>nd</sup> Edition)*. (pp. 257-269). New York: Oxford University Press.

Kanarr, L. (2003). The development of the Sexual Aggression Toward Partners Assessment Tool (SATPAT). *Dissertation Abstracts International: Section B: the Sciences & Engineering*. Vol 63(98-B), 3920, US: Univ Microfilms International.

Kanz, J. E. (2005). Decision making and criminal risk: A neuropsychological examination of self control theory. *Dissertation Abstracts International: Section B: the Sciences & Engineering*. Vol 65(12-B), 6656, US: Univ Microfilms International.

- Kaplan, R. F., Trevino, R. P., Johnson, G. M., Levy, L., Dornbush, R., Hu, L. T., Evans, J., Weinstein, A., Schmid, C. H., & Klempner, M. S. (2003). Cognitive function in post-treatment of Lyme disease: Do additional antibiotics help? *Neurology*, 60(12), 1916-1922.
- Karachristianou, S., Katsarou, Z., Bostantjopoulou, S., Economou, A., Garyfallos, G., & Delinikopoulou, E. (2008). Personality profile of patients with juvenile myoclonic epilepsy. *Epilepsy & Behavior*, 13, 654-657.
- Karle-Brueck, H. R. (2003). Denial in convicted sex offenders: A preliminary examination. *Dissertation Abstracts International: Section B: The Sciences & Engineering*, 63(12-B), 6097. US: Univ Microfilms International.
- Karp, J. (1999). Prediction of MMPI-2 clinical scores from the Draw-A-Person Questionnaire. S. A. Karp, (Ed), *Studies of objective/projective personality tests*, (pp. 52-59).
- Karson, M. (2005). Overinterpretation of the Rorschach and the MMPI-2 When Standard Error Is Ignored. *Scientific Review of Mental Health Practice*, 3, 25-29.
- Karzmark, P., Zeifert, P., & Barry, J. (2001). Measurement of depression in epilepsy. *Epilepsy & Behavior*. Vol 2(2) , 124-128.
- Kashani, P., Mirbaha, S., Forouzanfar, M. M., Meschi, F., & Baratloo, A. (2017). The Prevalence of Personality Disorders among Emergency Nurses Based on MMPI-2 Questionnaire; a Cross-sectional Study. *Emergency*, 5(1).
- Kauder, B. S., & Thomas, J. C. (2003). Relationship between MMPI-2 and Inwald Personality Inventory (IPI) scores and ratings of police officer probationary performance. *Applied H.R.M. Research*, 8(1), 81-84.
- Kauffman, C. (2011). *An examination of the MMPI-2-RF and MCMI-III of child custody litigants*. (Doctoral dissertation). Retrieved from Dissertations and Theses database. (UMI No. 3463873).
- Kauffman, C. M., Stolberg, R., & Madero, J. (2015). An Examination of the MMPI-2-RF (Restructured Form) With the MMPI-2 and MCMI-III of Child Custody Litigants. *Journal of Child Custody*, 12(2), 129-151.
- Kawai, K., Yamashita, S., Komaki, G., Shimizu, M., Nakashima, M., Etou, S., Takakura, S., Takii, M., Kubo, C., & Sudo, N. (2014). The outcome of treatment for anorexia nervosa inpatients who required urgent hospitalization. *BioPsychoSocial Medicine*, 8, Sep 3 , 2014, Article 20. <http://dx.doi.org/10.1186/1751-0759-8-20>

Kay, T. S. (1999). The effects of gender and ethnicity on the Overcontrolled-Hostility Scale of the MMPI-2. *Dissertations International: Section B: the Sciences & Engineering*. Vol 60(4-B), 1902. US: Univ Microfilms International.

Keane, T. M., Weathers, F. W., & Kaloupek, D. G. (1992). Psychological assessment of post-traumatic stress disorder. *PRQ*, 3, 1-3.

Keddy, P., & Erdberg, P. (2010). Changes in the Rorschach and MMPI-2 after electroconvulsive therapy (ECT): A collaborative assessment case study. *Journal of Personality Assessment*, 92(4), 279-295

Keiller, S. and Graham, J. R. (1993). The meaning of low scores on MMPI-2 Clinical scales of normal subjects. *Journal of Personality Assessment*, 61, 211-224.

Kelch, L. W. & Wagner, E. E. (1992). Maximized split-half reliabilities and distributional characteristics for Harris-Lingoes subscales with few items: A reevaluation for the MMPI-2. *Perceptual and Motor Skills*, 75, 847-850.

Kellaz, S. (2015). *MMPI-2 Profiles of Death Row Inmates: Situational Factors Affecting Scale 6 and RC6*. Alliant International University.

Keller, L. S. (1989). Characteristics and correlates of the revised Minnesota Multiphasic Personality Inventory (MMPI-2) in a chronic pain patient population. *Dissertation Abstracts International*, 50(3-B), 1111.

Keller, L. S., & Butcher, J. N. (1991). *Use of the MMPI-2 with chronic pain patients*. Minneapolis: University of Minnesota Press.

Keo-Meier, C. L., Herman, L. I., Reisner, S. L., Pardo, S. T., Sharp, C., & Babcock, J. C. (2015). Testosterone treatment and MMPI-2 improvement in transgender men: A prospective controlled study. *Journal of Consulting and Clinical Psychology*, 83(1), 143.

Ketterer, H.L. (2010). *Examining the measurement invariance of the MMPI-2 restructured clinical (RC) scales across Korean and American normative samples*. (Doctoral dissertation). Retrieved from Dissertations and Theses database. (UMI No. 3415643).

Ketterer, H. L., Han, K., Hur, J., & Moon, K. (2010). Development and validation of culture-specific Variable Response Inconsistency and True Response Inconsistency Scales for use with the Korean MMPI-2. *Psychological Assessment*, 22(3), 504-519.

Ketterer, H., Han, K., & Weed, N. C. (2010). Validation of a Korean MMPI-2 Hwa-Byung scale using a Korean normative sample. *Cultural Diversity and Ethnic Minority Psychology*, 16(3), 379-385.

- Keyes, M. D. (2004). Assessing schizophrenia with the MMPI-2. *Dissertation Abstracts International: Section B: The Sciences & Engineering*, 64, 5788. US: Univ Microfilms International.
- Keyes, D.W. (2004). Use of the Minnesota Multiphasic Personality Inventory (MMPI) to identify malingering mental retardation. *Mental Retardation*, 42, 151-153.
- Keyvan, A., Ger, M. C., Erturk, S. G., & Turkcan, A. (2015). The validity and reliability of the Turkish version of Miller Forensic Assessment of Symptoms Test (M-FAST). *Noropsikiyatri Arsivi-Archives of Neuropsychiatry*, 52(3), 296-302.
- Khan, F. I., Welch, T., & Zillmer, E. (1993). MMPI-2 profiles of battered women in transition. *Journal of Personality Assessment*, 60, 100-111.
- Khouri, R. (2010). *MMPI-2 RF vs. MMPI-2: Latinos with depression*. (Doctoral dissertation). Retrieved from Dissertations and Theses database. (UMI No. 3416813).
- Khromov, A. B., & Dubey, B. L. (2016). Comparison of the Correlates' Structure of the Rorschach, SIS-I and SIS-II Projective Techniques with the MMPI Test and Factorial Analysis of the Indicators. *SIS Journal of Projective Psychology & Mental Health*, 23(1).
- Kieliszewski, J. T. (1999). A cluster analytic study of MMPI-2 profiles of convicted sex offenders of children. *Dissertation s International: Section B: the Sciences & Engineering*. Vol 60(2-B), 0833. US: Univ Microfilms International.
- Kim, Y-H. (1996). MMPI profiles in health examinees. *Korean Journal of Clinical Psychology*, 15(1), 185-194.
- Kim, Z. S. Comparison between original MMPI and MMPI-168 based on clinical interpretation. [Korean]. *Korean Journal of Clinical Psychology*. Vol 18(1), 183-206.
- Kim, M., Cogan, R., Carter, S., & Porcerelli, J. H. (2005). Defense mechanisms and self-reported violence toward strangers. *Bulletin of the Menninger Clinic*, 69, 305-312.
- Kim, T., Kim, J. J., Kim, M. Y., Kim, S. K., Roh, S., & Seo, J. S. (2015). A U-shaped Association between Body Mass Index and Psychological Distress on the Multiphasic Personality Inventory: Retrospective Cross-sectional Analysis of 19-year-old Men in Korea. *Journal of Korean Medical Science*, 30(6), 793-801.
- Kim, S.H., Kim, H.K., & Lee, N. (2013). Psychological features of North Korean female refugees on the MMPI-2: Latent profile analysis. *Psychological assessment*, 25, 1091.

- Kim, M.J., Lim, M.J., Park, W.K., & Kho, H.S. (2012). Comparison between the SCL-90-R and MMPI in TMD patients with psychological problems. *Oral Diseases*, 18, 140–146. doi: 10.1111/j.1601-0825.2011.01854.x
- Kim, D., Lyu, M., Yang, J., Kim, S., & Kim, M. (2015). Gender-Dependent Characteristics of Bipolar Patients in the National Forensic Psychiatric Hospital. *Korean Journal of Legal Medicine*, 39(4), 109-114.
- Kim, Z-S. & Park, D-G. (1996). A psychometrical examination of the Korean version of MMPI. *Korean Journal of Clinical Psychology*, 15(1), 151-164.
- Kim, M. D., Seo, H. J., Yun, H. J., Jung, Y. E., Park, J. H., Lee, C. I., . . . Bahk, W. M. (2015). The Relationship between Cognitive Decline and Psychopathology in Patients with Schizophrenia and Bipolar Disorder. *Clinical Psychopharmacology and Neuroscience : The Official Scientific Journal of the Korean College of Neuropsychopharmacology*, 13(1), 103-108. doi:10.9758/cpn.2015.13.1.103 [doi]
- Kimmons, S. E. (2002). Suitability and persistence in roman catholic religious life using the MMPI/MMPI-2 as a predictive instrument. *Dissertation Abstracts International: Section B: the Sciences & Engineering*. Vol 63(1-B), 531, US: Univ Microfilms International.
- Kinder, B.N., Walfish, S., Young, M.S., & Fairweather, A. (2008). MMPI-2 profiles of bariatric surgery patients: A replication and extension. *Obesity Surgery*, 18, 1170-1179.
- King, A.R. (2014). Childhood physical abuse and sociopathy: Is this link magnified among firstborn children? *Journal of Aggression, Maltreatment & Trauma*, 23(9), 963-981. <http://dx.doi.org/10.1080/10926771.2014.953718>
- King, A. R., & Bailly, M. D. (2002). MMPI-2 predictors of academic performance. *Journal of Psychoeducational Assessment*. Vol 20(3), 258-267.
- King, T. Z., Fennell, E. B., Bauer, R., Crosson, B., Dede, D., Riley, J. L., Robinson, M. E., Uthman, B., Gilmore, R., & Roper, S. N. (2002). MMPI-2 profiles of patients with intractable epilepsy. *Archives of Clinical Neuropsychology*. Vol 17(6) , 583-593.
- Kirkwood, S.C., Siemers, E., Viken, R.J., et al. (2002). Evaluation of psychological symptoms among presymptomatic HD gene carriers as measured by selected MMPI scales. *Journal of Psychiatric Research*, 36, 377-382.
- Kirkwood, S. C., Siemers, E., Viken, R., Hodes, M. E., Conneally, P. M., Christian, Joe C., & Foroud, T. (2002). Longitudinal personality changes among presymptomatic Huntington

disease gene carriers. *Neuropsychiatry, Neuropsychology, & Behavioral Neurology*. Vol 15(3), 192-197.

Kirz, J. L., Drescher, K. D., Klein, J. L., Gusman, F. D., & Schwartz, M. F. (2001). MMPI-2 assessment of differential post-traumatic stress disorder patterns in combat veterans and sexual assault victims. *Journal of Interpersonal Violence*. Vol 16(7), 619-639.

Klein Haneveld, E., Kamphuis, J. H., Smid, W., & Forbey, J. D. (2017). Using MMPI-2-RF correlates to elucidate the PCL-R and its four facets in a sample of male forensic psychiatric patients. *Journal of Personality Assessment*, 99(4), 398-407.

Klingenberg, K. E. (2016). A comparison of four computer based test interpretations (CBTIs) for the MMPI-2 by clinical psychologists in regards to major depressive disorder. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 77(3-B(E)).

Klinger, W. R. (2000). The MMPI-2: A predictor of success in weight loss among the obese. *Dissertation Abstracts International: Section B: the Sciences & Engineering*. Vol 61(4-B), 1864, US: Univ Microfilms International.

Klock, S.C., & Covington, S.N. (2007). Minnesota multiphasic personality inventory 2 (MMPI-2) scores of recruited oocyte donors based on donation outcome. *Fertility and Sterility*, 88, S83-S83.

Klock, S. C., & Covington, S. N. (2015). Results of the Minnesota Multiphasic Personality Inventory-2 among gestational surrogacy candidates. *International Journal of Gynecology & Obstetrics*, 130(3), 257-260.

Klonsky, E. D., & Bertelson, A. D. (2000). MMPI-2 clinical scale difference between dysthymia and major depression. *Assessment*. Vol 7(2), 143-149.

Klump, K. & Butcher, J. N. (1997). Psychological tests in treatment planning: The importance of objective assessment. In J. N. Butcher (Ed) *Personality assessment in managed care: Using the MMPI-2 in treatment planning*. New York: Oxford University Press. (pp 93-130).

Knabb, J.J., Vogt, R.G., & Newgren, K.P. (2011). MMPI-2 characteristics of the older Amish: A comparison of clinical, nonclinical, and United States normative samples. *Psychological Assessment*, 23, 865-875.

Knaster, C.A., & Micucci, J.A. (2013). The effect of client ethnicity on clinical interpretation of

the MMPI-2. *Assessment*, 20, 43-47.

Knauss, L. K. (2016). Response to Article by Williams and Lally: What Is the Best Test to Use? *Professional Psychology: Research and Practice*, 48, 279 – 281.

Knisely, J. S., Barker, S. B., Ingersoll, K. S., & Dawson, K. S. (2000). Psychopathology in substance abusing women reporting childhood sexual abuse. *Journal of Addictive Diseases*. Vol 19(1) , 31-44.

Koch, T. R. (2001). The psychological effects of traumatic brain injury, as measured by the Minnesota Multiphasic Personality Inventory-2. *Dissertation Abstracts International: Section B: the Sciences & Engineering*. Vol 62(4-B), 2105, US: Univ Microfilms International.

Koelen, J.A., Eurelings-Bontekoe, E.H.M., van Broeckhuysen-Kloth, S.A.M., Snellen, W.M., & Luyten, P. (2014). Social cognition and levels of personality organization in patients with somatoform disorders: A case-control study. *Journal of Nervous and Mental Disease*, 202(3), 217-223. <http://dx.doi.org/10.1097/NMD.0000000000000097>

Koffmann, A. (2015). Codetype-Based Interpretation of the MMPI-2 in an Outpatient Psychotherapy Sample. *Journal of Personality Assessment*, 97(2), 136-144.

Kohutek, K. J. (1992). The location of items on the Wiggins Content Scales on the MMPI-2. *Journal of Clinical Psychology*, 48, 617-620.

Kohutek, K. J. (1992). Wiggins Content Scales and the MMPI-2. *Journal of Clinical Psychology*, 48, 215-218.

Kokkevi, A. (1996). The Greek MMPI-2: A progress note. In J. N. Butcher (Ed), *International adaptations of the MMPI-2: Research and clinical applications*. Minneapolis, MN: University of Minnesota Press. (pp 442-447).

Kolinsky, M. (2014). Utility of the MMPI-2-RF to identify overreporting of psychopathology symptoms in a simulated sample of an inmate population. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, Vol 74(11-B(E)), No Pagination Specified.

Konraos, S. (1996). The Icelandic translation of the MMPI-2 Adaptation and validation. In J. N. Butcher (Ed), *International adaptations of the MMPI-2: Research and clinical applications*. Minneapolis, MN: University of Minnesota Press. (pp 368-384).

Kopf, T., Galic, S., & Matesic, K. (2016). The efficiency of MMPI-2 validity scales in detecting malingering of mixed anxiety-depressive disorder. *Alcoholism and Psychiatry Research, Journal on Psychiatric Research and Addictions*, 52(1), 33-50.

Kopper, B. A., Osman, A., & Barrios, F. X. (2001). Assessment of suicidal ideation in young men and women: The incremental validity of the MMPI-2 content scales. *Death Studies*. Vol 25(7), 593-607.

Korbanka, J. E., & McKay, M. (2000). An MMPI-2 scale to identify history of physical abuse. *Journal of Interpersonal Violence*. Vol 15(11), 1131-1139.

Korbanka, J. E., & Gaede, R. C. (2003). An MMPI-2 scale to identify reported history of emotional abuse. *Psychological Reports*, 92(2), 593-594.

Kornfeld, A. D. (2000). Harris-Lingoes MMPI-2 Pd subscales and the assessment of law enforcement candidates. *Psychological Reports*. Vol 86(1), 339-343.

Koscheyev, V. S. & Leon, G. R. (1996). The Russian translation and preliminary adaptation of the MMPI-2. In J. N. Butcher (Ed), *International adaptations of the MMPI-2: Research and clinical applications*. Minneapolis, MN: University of Minnesota Press. (pp 385-394).

Koster, D. P., Higginson, C. I., MacDougall, E. E., Wheelock, V. L., & Sigvardt, K. A. (2015). Subjective Cognitive Complaints in Parkinson Disease Without Dementia: A Preliminary Study. *Applied Neuropsychology: Adult*, 22(4), 287-292.

Kostogianni, N. (2010). The Rorschach in planning treatment of alcohol addiction patients: Two clinical case studies with the Comprehensive System. *Rorschachiana*, 31(2), 192-222.

Kotjahanian, Y. (2005). The TRT as a predictor of attrition from therapeutic services at a youth program. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 65(10-B), 5407. US: Univ Microfilms International.

Krakauer, S. Y., Archer, R. P., & Gordon, R. (1993). The development of the Items-Easy (IE) Items-Difficult (d) subscales of the MMPI-A. *Journal of Personality Assessment*, 80, 561-571.

- Krishnamurthy, R. (2016). Gender considerations in self-report personality assessment interpretation. In V. M. Brabender & J. L. Mihura (Eds.), *Handbook of gender and sexuality in psychological assessment* (pp. 128-148). New York, NY: Routledge/Taylor & Francis Group.
- Krishnamurthy, R., & Archer, R. P. (1999). A comparison of two interpretive approaches for the MMPI-A Structural Summary. *Journal of Personality Assessment*. Vol 73(2) , 245-259.
- Krueger, J. & Zeiger, J. S. (1993). Social categorization and the truly false consensus effect. *Journal of Personality and Social Psychology*, 65, 670-680.
- Kruszewski, A. (2014). Reaching out, crying wolf, or feigning "fine": Identifying over- and under-reporting of psychological symptoms on the MMPI-2 in a military population. Dissertation Abstracts International: Section B: The Sciences and Engineering, Vol 74(8-B(E)), 2014, No Pagination Specified.
- Krznaric, S. J. (1999). A cluster analysis of the MMPI-2 profiles of multiple DUI offenders. *Dissertation s International*, Vol 60(6-A), 1922. US: Univ Microfilms International.
- Kubany, E. S., Gino, A., Denny, N. R., & Torigoe, R. Y. (1994). The relationship of cynical hostility and PTSD among Vietnam veterans. *Journal of Traumatic Stress*, 7(1), 21-31.
- Kubzansky, L. D., Cole, S. R., Kawachi, I., Vokonas, P., & Sparrow, D. (2006). Shared and unique contributions of anger, anxiety, and depression to coronary heart disease: A prospective study in the normative aging study. *Annals of Behavioral Medicine*, 31, 21-29.
- Kucharski, L.T., & Johnsen, D. (2002). A comparison of simulation and known groups in the detection of malingering on the MMPI-2. *Journal of Forensic Sciences*, 47, 1078-1082.
- Kucharski, L. T., Johnsen, D., & Procell, S. (2004). The utility of the MMPI-2 infrequency psychopathology F(p) and the revised infrequency psychopathology scales in the detection of malingering. *American Journal of Forensic Psychology*, 22(1), 33-40.
- Kurlychek, R. T., & Jordan, L. (1980). MMPI profiles and code types of responsible and non-responsible criminal defendants. *Journal of Clinical Psychology*, 36, 590–593.  
doi: 10.1002/jclp.6120360235
- Kurman, R. G., Hursey, K. G., & Mathew, N. T. (1992). Assessment of chronic refractory headache: The role of the MMPI-2. *Headache*, 32(9), 432-435.

- Kurokawa, N. K. S. (1999). Development and validation of MMPI-2 scales to assess contemporary coping constructs. *Dissertation s International: Section B: the Sciences & Engineering*. Vol 59(10-B), 5579. US: Univ Microfilms International.
- Kutchen, T. J., Wygant, D. B., Tylicki, J. L., Dieter, A. M., Veltri, C. O., & Sellbom, M. (2017). Construct validity of the MMPI-2-RF Triarchic Psychopathy scales in correctional and collegiate samples. *Journal of Personality Assessment*, 99(4), 408-415.
- Kvale, A., Ellertsen, B., & Skouen, J.S. (2001). Relationships between physical findings (GPE-78) and psychological profiles (MMPI-2) in patients with long-lasting musculoskeletal pain. *Nordic Journal of Psychiatry*, 55, 177-184.
- Kwan, K.-L. K. (1999). MMPI and MMPI-2 performance of the Chinese: Cross-cultural applicability. *Professional Psychology - Research & Practice*. Vol 30(3), 260-268.
- Kwan, K.K., & Maestas, M.L. (2008). MMPI-2 and MCMI-III performances of non-White people in the United States: What we (don't) know and where we go from here. In L.A. Suzuki & J.G. Ponterotto. *Handbook of multicultural assessment: Clinical, psychological, and educational applications*. (pp. 425-446). San Francisco, CA, US: Jossey-Bass.
- Kwon, P. (2002). Comment on "Effects of acculturation on the MMPI-2 scores of Asian American students.' *Journal of Personality Assessment*. Vol 78(1), 187-189.
- L'Abate, L. (2003). *Family psychology III: Theory building, theory testing, and psychological interventions*. Lanham, MD, US: University Press of America, Inc.
- L'Abate, L. L., Lambert, R. G., & Schenk, P. W. (2001). Testing a relational model of psychopathology with the MMPI-2. *American Journal of Family Therapy*. Vol 29(3) , 221-238.
- LaChapelle, D. L., & Alfano, D. P. (2005). Revised Neurobehavioral Scales of the MMPI: Sensitivity and Specificity in Traumatic Brain Injury. *Applied Neuropsychology*, 12, 143-150.
- Lacey, K. (2004). The Minnesota Multiphasic Personality Inventory-revised (MMPI-2): Extending American Indian norms. *Dissertation Abstracts International: Section B: The Sciences & Engineering*, 65, 1062. US: Univ Microfilms International.
- Lachar, D., & Boyd, J. (2005). Personality Inventory for Children, Second Edition;

Personality Inventory for Youth; and Student Behavior Survey. In T. Grisso, G. Vincent, & D. Seagrave (Eds.), *Mental health screening and assessment in juvenile justice*, pp. 205-223. US: Guilford Press.

Ladd, J. S. (1998). The *F(p)* Infrequency-Psychopathology Scale with chemically dependent inpatients. *Journal of Clinical Psychology*, 54(5), 665-672.

Laguna, L., Agliotta, J., & Mannon, S. (2015). Pre-employment screening of police officers: Limitations of the MMPI-2 K-Scale as a useful predictor of performance. *Journal of Police and Criminal Psychology*, 30(1), 1-5.

Laguna, L., Linn, A., Ward, K., & Rupslaukyte, R. (2010). An examination of authoritarian personality traits among police officers: The role of experience. *Journal of Police and Criminal Psychology*, 25(2), 99-104.

Laird, L. H. Cognitive markers of paranoid styles on subtests of the WAIS-III and MMPI-2 with a forensic inpatient psychiatric population. *Dissertation Abstracts International: Section B: The Sciences & Engineering*, 63(11-B), 5523. US: Univ Microfilms International.

Lally, S. J., & Williams, C. L. (2017). Response to Ben-Porath's Update to Williams and Lally (2017). *Professional Psychology: Research and Practice*, 48(4), 282-285.

Lamberty, G.J., & Nelson, N.W., Brogger, M.L., Henriksen, C.A., Condit, D., & Sweet, J.J. (2008). Further examination of the MMPI-2 fake bad scale in secondary and non-secondary gain samples. *Clinical Neuropsychologist*, 22, 413-414.

Lane, D. W. (2001). An analysis of the MMPI-2 and SCL-90-R in the diagnosis of depressive illness. *Dissertation Abstracts International: Section B: the Sciences & Engineering*. Vol 62(4-B), 2063, US: Univ Microfilms International.

Lange, R.T., Sullivan, K., & Scott, C. (2006). Comparison of MMPI-2 and PAI validity scales to detect feigned responding: An analogue malingering study. *Archives of Clinical Neuropsychology*, 21, 548-548.

Lange, R. T., Sullivan, K. A., & Scott, C. (2010). Comparison of MMPI-2 and PAI validity indicators to detect feigned depression and PTSD symptom reporting. *Psychiatry Research*, 176(2-3), 229-235.

Lange, R.T., Sullivan, K., Scott, C. (2006). Re-evaluating the recommended cutoff score for the MMPI-2 validity index. *Archives of Clinical Neuropsychology*, 21, 552-553.

Lank, B. L. (2003). A diagnostic assessment of alcohol abuse and dependence and personality

variables of first offender DUI participants. *Dissertation Abstracts International: Section B: The Sciences & Engineering*, 63(10-B), 4953. US: Univ Microfilms International.

Lanyon, R. I., & Cunningham, K. S. (2005). Construct Validity of the Misrepresentation Scales of the Psychological Screening Inventory. *Journal of Personality Assessment*, 85, 197-206.

Lanyon, R.I., & Thomas, M.L. (2013). Assessment of global psychiatric categories: The PSI/PSI-2 and the MMPI-2-RF. *Psychological Assessment*, 25, 227.

LaPilusa, J. (2014). An examination the MMPI-2-RF disability claimant profile: Comparing chronic low back pain workers compensation litigants to non-chronic low back pain litigants. Dissertation Abstracts International: Section B: The Sciences and Engineering, Vol 74(8-B(E)), No Pagination Specified.

Larrabee, G.J. (2008). Aggregation across multiple indicators improves the detection of malingering: Relationship to likelihood ratios. *Clinical Neuropsychologist*, 22, 666-679.

Larrabee, G. J. (1998). Somatic malingering on the MMPI and MMPI-2 in personal injury litigants *Clinical Neuropsychologist*, 12(2), 179-188.

Larrabee, G. J. (2003). Exaggerated MMPI-2 symptom report in personal injury litigants with malingered neurocognitive deficit. *Archives of Clinical Neuropsychology*, 18(6), 673-686.

Larrabee, G. J. (2003). Detection of symptom exaggeration with the MMPI-2 in litigants with malingered neurocognitive dysfunction. *Clinical Neuropsychologist*, 17(1), 54-68.

Larrabee, G. J. (2003). Detection of malingering using atypical performance patterns on standard neuropsychological tests. *Clinical Neuropsychologist*, 17(3), 410-425.

Larrabee, G. J., Bianchini, K. J., Boone, K. B., & Rohling, M. L. (2017). The validity of the MMPI-2/MMPI-2-RF Symptom Validity Scale (FBS/FBS-r) is established: reply to Nichols (2017). *The Clinical Neuropsychologist*, 31(8), 1401-1405.

Larrabee, G. J., Bianchini, K. J., Boone, K. B., & Rohling, M. L. (2017). The MMPI-2/MMPI-2-RF Symptom Validity Scale (FBS/FBS-r) is not a measure of 'litigation response syndrome': commentary on Nichols and Gass (2015). *The Clinical Neuropsychologist*, 31(8), 1387-1395.

Larson, E. M. (2006). Breaking down the diagnosis of non-epileptic seizures by event presentation: Differences in MMPI-2 profiles, IQ, and suggestibility. *Dissertation*

*Abstracts International: Section B: The Sciences and Engineering*, 66(7-B), 3991.

Latter, R. (2004). Predicting burnout among emergency dispatchers: The role of coping strategies, vicarious trauma, and psychological distress. *Dissertation Abstracts International: Section B: The Sciences & Engineering*. Vol 64(9-B), 4663. US: Univ Microfilms International.

Laughter, V. A. (2014). The impact of examiner and respondent ethnic similarity on personality assessment measures. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, Vol 74(8-B(E)), No Pagination Specified.

Lauterbach, D., Garcia, M., & Gloster, A. (2002). Psychometric properties and predictive validity of the Mt Scale of the MMPI-2. *Assessment*. Vol 9(4), 390-400.

Lawson, D. M., Weber, D., Beckner, H. M., Robinson, L., Marsh, N., & Cool, A. (2003). Men who use violence: Intimate violence versus non-intimate violence profiles. *Violence and Victims*, 18(3), 259-277.

Lawson, D. M., Brossart, D. F., & Shefferman, L. W. (2010). Assessing gender role of partner-violent men using the Minnesota Multiphasic Personality Inventory-2 (MMPI-2): Comparing abuser types. *Professional Psychology: Research and Practice*, 41(3), 260-266.

Leach, J. (2002). Personality profiles of potential prisoners of war and evaders. *Military Psychology*, 14, 73-81.

Learn, A. (2010). *Investigating the booklet comparability of the MMPI-2 and the MMPI-2-RF*. (Doctoral dissertation). Retrieved from Dissertations and Theses database. (UMI No. 3416811).

Leavitt, F. (2001). MMPI profile characteristics of women with varying levels of normal dissociation. *Journal of Clinical Psychology*. Vol 57(12) , 1469-1477.

Leavitt, F. (2001). The development of the Somatoform Dissociation Index (SDI): A screening measure of dissociation using MMPI-2 items. *Journal of Trauma & Dissociation*. Vol 2(3) , 69-80.

Lee, M. K. (2004). The relationship between narcissism and clergy functioning. *Dissertation Abstracts International: Section B: The Sciences & Engineering*, 65(3-B), 1552. US:

Univ Microfilms International.

Lee, H. C. B., Cheung, F. M., Man, H. M., & Hsu, S. Y. (1992). Psychological characteristics of Chinese low back pain patients: An exploratory study. *Psychology and Health*, 6(1-2), 119-128.

Lee, T. T., Sellbom, M., & Hopwood, C. J. (2017). Contemporary psychopathology assessment: Mapping major personality inventories onto empirical models of psychopathology. ( pp. 65-94.) In S.E. Bowden (Ed.) *Neuropsychological Assessment in the Age of Evidence-Based Practice: Diagnostic and Treatment Evaluations*. New York, NY: Oxford University Press.

Lee, T. T. C., Forbey, J. D., & Ritchey, K. A. (2011). The impact of emotional priming on MMPI-2 scale scores. *Assessment*, 18, 102-105.

Lee, T., & Forbey, J. D. (2010). MMPI-2 correlates of sexual preoccupation as measured by the Sexuality Scale in a college setting. *Sexual Addiction & Compulsivity*, 17(3), 219-235.

Lee, T.T.C., Graham, J.R., Sellbom, M., & Gervais, R.O. (2012). Examining the potential for gender bias in the prediction of symptom validity test failure by MMPI-2 symptom validity scale scores. *Psychological Assessment*, 24, 618-627.

Lee, S.A., Kim, K.H., Suh, S.Y. (2012). Comparison of emotional and psychological characteristics between suicide attempters and non-attempters in depressed patients: Using MMPI-2 profiles. *Korean Journal of Psychosomatic Medicine*, 1, 40-49.

Lee-Riordan, D. & Sweet, J. J. (1994). Relationship between the Millon Behavioral Health Inventory and the Minnesota Multiphasic Personality Inventory (MMPI) in low-back pain patients. *Journal of Clinical Psychology in Medical settings*, 1(4), 387-398.

Lees-Haley, P. R. (1991). Ego strength denial on the MMPI-2 as a clue to simulation of personal injury in vocational neuropsychological and emotional distress evaluations. *Perceptual and Motor Skills*, 72, 815-819.

Lees-Haley, P. R. (1991). MMPI-2 F and F-K scores of personal injury malingerers in vocational neuropsychological and emotional distress claims. *American Journal of Forensic Psychology*, 9(3), 5-14.

Lees-Haley, P. R. (1992). Efficacy of MMPI-2 validity scales and MCMI-II modifier scales for detecting spurious PTSD claims: F, F-K, Fake Bad scale, Ego Strength, Subtle-Obvious subscales, DIS, and DEB. *Journal of Clinical Psychology*, 48, 681-689.

Lees-Haley, P. R. (1992). Psychodiagnostic test usage by forensic psychologists. *American*

*Journal of Forensic Psychology*, 10, 25-30.

Lees-Haley, P. R. (1997). MMPI-2 base rates for 492 personal injury plaintiffs: Implications and challenges for forensic assessment. *Journal of Clinical Psychology*, 53(7), 745-756.

Lees-Haley, P. R. (2001). Commentary on "Misconceptions and misuse of the MMPI-2 in assessing personal injury claimants." *Neurorehabilitation*. Vol 16(4) , 301-302.

Lees-Haley, P. R., English, L. T., & Glenn, W. J. (1991). A Fake Bad Scale on the MMPI-2 for personal injury claimants. *Psychological Reports*, 68, 203-210.

Lees-Haley, P. R., & Fox, D. D. (2004). Commentary on Butcher, Arbisi, Atlis, and McNulty (2003) on the Fake Bad Scale. *Archives of Clinical Neuropsychology*, 19(3), 333-336.

Lees-Haley, P. R., Smith, H. H., Williams, C. W. & Dunn, J. T. (1996). Forensic neuropsychological test usage: An empirical survey. *Archives of Clinical Neuropsychology*, 11, 45-51.

Legardy, S., Boone, K., Ziegler, E., Torres, K., Hess, R. (2008). Examination of the validated RBS for the MMPI-2 with symptom validity tests in detection of feigned cognitive performance. *Clinical Neuropsychologist*, 22, 415-415.

Lehr, E. Y. (2015). *A Comparison of the MMPI-2-RF and PAI as Predictors of Naive and Informed Faking*. The New School.

Lei, M., Jia-tong, W., & Yuan-gui, H. (2005). Assessing general maladjustment of trauma survivors with the MMPI-2. [Chinese]. *Chinese Journal of Clinical Psychology*, 13, 277-278.

Lei, M., Wang, J. T., & Huang, Y. G. (2005). Assessing general maladjustment of trauma survivors with the MMPI-2. *Chinese Journal of Clinical Psychology*, 13(3), 277-278 (in Chinese).

Leib, R. (2008). MMPI-2 family problems scales in child-custody litigants. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 68, 4879.

Leite, V. (2016). *The MMPI-2 Criminal Offender Infrequency Scale and Pal Negative Distortion Scale: A Comparison Study of Malingering Scales within a Forensic Sample*. Alliant International University.

Leon, I., & Lucio-G. M, E. Consistency and internal structure of the substance abuse scales of the MMPI-2. [Spanish]. *Salud Mental*. Vol 22(3), 14-19.

- Leon, O. G., & Suero, M. (2000). Regression toward the mean associated with extreme groups and the evaluation of improvement. *Psicothema. Vol 12(1)*, 145-149.
- Leone, C., Mosticoni, S., Iannella, F., Biondi, M., & Butcher, J. (2018). Comparability of MMPI-2-RF with the MMPI-2 in assessing psychiatric patients: a shortfall. *Archives of Assessment Psychology*, 8(1).
- Leonelli, B. T., Chang, C.-H., Bock, R. D., & Schilling, S. G. (2000). Interpretation of a full-information item-level factor analysis of the MMPI-2: Normative sampling and nonpathognomonic descriptors. *Journal of Personality Assessment. Vol 74(3)*, 400-422.
- Leontieva, L. (2005). Establishing diagnostic applicability and validation of the Pictogram test. *Dissertation Abstracts International: Section B: The Sciences and Engineering. Vol 65(12-B)*, 6659, US: Univ Microfilms International.
- Leos, L.L.V. (2014). A study of the differences in trait shame across axis-i diagnoses in an intensive outpatient clinical setting. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, Vol 74(9-B(E)), No Pagination Specified.
- LePage, J. P., & Mogge, N. L. (2001). Validity rates of the MMPI-2 and PAI in a rural inpatient psychiatric facility. *Assessment. Vol 8(1)*, 67-74.
- Leslie-Jones, T. (2011). *Is there a difference? Examining MMPI-2 personality scales of female and male perpetrators of intimate partner violence*. (Doctoral dissertation). Retrieved from Dissertations and Theses database. (UMI No. 3485086).
- Letsch, E. A. (2003). Persistent postconcussion symptom complex: Patterns of psychological functioning. *Dissertation Abstracts International: Section B: the Sciences & Engineering. Vol 63(98-B)*, 3925, US: Univ Microfilms International.
- Leu, W. H., Ko, Y. H., & Chen, W. Y. (1966). A preliminary report of the tryout of MMPI on the freshmen of National Taiwan University. *Acta Psychologica Taiwanica*, 8, 79-84 (in Chinese).
- Levenson, M. R., Aldwin, C.M., Butcher, J. N., de Labry, L., Workman-Daniels, K., & Bossé, R. (1990). The MAC scale in a normal population: The meaning of "false positives." *Journal of Studies on Alcohol*, 51, 457-462.
- Levin, J. B., Hermesh, H., & Marom, S. (2001). Social phobia subtyping with the MMPI-2. *Journal of Clinical Psychology. Vol 57(12)*, 1489-1502.

- Levitt, E. E. (1990). A structural analysis of the impact of MMPI-2 on MMPI-1. *Journal of Personality Assessment*, 55, 562-577.
- Levitt, E. E., Browning, J. M., & Freeland, L. J. (1992). The effect of MMPI-2 on the scoring of special scales derived from MMPI-1. Annual Meeting of the Society for Personality Assessment (1991, New Orleans, Louisiana). *Journal of Personality Assessment*, 59, 22-31.
- Lewis, J. L., Simcox, A. M. & Berry, D. T. R. (2002). Screening for feigned psychiatric symptoms in a forensic sample by using the MMPI-2 and the Structured Inventory of Malingered Symptomatology. *Psychological Assessment*. Vol 14(2), 170-176.
- Lewis, R. F. & Downey, K. K. (1992). MMPI/MMPI-2 critical items for panic symptoms. *Journal of Anxiety Disorders*, 6, 275-283.
- Li, H., & Si, J. H. (1999). The MMPI personality analysis of 50 violent criminals. *Psychological Science (China)*, 22 (5), 449-450 (in Chinese).
- Lijewski, A., MacDonald, D.A., & Panyard, C.M. (2013). Examination of the psychometric properties of the MMPI-2 restructured clinical (RC) scales with a sample of public safety officer candidates. *The International Journal of Educational and Psychological Assessment*, 13, 1-12.
- Lilienfeld, S. O. (1991). Assessment of psychopathy with the MMPI and MMPI-2. *MMPI-2 News and Profiles*, 2, 2.
- Lilienfeld, S. O. (1996). The MMPI-2 Antisocial Practices Content Scale: Construct validity and comparison with the Psychopathic Deviate Scale. *Psychological Assessment*, 8, 281-293.
- Lilienfeld, S. O. (1999). The relation of the MMPI-2 Pd Harris-Lingoes subscales to psychopathy, psychopathy facets, and antisocial behavior: Implications for clinical practice. *Journal of Clinical Psychology*. Vol 55(2), 241-255.
- Lilienfeld, S. O., Wodd, J. M., & Garb, H. N. (2000). The scientific status of projective techniques. *Psychological Science in the Public Interest*, 1(2), 27-66.
- Lim, E. O. (2003). Neuropsychological impairment and risk characteristics of offenders facing the death penalty. *Dissertation Abstracts International: Section B: The Sciences & Engineering*, 64(6-B), 2927. US: Univ Microfilms International.
- Lim, J. & Butcher, J. N. (1996). Detection of faking on the MMPI-2: Differentiation between faking-bad, denial, and claiming extreme virtue. *Journal of Personality Assessment*, 67, 1-26.

Lim, H., & Kim, H.J. (2008). The effect of psychiatric examinations in drug intoxication: MMPI, BDI, SCL-90-R. *Toxicology Letters*, 180, S133-S133.

Lima, E. N., Stanley, S., Kaboski, B., et al. (2005). The Incremental Validity of the MMPI-2: When Does Therapist Access Not Enhance Treatment Outcome. *Psychological Assessment*, 17, 462-468.

Lim Kean Aik, L. (2014). The relationship between PSY-5r disconstraint and tests of executive functions. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, Vol 74(10-B(E)), No Pagination Specified.

Lindemann, N. M. (2010). Evaluating the construct validity of the M-PULSETM inventory negative self-perception and negative perception of others scales utilizing the MMPI-2. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 70(7-B), 4531.

Lindgren, T., & Carlsson, A. M. (2002). Relationship between the Rorschach and the MMPI-2 in a Swedish population: A replication study of the effects of first-factor related test-interaction styles. *Journal of Personality Assessment*. Vol 79(2), 357-370.

Lindgren, T., & Carlsson, A. M. (2003). Correction to “Relationship between the Rorschach and the MMPI-2 in a Swedish population: A replication study of the effects of first-factor related test-interaction styles”. *Journal of Personality Assessment*, 80(1), 113.

Lindsey, M., Iyer, R., & Jung, M. (2015). Using the laws of thermodynamics to understand how matrix metalloproteinases coordinate the myocardial response to injury. *Metalloproteinases in Medicine*, 2, 75-82.

Lippa, S. M., Axelrod, B. N., & Lange, R. T. (2016). The Mild Brain Injury Atypical Symptoms (mBIAS) scale in a mixed clinical sample. *Journal of Clinical and Experimental Neuropsychology*, 38(7), 721-729.

Litz, B. T., Penk, W., Walsh, S., Hyer, L., Blake, D. D., Marx, B., Keane, T. M., & Bitman, D. (1991). Similarities and differences between Minnesota Multiphasic Personality Inventory (MMPI) and MMPI-2 applications to the assessment of post-traumatic stress disorder. *Journal of Personality Assessment*, 57, 238-254.

Liu, H., Kim, Y., Chattopadhyay, S., Shubayev, I., Dolkas, J., & Shubayev, V. I. (2010). Matrix metalloproteinase inhibition enhances the rate of nerve regeneration in vivo by promoting

dedifferentiation and mitosis of supporting Schwann cells. *Journal of Neuropathology and Experimental Neurology*, 69(4), 386-395.

Liu, J., Jiang, C., & Zhang, X. (2002). Effect of K correction on the profile of MMPI in different mentally disordered patients. [Chinese]. *Chinese Journal of Clinical Psychology*. Vol 10(2) , 140-142.

Liu, Y., S, W., Ding, B., Li, X., Xiao, K., Wang, X., & Sun, X. (2001). Analysis of correlates in the SAS, the SDS, and the MMPI of stutterers. [Chinese]. *Chinese Journal of Clinical Psychology*. Vol 9(2) , 133-134.

Liu, Z., Chen, X., Qin, S., Xue, J., Hao, W., Lu, X., Liu, B., Man, C., & Zhang, Z. (2002). Risk factors for female criminals. [Chinese]. *Chinese Mental Health Journal*. Vol 16(2) , 106-108.

Liu, H., Liao, J., Jiang, W. & Wang, W. (2014). Changes in low-frequency fluctuations in patients with antisocial personality disorder revealed by resting-state functional MRI. *PLoS ONE*, 9(3), Article e89790.

Liu, C., Xue, Z., Liu, Z., Tam, W.C., & Wang, Y. (2014). Reliability and validity of the Chinese version of the Structured Interview of Reported Symptoms. *Chinese Mental Health Journal*, 28(2), 108-113.

Luis Blasco Saiz, J. (2013). Symptom exaggeration detection by the SIMS and the MMPI-2-RF in patients diagnosed of mixed anxiety-depressive disorder and adjustment disorder in the medico-legal context: A preliminary study. *Clinica y Salud*, 24, 177-183.

Livingston, R. B., Jennings, E., Colotla, V. A., Reynolds, C. R., & Shercliffe, R. J. (2006). MMPI-2 Code-Type Congruence of Injured Workers. *Psychological Assessment*, 18, 126-130.

Livingston, R. B., Jennings, E., Reynolds, C. R., & Gray, R. M. (2003). Multivariate analyses of the profile stability of intelligence tests: High for IQs, low to very low for subtest analyses. *Archives of Clinical Neuropsychology*, 18(5), 487-507.

Locke, D. E. C., Fakhoury, T. A., Berry, D. T. R., Locke, T. R., & Schmitt, F. A. (2010). Objective evaluation of personality and psychopathology in temporal lobe versus extratemporal lobe epilepsy. *Epilepsy & Behavior*, 17(2), 172-177.

Locke, D. E. C., Kirlin, K. A., Thomas, M. L., Osborne, D., Hurst, D. F., Drazkowski, J. F.,

- Sirven, J. I., & Noe, K. H. (2010). The Minnesota Multiphasic Personality Inventory-2-Restructured Form in the epilepsy monitoring unit. *Epilepsy & Behavior*, 17(2), 252-258.
- Locke, D.E.C., & Thomas, M.L. (2011). Initial development of Minnesota multiphasic personality inventory-2-restructured form (MMPI-2-RF) scales to identify patients with psychogenic nonepileptic seizures. *Journal of Clinical and Experimental Neuropsychology*, 33, 335-343.
- Loehlin, J.C., Horn, J.M., & Ernst, J.L. (2009). Antecedents of children's adult outcomes in the Texas adoption project. *Journal of Personality*, 77, 1-22.
- Loganovsky, K. N. (2003). Psychophysiological features of somatosensory disorders in victims of the Chernobyl accident. *Human Physiology*, 29(1), 122-130.
- Long, K. A. & Graham, J. R. (1991). The Masculinity-Femininity Scale of MMPI-2: Is it useful with normal men? *Journal of Personality Assessment*, 57, 46-51.
- Long, K. A., Graham, J. R., & Timbrook, R. E. (1994). Socioeconomic status and MMPI-2 interpretation. *Measurement and Evaluation in Counseling and Development*, 27, 158-177.
- Long, B., Rouse, S. V., Nelson, R. O., & Butcher, J. N. (2004). The MMPI-2 in sexual harassment and discrimination litigants. *Journal of Clinical Psychology*, 60, 643-658.
- Lopez, M. N., & Charter, R. A. (2001). Random responding to the MMPI-2 F Scale. *Psychological Reports*. Vol 88(2), 398.
- Loring, D. W., Larrabee, G. J., Meador, K. J., & Lee, G. P. (2005). Dimensions of the Epilepsy Foundation Concerns Index. *Epilepsy & Behavior*, 6, 348-352.
- Loring, D. W. Meador, K. J., & Lee, G. P. (2004). Determinants of quality of life in epilepsy. *Epilepsy & Behavior*, 5, 976-980.
- Lovria, E.E. (2008). The usefulness of an analogue design in studying underreporting response patterns of custody litigants on the MMPI-2. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 69, 1333.
- Lovitt, R. (1993). A strategy for integrating a normal MMPI-2 and dysfunctional Rorschach in a severely compromised patient. Annual Meeting of the Society for Personality Assessment Symposium: Combining the Rorschach and the MMPI in clinical practice (1992, Washington, DC). *Journal of Personality Assessment*, 60, 141-147.

- Lucio, E. & Reyes-Lagunes, I. (1996). The Mexican version of the MMPI-2 in Mexico and Nicaragua: Translation, adaptation, and demonstrated equivalency. In J. N. Butcher (Ed), *International adaptations of the MMPI-2: Research and clinical applications*. Minneapolis, MN: University of Minnesota Press. (pp 265-283).
- Lucio, E. (1994). Manual para la administracion y calificacion del MMPI-2. Spanish translation of Butcher, J. N., Dahlstrom, W.G., Graham, J. R., Tellegen, A., & Kaemmer, B. (1989). *Minnesota Multiphasic Personality Inventory-2 (MMPI-2): Manual for administration and scoring*. Minneapolis: University of Minnesota Press.
- Lucio, E., Ampudia, A., Duran, C., Leon, I., & Butcher, J. N. (2001). Comparison of the Mexican and American norms of the MMPI-2. *Journal of Clinical Psychology. Vol 57(12)*, 1459-1468.
- Lucio, E., Duran, C., Graham, J. R., & Ben-Porath, Y. S. (2002). Identifying faking bad on the Minnesota Multiphasic Personality Inventory-Adolescent with Mexican adolescents. *Assessment. Vol 9(1)* , 62-69.
- Lucio, E., Palacios, H., Duran, C., & Butcher, J. N. (1999). MMPI-2 with Mexican psychiatric inpatients: Basic and content scales. *Journal of Clinical Psychology, 55*, 1541-1552.
- Lucio, E., Reyes-Lagunes, I., & Scott, R. L. (1994). MMPI-2 for Mexico: Translation and adaptation. *Journal of Personality Assessment, 63*, 105-116.
- Lucio-G. M., E., Palacios, H., Duran, C., & Butcher, James N. (1999). MMPI-2 with Mexican psychiatric inpatients: Basic and content scales. *Journal of Clinical Psychology. Vol 55(12)* , 1541-1552.
- Lucio-Gomez, E., Ampudia-Rueda, A., Duran-Patino, C., Gallegos-Mejia, L., & Leon-Guzman, I. (1999). The new version of the Minnesota Multiphasic Personality Inventory for Mexican adolescents. [Spanish]. *Revista Mexicana de Psicologia, 16(2)*, 217-226.
- Lufi, D., Okasha, S., & Cohen, A. (2004). Test anxiety and its effect on the personality of students with learning disabilities. *Learning Disability Quarterly, 27*, 176-184.
- Luk, S. (2011). *MMPI-2-RF profile of a workers' compensation claimant*. (Doctoral dissertation). Retrieved from Dissertations and Theses database. (UMI No. 3477776).
- Luna Guerrero, C., Castro-Martínez, J., Castellanos Duque, L., & Trujillo Prieto, M. (2016). Personalidad Y Consumo De Sustancias: Estudio De Casos Clínicos Con Controles Emparejado Usando El Crafft Y El Mmpi-2.

- Lundblad, S. L. (2001). A comparison of adjudicated spousal abusers and controls using the MMPI-2 and MCMI-III. *Dissertation Abstracts International: Section B: the Sciences & Engineering*. Vol 61(10-B), 5610, US: Univ Microfilms International.
- Lundblad, S. L. (2003). Depressed women in psychotherapy: The nature and persistence of change. *International Journal of Psychotherapy*, 8(1), 53-63.
- Lustig, L. (2011). *The MMPI-2-RF and the MCMI-III on internet sex offenders*. (Doctoral dissertation). Retrieved from Dissertations and Theses database. (UMI No. 3459245).
- Lutsi, E. S. (2006). Forgivingness: The relationship between clients' dispositions to forgive interpersonal transgressions and their anger, depression, and religious commitment. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 66(7-B), 3953.
- Luty, D. & Thackery, M. (1993). Graphomotor interpretation of the MMPI-2. *Journal of Personality Assessment*, 60, 421-434.
- Lynch, K. D. (2004). The relationship of MMPI-A item effectiveness to item content, diagnostic category, and classification accuracy. *Dissertation Abstracts International: Section B: The Sciences & Engineering*, 65, 2004, 1069. US: Univ Microfilms International.
- Lynn, R. (2003). Race differences in psychopathic personality: A reply to Skeem and Zuckerman. *Personality and Individual Differences*, 35(6), 1471-1477.
- Lyon, L.N. (2014). *Personality characteristics and cognitive distortions of female sex offenders as assessed by the MMPI-2 RF and the MSI-2*. Retrieved from ProQuest Dissertations & Theses. (3568514)
- Lyons, J. A., & Wheeler-Cox, T. (1999). MMPI, MMPI-2 and PTSD: Overview of scores, scales and profiles. *Journal of Traumatic Stress*. Vol 12(1), 175-183.
- Lyrakosb, D. G., Evaab, G., Elisaab, M., Pieraa, B., & Lucaa, R. (2015). The Personality and Behavior Inventory: Description, Characteristics, Psychometric Properties and Comparison with MMPI-II and PAI. *Procedia-Social and Behavioral Sciences*, 187, 223-227.
- Ma, L., Wang, J., & Miao, D. (2005). Assessing with the MMPI-2 for Stress Disorders. [Chinese]. *Chinese Mental Health Journal*, 19, 179-182.
- Maassen, L. (2016). *Common Characteristics of the MMPI-A in Evaluating Adolescents Who Engage in Sexual Offending Behavior Versus Adolescents Who Engage in Non-Sexual Offending Behavior*. The Chicago School of Professional Psychology.

- MacDonald, D. A., & Friedman, H. L. (2003). Journal of Humanistic Psychology: Erratum. *Journal of Humanistic Psychology, 43*(1), pp?.
- MacDonald, D. A., & Holland, D. (2003). Spirituality and the MMPI-2. *Journal of Clinical Psychology, 59*(4), 399-410.
- Machado, M.J. (2014). Group membership: Comparing sex offender profiles using the minnesota multiphasic personality inventory-second edition and demographics. Dissertation Abstracts International: Section B: The Sciences and Engineering, Vol 74(11-B(E)), No Pagination Specified.
- Macher, R., Bauer, L., Gavett, B., Yantz, C., Horwitz, J., Lynch, J.K., Fisher, J.M., & McCaffrey, R.J. (2006). The MMPI-2 fake bad scale (FBS) for detection of symptom exaggeration on neuropsychological testing: Further extension and cross-validation. *Archives of Clinical Neuropsychology, 21*, 552-552.
- Macintyre, S. Ronken, C., & Prenzler, T. (2005). Validity Study: Relationship between MMPI -2 Scores and Police Misconduct in Australia. *Applied H.R.M. Research, 10*, 35-38.
- Madan, A., Borckardt, J. J., Balliet, W. E., Barth, K. S., Delustro, L. M., Malcolm, R. M., . . . Reuben, A. (2015). Neurocognitive status is associated with all-cause mortality among psychiatric, high-risk liver transplant candidates and recipients. *International Journal of Psychiatry in Medicine, 49*(4), 279-295. doi:10.1177/0091217415589304 [doi]
- Maddi, S. R., Khoshaba, D. M., Persico, M., Lu, J., Harvey, R., & Bleecker, F. (2002). The personality construct of hardiness: II. Relationships with comprehensive test of personality and psychopathology. *Journal of Research in Personality, Vol 36*(1), 72-85.
- Magalhães, C.L., Montgomery, D.D., Magalhães, E.S., & Ngin, J. (2014). Physiological monitoring and biofeedback-assisted relaxation training for panic disorder in a case of complex developmental trauma. *Clinical Case Studies, 13*(3), 231-249.  
<http://dx.doi.org/10.1177/1534650113507745>
- Magallon-Neri, E., Diaz, R., Forns, M., Goti, J., Canalda, G., & Castro-Fornieles, J. (2012). Subtypes of adolescents with substance use disorders and psychiatric comorbidity using cluster and discriminant analysis of MMPI-A profiles. *Adicciones, 24*, 219-227.
- Malek-Ahmadi, M., & Degiorgio, L. (2015). Risk of alcohol abuse in urban versus rural DUI offenders. *The American Journal of Drug and Alcohol Abuse, 41*(4), 353-357.
- Mandappa, P. (2005). MMPI-2: The need for specific norms in child custody evaluations.

*Dissertation Abstracts International: Section B: The Sciences and Engineering*, 65(10-B), 5412. US: Univ Microfilms International.

Mann, B. J. (1995). The North-Carolina Dissociation Index: A measure of dissociation using items from the MMPI-2. *Journal of Personality Assessment*, 64, 349-363.

Mann, B. J., Stenning, W., & Borman, C. (1992). The utility of the MMPI-2 with pedophiles. Special Issue: Sex offender treatment: Psychological and medical approaches. *Journal of Offender Rehabilitation*, 18, 59-74.

Mann, C. A. (2003). Diagnostic practices in determining malingered mental illness: A survey of psychological test usage by forensic psychologists. *Dissertation Abstracts International: Section B: The Sciences & Engineering*, 64(3-B), 1499. US: Univ Microfilms International.

Mantegna, N.E. (2014). The relationship between borderline personality disorder and deviant sexual interest in male sexual offenders. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, Vol 74(11-B(E)), No Pagination Specified.

Marantz, S. (2005). Differences among inmates in comparison with their offense. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 65(10-B), 5451. US: Univ Microfilms International.

Marciano, E., Carrabba, L., Giannini, P., Sementina, C., Verde, P., Bruno, C., DiPietro, G., & Ponsillo, N. G. (2003). Psychiatric comorbidity in a population of outpatients affected by tinnitus. *International Journal of Audiology*, 42(1), 4-9.

Marek, R. J., Ben-Porath, Y. S. (2017). Using the Minnesota Multiphasic Personality Inventory-2-Restructured Form (MMPI-2-RF) in behavioral medicine setting. (pp. 631 – 662). In M. E. Mariush (Ed.) *Handbook of Psychological Assessment in Primary Care Settings 2<sup>nd</sup> Edition*. New York, NY: Routledge/Taylor Francis.

Marek, R. J., Ben-Porath, Y. S., Ashton, K., & Heinberg, L. J. (2013). Minnesota multiphasic personality inventory-2 restructured form (MMPI-2-RF) scale score differences in bariatric surgery candidates diagnosed with binge eating disorder versus BMI-matched controls. *International Journal of Eating Disorders*, 47, 315-319.

Marek, R. J., Ben-Porath, Y. S., Ashton, K., & Heinberg, L. J. (2014). Impact of using DSM-5 criteria for diagnosing binge eating disorder in bariatric surgery candidates: Change in prevalence rate, demographic characteristics, and scores on the Minnesota multiphasic

personality inventory–2 restructured form (MMPI-2-RF). *International Journal of Eating Disorders*. DOI: 10.1002/eat.22268

Marek, R.J., Ben-Porath, Y.S., Merrell, J., Ashton, K., & Heinberg, L.J. (2014). Predicting one and three month postoperative somatic concerns, psychological distress, and maladaptive eating behaviors in bariatric surgery candidates with the Minnesota multiphasic personality inventory-2 restructured form (MMPI-2-RF). *Obesity surgery*, 24, 631-639.

Marek, R. J., Ben-Porath, Y. S., Sellbom, M., McNulty, J. L., & Heinberg, L. J. (2015). Validity of Minnesota Multiphasic Personality Inventory–2–Restructured Form (MMPI-2-RF) scores as a function of gender, ethnicity, and age of bariatric surgery candidates. *Surgery for Obesity and Related Diseases*, 11(3), 627-634.

Marek, R. J., Ben-Porath, Y. S., Windover, A., Tarescavage, A. M., Merrell, J., Ashton, K., ... & Heinberg, L. J. (2013). Assessing psychosocial functioning of bariatric surgery candidates with the Minnesota Multiphasic Personality Inventory-2 Restructured Form (MMPI-2-RF). *Obesity surgery*, 23, 1864-1873.

Marek, R. J., Block, A. R., & Ben-Porath, Y. S. (2015). The Minnesota Multiphasic Personality Inventory–2–Restructured Form (MMPI-2-RF): Incremental validity in predicting early postoperative outcomes in spine surgery candidates. *Psychological Assessment*, 27(1), 114.

Marek, R. J., Tarescavage, A. M., Ben-Porath, Y. S., Ashton, K., & Heinberg, L. J. (2015). Replication and evaluation of a proposed two-factor Binge Eating Scale (BES) structure in a sample of bariatric surgery candidates. *Surgery for Obesity and Related Diseases*, 11(3), 659-665.

Marek, R., Tarescavage, A., Ben-Porath, Y., Ashton, K., Heinberg, L., & Merrell Rish, J. (2015). Presurgical Psychological Testing: Incremental Contribution to Predicting Failure to Follow through with Bariatric Surgery. *Surgery for Obesity and Related Diseases*, 11(6), S157-S159.

Margari, F., Lecce, P. A., Craig, F., Laforteza, E., Lisi, A., Pinto, F., . . . Zagaria, G. (2015). Juvenile sex offenders: Personality profile, coping styles and parental care. *Psychiatry Research*, 229(1), 82-88.

Marion, B.E., Sellbom, M., & Bagby, M. (2011). The detection of feigned psychiatric disorders using the MMPI-2-RF overreporting validity scales: An analog investigation. *Psychological Injury and Law*, 4, 1-12.

Marion, B.E., Sellbom, M., Salekin, R.T., Toomey, J.A., Kucharski, L.T., & Duncan, S. (2012). An examination of the association between psychopathy and dissimulation using the MMPI-2-RF validity scales. *Law and Human Behavior*, 37, 219-230.

- Markle, M.M. (2012). *MMPI-2-RF: Clinical utility with a traumatic brain injury population*. (Doctoral dissertation). Retrieved from: <http://hdl.handle.net/2152/ETD-UT-2012-08-6130>
- Markov, A. G., Tarasov, A. V., Koreneva, L. G., Dementienko, V. V., & Tcherbakov, M. I. (1998). Hypothesis about the nature of the subjects's personality influence on the blood flow regulation. *New Trends in Experimental & Clinical Psychiatry*, 14(2), 75-81.
- Marlett, K., Wetherbee, L., & Donofrio, A. (2012). Normative MMPI-2 profiles of Christian counseling students: An investigation of subculture in standardized testing. *Pastoral Psychology*, 61, 71-83.
- Marshall-Lee, E. D. (2002). Aggregated relative validity of MMPI-2 profiles of African American and Caucasian college students. *Dissertation Abstracts International: Section B: the Sciences & Engineering*. Vol 63(1-B), 580, US: Univ Microfilms International.
- Martin, H., & Finn, S. E. (2010). *Masculinity and femininity in the MMPI-2 and MMPI-A*. Minneapolis, MN: University of Minnesota Press.
- Martines, D. E. (2015). *Understanding Violent Offending Behaviors: An Analysis of Personality Traits and Characteristics of Violent Offenders Using the MMPI-2-RF*. The Chicago School of Professional Psychology.
- Martinez, A. D., Baizabal, M. M. J., Maqueo, E. L. G., & Abad, M. C. (2003). Detection of treatment refusal on undergraduates. [Spanish]. *Psiquiatria*, 19(1), 1-9.
- Martinez, G., Mittenberg, W., Gass, C.S., & Quintar, B. (2005). Validation of the MMPI-2 FBS scale in clinical malingerers and nonlitigating patients. *Archives of Clinical Neuropsychology*, 20, 885-885.
- Martino, V., Grattagliano, I., Bosco, A., Massaro, Y., Lisi, A., Campobasso, F., . . . Catanesi, R. (2015). A New Index for the MMPI-2 Test for Detecting Dissimulation in Forensic Evaluations: A Pilot Study. *Journal of Forensic Sciences*, 61, 249-253.
- Martins, J. M., do Vale, S., Trinca, A., Saldanha, C., & Silva, J. M. (2004). Personality, manual preference and neuroendocrine reactivity in hirsute subjects. *Physiology & Behavior*, 82, 741-749.
- Martins, M., Donders, J., & Millis, S. R. (2001). Evaluation of invalid response sets after traumatic head injury. *Journal of Forensic Neuropsychology*, 2(1), 1-18.

- Mason, L.H., Shandera-Ochsner, A.L., Williamson, K.D., Harp, J.P., Edmundson, M., Berry, D.T., & High Jr, W. M. (2013). Accuracy of MMPI-2-RF validity scales for identifying feigned PTSD symptoms, random responding, and genuine PTSD. *Journal of personality assessment*, 95, 585-593.
- Masters, K. S., Shearer, D. S., Ogles, B. M., & Schlusener, R. L. Presurgical MMPI-2 cluster profiles predict 1-year low-back surgery outcomes. *Journal of Clinical Psychology in Medical Settings*, 10(4), 279-288.
- Mattson, C., Powers, B., Halfaker, D., Akeson, S., Ben-Porath, Y. (2012). Predicting drug court treatment completion using the MMPI-2-RF. *Psychological Assessment*, 24, 937-943.
- Matsuzawa, Y. K. (2010). Mmpi-2 characteristics of internet sex offenders. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 70(7-B), 4525.
- Matsui, M., Sumiyoshi, T., Niu, L., Kurokawa, K., & Kurachi, M. (2002). Minnesota Multiphasic Personality Inventory profile characteristics of schizotypal personality disorder. *Psychiatry & Clinical Neurosciences*. Vol 56(4) , 443-452.
- Matsuoka, K., Kim, Y., Toshida, S., & Ohshima, N. (2000). Relationships between age of onset, antisocial history and general psychopathological traits in Japanese alcoholics. *Psychiatry & Clinical Neurosciences*. Vol 54(4) , 413-417.
- Matthiesen, S. B., & Einarsen, S. (2001). MMPI-2 configurations among victims of bullying at work. *European Journal of Work & Organizational Psychology*. Vol 10(4) , 467-484.
- Matz, P.A., Altepeter, T. S., & Perlman, B. (1992). MMPI-2: Reliability with college students. *Journal of Clinical Psychology*, 48, 330-334.
- Mattox, L. M. (2004). The relationship between pre-existing client personality and initial perceptions of the treatment alliance. *Dissertation Abstracts International: Section B: The Sciences & Engineering*, 64, 5225. US: Univ Microfilms International.
- Mazzola, K., Putnam, M., Freer, B. D., Pievsky, M., Abuelhiga, L., & Tiersky, L. (2015). The Relationship Between Defense Style and Self-Esteem in a Sample of Cognitive Complainers. *Journal of the American Psychoanalytic Association*, 63(4), NP10-4. doi:10.1177/0003065115602451 [doi]
- McAnulty, R.D., McAnulty, D.P., Sipp, J.E., Demakis, G.J., & Heggestad, E.D. (2014). Predictive validity of the MMPI-2 among female offenders in a residential treatment program. *Journal of personality assessment*, DOI: 10.1080/00223891.2014.880061

- McBride, D. S. (2016). An examination of associations among psychopathology, personality, and coping. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 77(3-B(E)).
- McCaw, N. V. (2015). *Assessing Sexual Addiction Treatment Outcomes using the MMPI-2*. Alliant International University.
- McNulty, J.L., & Overstreet, S.R. (2013). Viewing the MMPI-2-RF structure through the personality psychopathology five (PSY-5) lens. *Journal of personality assessment*, 96, 151-157.
- McBride, W.F. (2013) *Examination of racial bias on the MMPI-2 restructured form among african americans and caucasians*. (Doctoral Dissertation). Retrieved from ProQuest Dissertations & Theses. (1543074)
- McClain, M. (2005). Trends in symptom validity, memory and psychological test performance as functions of time and malingering rating. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 65(11-B), 6052. US: Univ Microfilms International.
- McCord, D. M., Achee, M. C., Cannon, E. M., Harrop, T. M., & Poynter, W. D. (2017). Using the research domain criteria framework to explore associations between MMPI-2-RF constructs and physiological variables assessed by eye-tracker technology. *Journal of personality assessment*, 99(4), 363-374.
- McCord, D. M., & Drerup, L. C. (2011). Relative practical utility of the Minnesota Multiphasic Personality Inventory-2 Restructured Clinical Scales versus the Clinical Scales in a chronic pain patient sample. *Journal of Clinical and Experimental Neuropsychology*, 33(1), 140-146.
- McCray, J. A., Bailly, M. D., & King, A. R. (2005). The external validity of MMPI-2 research conducted using college samples disproportionately represented by psychology majors. *Personality and Individual Differences*, 38, 1097-1105.
- McCusker, P. J., Moran, M. J., Serfass, L., & Peterson, K. H. (2003). Comparability of the MMPI-2 F(p) and F scales and the SIRS in clinical use with suspected malingerers. *International Journal of Offender Therapy & Comparative Criminology*, 47(5), 585-596.
- McDaniel, W. F., & Harris, D. W. (1999). Mental health outcomes in dually diagnosed individuals with mental retardation assessed with the MMPI-168 (L): Case studies. *Journal of Clinical Psychology*, Vol 55(4), 487-496.

McDaniel, W. F., & Turner, M. D. (2000). The MMPI-168(L) as an instrument for assessing the mental health of individuals with mental retardation. *Developmental Disabilities Bulletin*. Vol 28(1), 67-85.

McDaniel, W. F., Childers, L. M., & Compton, D. M. (1997). Construct validity of the MMPI-168(L) with mentally retarded adults and adolescents. *Journal of Clinical Psychology*, 53(7), 727-732.

McDaniel, W. F., Passmore, C. E., & Sewell, H. M. (2003). The MMPI-168(L) and ADD in assessing psychopathology in individuals with mental retardation: Between and within instrument associations. *Research in Developmental Disabilities*, 24(1), 19-32.

McDaniel, W. F., Sewell, H. M., & Passmore, C. E. (2002). Associations between measures of psychopathology, determined by the MMPI-168(L) and the ADD, and recent memory in individuals with mental retardation. *Developmental Disabilities Bulletin*. Vol 30(1), 59-76.

McEntee, B. K. (1999). MMPI-A Personality Psychopathology Five. *Dissertation s International: Section B: the Sciences & Engineering*. Vol 60(2-B), 0837. US: Univ Microfilms International.

McGrath, R. E., & Ingersoll, J. Writing a good cookbook: I. A review of MMPI high-point code system studies. *Journal of Personality Assessment*. Vol 73(2), 149-178.

McGrath, R. E., & Ingersoll, J. Writing a good cookbook: II. A synthesis of MMPI high-point code system study effect sizes. *Journal of Personality Assessment*. Vol 73(2) Oct , 179-198. Lawrence Erlbaum, US

McGrath, R. E., Pogge, D. L., Stein, L. A. R., Graham, J. R., Zaccario, M., & Piacentini, T. (2000). Development of an Infrequency-Psychopathology scale for the MMPI-A: The Fp-A scale. *Journal of Personality Assessment*. Vol 74(2), 282-295.

McGrath, R. E., Pogge, D. L., & Stokes, J. M. (2002). Incremental validity of selected MMPI-A content scales in an inpatient setting. *Psychological Assessment*. Vol 14(4) , 401-409.

McGrath, R. E., Powis, D., & Pogge, D. L. (1998). Code type-specific tables for interpretation of MMPI-2 Harris and Lingoes subscales: Consideration of gender and code type definition.

*Journal of Clinical Psychology*, 54(5), 655-664

McGrath, R. E., Rashid, T., Hayman, J., & Pogge, D. L. (2002). A comparison of MMPI-2 high-point coding strategies. *Journal of Personality Assessment*. Vol 79(2) , 243-256.

McGrath, R. E., Sapareto, E., & Pogge, D. L. (1998). A new perspective on gender orientation measurement with the MMPI-2: Development of the Masculine-Feminine Pathology Scale. *Journal of Personality Assessment*, 70(3), 551-563.

McGrath, R. E., Sweeney, M., O'Malley, W. B., Carlton, T. K. (1998). Identifying psychological contributions to chronic pain complaints with the MMPI-2: The role of the K Scale. *Journal of Personality Assessment*, 70(3), 448-459.

McGrath, R. E., Terranova, R., Pogge, D. L., & Kravic, C. (2003). Development of a short form for the MMPI-2 based on scale elevation congruence. *Assessment*, 10(1), 13-28.

McKee, E. A. (2000). MMPI-2 studies of posttraumatic adjustment following physical or sexual abuse. *Dissertation Abstracts International: Section B: the Sciences & Engineering*. Vol 61(1-B), 541, US: Univ Microfilms International.

McKee, G. R., Shea, S. J., Mogy, R. B., & Holden, C. E. (2001). MMPI-2 profiles of filicidal, mariticial, and homicidal women. *Journal of Clinical Psychology*. Vol 57(3), 367-374.

McLaughlin, R. H. (1999). An examination of MMPI-2 content scale performances among a sample of criminal offenders. (social discomfort, correctional norms, gender). *Dissertation s International: Section B: the Sciences & Engineering*. Vol 59(10-B), 5610. US: Univ Microfilms International.

McMahon, R. C., Malow, R. M., & Penedo, F. J. (2001). Psychiatric symptoms and HIV risk in MMPI-2 cluster subgroups of polysubstance abusers in treatment. *Journal of Addictive Diseases*. Vol 20(4), 27-40.

McNulty, J. L., Ben-Porath, Y.S., Graham, J. R. (1998). An empirical examination of the correlates of well-defined and not defined MMPI-2 code types. *Journal of Personality Assessment*, 71(3), 393-410.

McNulty, J. L., Forbey, J. D., Graham, J. R., Ben-Porath, Y. S., Black, M. S., Anderson, S. V., & Burlew, A. K. (2003). MMPI-2 validity scale characteristics in a correctional sample. *Assessment*, 10(3), 288-298.

- McNulty, J., Graham, J. R., Ben-Porath, Y. S., & Stein, L. A. R. (1997). Comparative validity of MMPI-2 scores of African American and Caucasian health center clients. *Psychological Assessment*, 9(4) 464-470.
- Medoff, D. (1999). MMPI-2 validity scales in child custody evaluations: Clinical versus statistical significance. *Behavioral Sciences & the Law*, 17(4), 409-411.
- Meier, S.L.C. (2014). Psychological effects of exogenous testosterone on female-to-male transsexuals: A longitudinal study. Dissertation Abstracts International: Section B: The Sciences and Engineering, Vol 74(12-B(E)), No Pagination Specified.
- Meldolesi, G.N., Di Gennaro, G., Quarato, P.P., Esposito, V., Grammaldo, L.G., Morosini, P., Cascavilla, I., & Picardi, A (2007). Changes in depression, anxiety, anger, and personality after resective surgery for drug-resistant temporal lobe epilepsy: A 2-year follow-up study. *Epilepsy Research*, 77, 22-30.
- Megargee, E. I. (2006). Use of the MMPI-2 in correctional settings. In J. N. Butcher (Ed.). *MMPI-2: The practitioner's handbook*. (pp. 327-460). Washington, D. C.: American Psychological Association.
- Megargee, E. I. (2006). *Using the MMPI-2 in criminal justice and correctional settings*. Minneapolis, MN.: University of Minnesota Press.
- Megargee, E. I. (1994). Using the Megargee MMPI-based classification system with the MMPI-2 of male prison inmates. *Psychological Assessment*, 6, 337-344.
- Megargee, E. I. (1995). Use of the MMPI-2 in correctional settings. In Y. S. Ben-Porath, J. R. Graham, G. C. N. Hall, R. D. Hirschman, & M.S. Zaragoza (Eds.), *Forensic applications of the MMPI-2*. Thousand Oaks, CA: Sage (pp 127-159).
- Megargee, E. I. (1997). Using the Megargee MMPI-based classification system with the MMPI-2s of female prison inmates. *Psychological Assessment*, 9, 75-82.
- Megargee, E. I., Mercer, S. J., & Carbonell, J. L. (1999). MMPI-2 with male and female state and federal prison inmates. *Psychological Assessment*. Vol 11(2), 177-185.
- Megargee, E. I., , Carbonell, J. L, Bohn, M. B., & Sliger, G. L. (2001). *Classifying criminal offenders with the MMPI-2*. Minneapolis, Mn: University of Minnesota Press..
- Meijer, R. R., Baneke, J. J. (2004). Analyzing psychopathology items: A case for nonparametric item response theory modeling. *Psychological Methods*, 9(3), 354-368.

- Mendez, D.M., & MacDonald, D.A. (2012). Spirituality and the MMPI-2 restructured clinical scales. *International Journal of Transpersonal Studies*, 31, 1-10.
- Mendoza-Newman, M. C. (2000). Level of acculturation, socioeconomic status, and the MMPI-A performance of a non-clinical Hispanic adolescent sample. *Dissertation Abstracts International: Section B: the Sciences & Engineering*. Vol 60(9-B), 4897, US: Univ Microfilms International.
- Menton, W. H., Crighton, A. H., Tarescavage, A. M., Marek, R. J., Hicks, A. D., & Ben-Porath, Y. S. (2017). Equivalence of Laptop and Tablet Administrations of the Minnesota Multiphasic Personality Inventory-2 Restructured Form. *Assessment*.
- Mercan, S., Uzun, M., Ertugrul, A., Ozturk, I., Demir, B., Sulun, T. (2005). Psychopathology and personality features in orthopedic patients with boxer's fractures. *General Hospital Psychiatry*, 27, 13-17.
- Merritt, R. D., & Waldo, T. G. (2000). MMPI code types and the fantasy prone personality. *Assessment*. Vol 7(1), 87-95.
- Merritt, R.D., & You, S. (2008). Is there really a dissociative taxon on the Dissociative Experiences Scale? *Journal of Personality Assessment*, 90, 201-203.
- Messer, J.M. (2009). Validation of the Assessment of Depression Inventory (ADI) Feigning scale and clinical, demographic, and criminal profile differences between probable malingeringers and psychiatric inpatients. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 69, 5042.
- Mesquita, M. L. (1999). Correlations between the Apperceptive Questionnaire and the MMPI-2: A validation study. *Dissertation s International: Section B: the Sciences & Engineering*. Vol 60(1-B), 0371. US: Univ Microfilms International.
- Mesquita, A.R.D. (2012). *Faking good no MMPI-2 : um estudo exploratório da relação entre medidas cognitivo-comportamentais e fisiológicas*. (Doctoral dissertation). Retrieved from: <http://hdl.handle.net/10451/6890>
- Meunier, G., & Bodkins, M. (2005). Interpretation of MMPI-A Scale 5 With Female Patients. *Psychological Reports*, 96, 545-546.
- Meyer, C. M. (2003). The effect of narcissistic, dependent, compulsive, and antisocial personality traits on treatment outcome for Axis I symptoms. *Dissertation Abstracts International: Section B: The Sciences & Engineering*, 63(12-B), 6100. US: Univ

Microfilms International.

- Meyer, G. J. (1993). The impact of response frequency on the Rorschach constellation indices on their validity with diagnostic and MMPI-2 criteria. *Journal of Personality Assessment*, 60, 153-180.
- Meyer, G. J. (1997). The Rorschach and MMPI. *Journal of Personality Assessment*, 68(2), 297-330.
- Meyer, G. J. (1999). The convergent validity of MMPI and Rorschach scales: An extension using profile scores to define response and character styles on both methods and a reexamination of simple Rorschach response frequency. *Journal of Personality Assessment*, 72(1), 1-35.
- Meyer, G. J., & Archer, R. P. (2001). The hard science of Rorschach research: What do we know and where do we go? *Psychological Assessment*. Vol 13(4), 486-502.
- Meyer, C., Gray, J.J., & Calculator, L.K. (2008). The effect of personality pathology on treatment outcome for Axis I disorders in dysfunctional clergy. *Mental Health, Religion & Culture*, 11, 239-246.
- Meyer, G. J., Riethmiller, R. J., Brooks, R. D., Benoit, W. A., & Handler, L. (2000). A replication of Rorschach and MMPI-2 convergent validity. *Journal of Personality Assessment*. Vol 74(2) , 175-215.
- Meyers, J.E., Miller, R.M., Haws, N.A., Murphy-Tafiti, J.L., Curtis, T.D., Rupp, Z.W., ... & Thompson, L.M. (2013). An adaptation of the MMPI-2 Meyers index for the MMPI-2-RF. *Applied Neuropsychology: Adult*, 0, 1-7.
- Meyers, J. E., Millis, S. R., & Volkert, K. (2002). A validity index for the MMPI-2. *Archives of Clinical Neuropsychology*. Vol 17(2) , 157-169.
- Miach, P. P., Berah, E. F., Butcher, J. N., & Rouse, S. (2000). Utility of the MMPI-2 in assessing gender dysphoric patients. *Journal of Personality Assessment*. Vol 75(2), 268-279.
- Michalek, J. E., Barrett, D. H., Morris, R. D., & Jackson, W. G. Jr. (2003). Serum dioxin and psychological functioning in U.S. Air Force veterans of the Vietnam war. *Military Medicine*, 168(2), 153-159.
- Michel, A., Ansseau, M., Legros, J. J., Pitchot, W., Cornet, J. P., & Mormont, C. (2002). Comparisons of two groups of sex-change applicants based on the MMPI. *Psychological Reports*. Vol 91(1) , 233-240.

- Micucci, J. A. (2002). Accuracy of MMPI-A scales ACK, MAC-R, and PRO in detecting comorbid substance abuse among psychiatric inpatients. *Assessment*. Vol 9(2) , 111-122.
- Mihaila, E. (2004). Impression management and self-deception positivity in the identification of depression with the MMPI-2. *Dissertation Abstracts International: Section B: The Sciences & Engineering*, 64(9-B), 4626. US: Univ Microfilms International.
- Mihura, J. L., Schlottmann, R. S., & Scott, A. B. (2000). Are the MMPI subtle subscales subtle measures of their scales? *Journal of Clinical Psychology*. Vol 56(1), 139-148.
- Miller, H. A. (2004). Examining the use of the M-FAST with criminal defendants incompetent to stand trial. *International Journal of Offender Therapy & Comparative Criminology*, 48(3), 268-280.
- Miller, K.J. (2014). A neuropsychoanalytic approach to the MMPI-- 2. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, Vol 74(10-B(E)), No Pagination Specified.
- Miller, E. C., Li, J., & Kabell, D. R. (2015). Using the Minnesota Multiphasic Personality Inventory (Adolescent Version) to Identify Secondary Students with Emotional Disturbance. *Best Practices in Mental Health*, 11(2), 35-46.
- Miller, M. W., Wolf, E. J., Harrington, K. M., Brown, T. A., Kaloupek, D. G., & Keane, T. M. (2010). An evaluation of competing models for the structure of PTSD symptoms using external measures of comorbidity. *Journal of Traumatic Stress*, 23(5), 631-638.
- Miller, S. N. (2010). Examining personality and college student risk-taking: An exploration using the MMPI-2 PSY-5 Scales. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 70(12-B), 7891.
- Miller, M. W., Kaloupek, D. G., Dillon, A. L., & Keane, T. M. (2004). Externalizing and internalizing subtypes of combat-related PTSD: A replication and extension using the PSY-5 scales. *Journal of Abnormal Psychology*, 113, 636-645.
- Mills, J.F., & Kroner, D.G. (2006). Impression management and self-report among violent offenders. *Journal of Interpersonal Violence*, 21, 178-192.
- Milne, L. C., & Greenway, P. (1999). Do high scores on the Adolescent-School Problems and Immaturity Scales of the MMPI-A have implications for cognitive performance as measured by the WISC-III? *Psychology in the Schools*, 36(3), 199-203.
- Minasian, G. (2005). Development of a measure of negative beliefs about change in

psychotherapy. *Dissertation Abstracts International Section A: Humanities and Social Sciences*, 65(12-A), 4463. US: Univ Microfilms International.

Minifie, J. B. (2015). *Effects of Varying Degrees of Fixed and Random Responding on the Validity of Score Interpretation for the SP and PSY-5 Scales of the MMPI-2-RF*. Old Dominion University.

Minnix, J. A., Reitzel, L. R., Repper, K. A., Burns, A. B., Williams, F., Lima, E. N., Cukrowicz, K. C., Kirsch, L., & Joiner, T. E. (2005). Total number of MMPI-2 clinical scale elevations predicts premature termination after controlling for intake symptom severity and personality disorder diagnosis. *Personality and Individual Differences*, 38, 1745-1755.

Mirkof, S. (2014). Identifying personality differences between low risk and high risk sexual offenders. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, Vol 74(9-B(E)), No Pagination Specified.

Misdraji, E. L., & Gass, C. S. (2010). The Trail Making Test and its neurobehavioral components. *Journal of Clinical and Experimental Neuropsychology*, 32(2), 159-163.

Mirich, D.G. (2007). What is "normal": A comparison of the IQ scores and MMPI results of a sample of sex offenders with a sample of consensual sadomasochists. *Clinical Neuropsychologist*, 21, 400-400.

Mitchell, C.A. (2008). Relationship between the performance on the mmpi-2 fake bad scale and the word memory subtests in the detection of malingering during forensic brain trauma evaluations. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 68, 6975.

Mittag, O., & Maurischat, C. (2004). A comparison of the Cook-Medley Hostility Scale (Ho-scale) and the content scales "cynicism", "anger", and "type A" out of the MMPI-2: On the future assessment of hostility. [German]. *Zeitschrift fur Medizinische Psychologie*, 13(1), 7-12.

Mizuno, Y. (2005). The relationship between perception of symptoms in patients with psychosomatic disease and the alteration of their MMPI scores through the treatment; a prospective study. *Journal of Psychosomatic Research*, 58, S99-S99.

Mo, W., Zhang, J., & Song, W. (1992). The trial application of the MMPI-2 among Chinese college students. *Psychological Science China*, 6, 29-32.

- Moberly, R. L. (2001). Criterion validity of the Megargee Classification system and pursuit of a 'new female offender' profile using MMPI-2 data of women incarcerated in a state prison. *Dissertation Abstracts International: Section B: the Sciences & Engineering*. Vol 62(6-B), 2988, US: Univ Microfilms International.
- Modica, M., Carabalona, R., Spezzaferri, R., Tavanelli, M., Torri, A., Ripamonti, V., . . . Ferratini, M. (2015). Psychological profiles derived by cluster analysis of Minnesota Multiphasic Personality Inventory and long term clinical outcome after coronary artery bypass grafting. *Monaldi Archives for Chest Disease*, 78(1).
- Modrego, P. J., Pina, M. A., Galindo, M., & Minguez, J. (2002). Study of psychopathology in patients with chronic non-lesional epilepsy: A Minnesota Multiphasic Personality Inventory Profile controlled study. *European Neurology*. Vol 48(2), 80-86.
- Mol, A. J. J., Voshaar, R. C. O., Gorgels, W. J. M. J., Breteler, M. H. M., van Balkom, A. J. L. M., van de Lisdonk, E. H., van der Ven, A. H. G. S., & Zitman, F. G. (2003). Development and psychometric evaluation of the Benzodiazepine Craving Questionnaire. *Addiction*, 98(8), 1143-1152.
- Monaco, F., Cavanna, A., Magli, E., Barbagli, D., Collimedaglia, L., Cantello, R., & Mula, M. (2005). Obsessionality, obsessive-compulsive disorder, and temporal lobe epilepsy. *Epilepsy & Behavior*, 7, 491-496.
- Mondaini, N., Ponchietti, R., Bonafe, M., et al. (2002). Hypospadias: Incidence and effects on psychosexual development as evaluated with the Minnesota Multiphasic Personality Inventory test in a sample of 11,649 young Italian men. *Urologia*, 68, 81-85.
- Mongini, F., Keller, R., Dereibus, A., Barbalonga, E., & Mongini T. (2005). Frontal lobe dysfunction in patients with chronic migraine: A clinical-neuropsychological study. *Psychiatry Research*, 133, 101-106.
- Mongini, F., Ibertis, F., Barbalonga, E., & Raviola, F. (2000). MMPI-2 profiles in chronic daily headache and their relationship to anxiety levels and accompanying symptoms. *Headache*. Vol 40(6), 466-472.
- Mongini, F., Rota, E., Dereibus, A., Mura, F., Francia Germani, A., & Mongini, T. (2005). A comparative analysis of personality profile and muscle tenderness between chronic migraine and chronic tension-type headache. *Neurological Sciences*, 26, 203-207.

- Monnot, M.J., Quirk, S.W., Hoerger, M., Brewer, L. (2009). Racial bias in personality assessment: Using the MMPI-2 to predict psychiatric diagnoses of African American and Caucasian chemical dependency inpatients. *Psychological Assessment*, 21, 137-151.
- Monopoli, J., & Vaccaro, F. (2003). The relationship of Hypochondriasis measures to correlates of personality in the elderly. *Clinical Gerontologist*, 26(3-4), 123-137.
- Moore, J. M., Thompson-Pope, S. K. & Whited, R. M. (1996). MMPI-A profiles of adolescent boys with a history of firesetting. *Journal of Personality Assessment*, 67, 116-126.
- Moran, C. (2011). *MMPI-2-RF scale comparisons of American and Mexican women entering into substance abuse treatment: An international study*. (Doctoral dissertation). Retrieved from Dissertations and Theses database. (UMI No. 3415802).
- Moran, P. J. (2000). MMPI-2 profiles of students instructed to overreport depressive and manic psychopathology using either specific symptom information or symptom stereotypes. (malingering). *Dissertation Abstracts International: Section B: the Sciences & Engineering*. Vol 60(7-B), 3609, US: Univ Microfilms International.
- Morgan, C. D., Shoenberg, M. R., Dorr, D., & Burke, M. J. (2002). Overreport on the MCMI-III: Concurrent validation with the MMPI-2 using a psychiatric inpatient sample. *Journal of Personality Assessment*. Vol 78(2) , 288-300.
- Morgan-Gillard, S. (2003). Predictive validity of MMPI-2 and Rorschach in the diagnosis of depression and schizophrenia. *Dissertation Abstracts International: Section B: The Sciences & Engineering*, 63(9-B), 4380. US: Univ Microfilms International.
- Mori, D. L., Klein, W., & Gallagher, P. Validity of the MMPI-2 and Beck Depression Inventory for making decisions of organ allocation in renal transplantation. *Psychological Reports*. Vol 84(1) , 114-116.
- Morrell, J. S. (1999). The Minnesota Multiphasic Personality Inventory - 2, Post-Traumatic Stress Disorder, and women domestic violence survivors. *Dissertation s International: Section B: the Sciences & Engineering*. Vol 59(7-B), 3704. US: Univ Microfilms International.
- Morrell, J. S., & Rubin, L. J. (2001). The Minnesota Multiphasic Personality Inventory-2, posttraumatic stress disorder, and women domestic violence survivors. *Professional Psychology - Research & Practice*. Vol 32(2) , 151-156.

- Morrison, T. L., Edwards, D. W., & Weissman, H. (1994). The MMPI and MMPI-2 as predictors of psychiatric diagnosis in an outpatient sample. *Journal of Personality Assessment*, 62, 17-30.
- Morse, M.M. (2014). Unique variability between the Dean-Woodcock emotional status examination and the MMPI. Dissertation Abstracts International: Section B: The Sciences and Engineering, Vol 74(9-B(E)), No Pagination Specified.
- Moseman, S. E. (2016). A taxometric analysis of the MMPI-2 4-8/8-4 codetype. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 77(3-B(E)).
- Morton, T. L., & Farris, K. L. (2002). MMPI-A Structural Sumy characteristics of male juvenile delinquents. *Assessment*. Vol 9(4) , 327-333.
- Morton, T. L., Farris, K. L., & Brenowitz, L. H. (2002). MMPI-A scores and high points of male juvenile delinquents: Scales 4, 5, and 6 as kers of juvenile delinquency. *Psychological Assessment*. Vol 14(3) , 311-319.
- Moskowitz, J. L., Lewis, R. J., Ito, M. S., & Ehrmentraut, J. (1999). MMPI-2 profiles of NGRI and civil patients. *Journal of Clinical Psychology*, 55(5), 659-668.
- Moyer, D. M., Burkhardt, B., & Gordon, R. M. (2002). Faking PTSD from a motor vehicle accident on the MMPI-2. *American Journal of Forensic Psychology*. Vol 20(2) , 81-89.
- Moyer, R. D., & Schuerger, J. M. (1999).Disorder concept scales and personality dimensions in a young adult sample. *Psychological Reports*, 85(3, Pt 2), 1135-1138.
- Mozafari, N. (2016). Comparison of Computer-Based Test Interpretations (CBTIs) for the MMPI-2 and MMPI-2RF with Obsessive-Compulsive Disorder (*Doctoral dissertation, Alliant International University*).
- Mozley, S. L. (2002). An examination and comparison of the MMPI-2 and the Personality Assessment Inventory (PAI) in a sample of veterans evaluated for combat-related posttraumatic stress disorder. *Dissertation Abstracts International: Section B: the Sciences & Engineering*. Vol 62(10-B), 4834, US: Univ Microfilms International.

- Mozley, S. L., Miller, M. W., Weathers, F. W., Beckham, J. C., & Feldman, M. E. (2005). Personality Assessment Inventory (PAI) Profiles of Male Veterans With Combat-Related Posttraumatic Stress Disorder. *Journal of Psychopathology and Behavioral Assessment*, 27, 179-189.
- Mufson, L. (2013) *Validity of MMPI-2-RF measures of psychopathy*. (Doctoral Dissertation). Retrieved from ProQuest Dissertations & Theses. (3547787)
- Mundia, L. (2011). Social desirability, non-response bias and reliability in a long self-report measure: Illustrations from the MMPI-2 administered to Brunei student teachers. *Educational Psychology*, 31(2), 207-224.
- Munley, P. H. & Zarantonello, M.M. (1990). A comparison of MMPI profile types with corresponding estimated MMPI-2 profiles. *Journal of Clinical Psychology*, 46, 803-811.
- Munley, P. H. (1991). A comparison of MMPI-2 and MMPI T-scores for men and women. *Journal of Clinical Psychology*, 47, 87-91.
- Munley, P. H. (1991). Confidence intervals for the MMPI-2. *Journal of Personality Assessment*, 57, 52-60.
- Munley, P. H. (2002). Comparability of MMPI-2 scales and profiles over time. *Journal of Personality Assessment*. Vol 78(1), 145-160.
- Munley, P. H., & Germain, J. M. (2000). Comparison of two methods of MMPI-2 profile classification. *Psychological Reports*. Vol 87(2) Oct, 515-522.
- Munley, P. H., Germain, J. M., Tovar-Murray, D., & Borgman, A. L. (2004). MMPI-2 profile code types and measurement error. *Journal of Personality Assessment*, 82(2), 179-188.
- Munley, P. H., Bains, D. S., Bloem, W. D., & Busby, R. M. (1995). Post-traumatic stress disorder and the MMPI-2. *Journal of Traumatic Stress*, 8(1), 171-178.
- Munley, P. H., Busby, R. M., & Jaynes, G. (1997). MMPI-2 findings in schizophrenia and depression. *Psychological Assessment*, 9(4), 508-511.
- Munley, P. H., Morris, J. R., Murray, D. A., & Baines, T. C. (2001). A comparison of African-American and White American veteran MMPI-2 profiles. *Assessment*. Vol 8(1), 1-10.
- Munoz, I., Dominguez, E., Hernandez, M. S., Ruiz-Pinero, M., Isidro, G., Mayor-Toranzo, E., . . . Guerrero-Peral, A. L. (2015). Personality traits in patients with chronic migraine: a categorial and dimensional study in a series of 30 patients. [Rasgos de personalidad en

- migrana cronica: estudio categorial y dimensional en una serie de 30 pacientes] *Revista De Neurologia*, 61(2), 49-56. doi:rn2015133 [pii]
- Murray, L. D. (2003). MMPI-2 scores as a predictor of outcomes on the Phase II profile integrity inventory. *Dissertation Abstracts International: Section B: The Sciences & Engineering*, 63(12-B), 6124. US: Univ Microfilms International.
- Murray, H.D., Glaser, B., & Calhoun, G. (2013). Using the MMPI-A in identifying trauma symptoms among juvenile offenders. *Journal of Forensic Psychiatry & Psychology*, 24, 337-352.
- Mustapic, I., Britvic, D., & Anticevic, V. (2010). Differences in M-PTSD, MMPI-2 and COPE between female and male war veterans with posttraumatic stress disorder. [Razlike u M-PTSP, inventaru osobnosti MMPI-2 i upitniku COPE izmedu zena i muskaraca ratnih veterana oboljelih od posttraumatskog stresnog poremećaja.] *Socijalna Psihijatrija*, 38(1), 22-27.
- Myagkov, A.I. (2002). Lies scale from MMPI-questionnaire: an experimental validation. *Sotsiologicheskie Issledovaniya*, 7, 117.
- Myers, W. C., & Ruiz, R. (2004). Aripiprazole and psychotherapy for delusional disorder, erotomanic type. *Journal of the American Academy of Child & Adolescent Psychiatry*, 43, 1069-1070.
- Nagayama Hall, G. C., Bansal, A., & Lopez, I. R. (1999). Ethnicity and psychopathology: A meta-analytic review of 31 years of comparative MMPI/MMPI-2 research. *Psychological Assessment*, 11(2), 186-197.
- Nagtegaal, M. H., & Rassin, E. (2004). The usefulness of the thought suppression paradigm in explaining impulsivity and aggression. *Personality & Individual Differences*, 37, 1233-1244.
- Najam, N., & Malik, I. (2003). Psychological problems and dream content of nightmare sufferers in Pakistan. *Dreaming*, 13(3), 135-143.
- Naseri, A., Malihialzackerini, S., & Meschi, F. (2015). Effect of Mindfulness-Based Stress Reduction (MBSR) on Mental Health of Divorced Women. *Kuroshio*, 8(2), 62-73.
- Nassif, C., & Quevillon, R. (2008). The development of a preliminary creativity scale for the MMPI-2: The C scale. *Creativity Research Journal*, 20, 13-20.
- National MMPI Coordinating Group (1982). The revision, employment and evaluation of MMPI in China. *Acta Psychologica Sinica*, 17, 346-355 (in Chinese).

- Naylor, B., Boag, S., & Gustin, S. M. (2017). New evidence for a pain personality? A critical review of the last 120 years of pain and personality. *Scandinavian Journal of Pain*, 17, 58-67.
- Nelson, L. (1995). Use of the MMPI and MMPI-2 in forensic neurological evaluations. In Y. S. Ben-Porath, J. R. Graham, G. C. N. Hall, R. D. Hirschman, & M. S. Zaragoza (Eds.), *Forensic applications of the MMPI-2*. Thousand Oaks, CA: Sage (pp 202-221).
- Nelson, L. D., Elder, J. T., Tehrani, P., & Groot, J. (2003). Measuring personality and emotional functioning in multiple sclerosis: A cautionary note. *Archives of Clinical Neuropsychology*, 18(4), 419-429.
- Nelson, L. D., Elder, J. T., Groot, J., Tehrani, P., & Grant, A. C. (2004). Personality testing and epilepsy: Comparison of two MMPI-2 correction procedures. *Epilepsy & Behavior*, 5, 911-918.
- Nelson, L. D., Pham, D., & Uchiyama, C. (1996). Subtlety of the MMPI-2 Depression Scale: A subject laid to rest? *Psychological Assessment*, 8, 331-333.
- Nelson, N. W., Hoelzle, J. B., Sweet, J. J., Arbisi, P. A., & Demakis, G. J. (2010). Updated meta-analysis of the MMPI-2 Symptom Validity Scale (FBS): Verified utility in forensic practice. *The Clinical Neuropsychologist*, 24(4), 701-724.
- Nelson, N. W., Parsons, T. D., Grote, C. L., Smith, C. A., & Sisung, J. R. (2006). The MMPI-2 Fake Bad Scale: Concordance and Specificity of True and Estimated Scores. *Journal of Clinical and Experimental Neuropsychology*, 28, 1-12.
- Nelson, N. W., Sweet, J. J., & Demakis, G. J. (2006). Meta-analysis of the MMPI-2 Fake Bad Scale: Utility in forensic practice. *Clinical Neuropsychologist*, 20, 39-58.
- Neri, E.M., Hurtado, R.D., Forns i Santacana, M., Elejalde, J.G., Sahli, G.C., & Fornieles, J.C. (2012). Subtipos de adolescentes con trastornos por uso de sustancias y comorbilidad psiquiatrica utilizando los analisis de cluster y discriminante de perfiles MMPI-A. *Adicciones: Revista De Socidrogalcohol*, 24, 219-228. (Spanish Language Article)
- Newes, S. L. (2004). Predicting recidivism among juvenile offenders participating in an adventure-based therapy intervention. *Dissertation Abstracts International: Section B: The Sciences & Engineering*, 64(9-B), 4628. US: Univ Microfilms International.
- Newman, M. L. & Greenway, P. (1997). Therapeutic effects of providing MMPI-2 test feedback to clients at a university counseling service: A collaborative approach. *Psychological Assessment*, 9, 122-131.

- Newsome, C. R., Archer, R. P., Trumbetta, S. & Gottesman, I. I. (2003). Changes in adolescent response patterns on the MMPI/MMPI-A across four decades. *Journal of Personality Assessment*, 81, 74-84.
- Nezami, E. & Butcher, J. N. (2000). Objective personality assessment. In In J. Goldstein & A Hersen (Eds.), *Handbook of psychological assessment* (Third edition). (pp. 413-436). New York: Pergamon.
- Nezami, E. & Zamani, R. (1996). The Persian MMPI-2. In J. N. Butcher (Ed), *International adaptations of the MMPI-2: Research and clinical applications*. Minneapolis, MN: University of Minnesota Press. (pp 506-522).
- Nezami, E., Zamani, R., & DeFrank, G. (2008). Linguistic translation of psychological assessment tools - A case study of the MMPI-2. *Evaluation & The Health Professions*, 31, 313-317.
- Nguyen, N. (1999). MMPI-2 personality profiles of adult Vietnamese male inmates: A comparison of personality subtypes. (men). *Dissertation s International: Section B: the Sciences & Engineering*. Vol 60(4-B), 1865. US: Univ Microfilms International.
- Nguyen, C. T., Green, D., & Barr, W. B. (2015). Evaluation of the MMPI-2-RF for detecting over-reported symptoms in a civil forensic and disability setting. *The Clinical Neuropsychologist*, 29(2), 255-271.
- Nguyen, A.T., & Purdon, S.E. (2007). The MMPI-2 in differential diagnosis of schizophrenia and substance induced psychosis. *Schizophrenia Bulletin*, 33, 209-209.
- Niaura, R. S., Stroud, L. R., Todaro, J., Ward, K. D., Spiro, A., Aldwin, C., Landsberg, L., & Weiss, S. T. (2003). Associations between repression, general maladjustment, body weight and body shape in older males: The normative aging study. *International Journal of Behavioral Medicine*, 10(3), 221-238.
- Nichols, D. S. (2006). Tell me a story: MMPI responses and personal biohraphy in the case of a serial killer. *Journal of Personality Assessment*, 86, 242-262.
- Nichols, D. S. (2006). The trials of separating bath water from baby: A review and critique of the MMPI-2 Restructured Clinical scales. *Journal of Personality Assessment*, 87, 121-138.
- Nichols, D.S. (2011). *Essentials of MMPI-2 assessment* (2<sup>nd</sup> ed.). Hoboken, NJ: Wiley.

- Nichols, D. S. & Crowhurst, B. (2006). The use of the MMPI-2 in inpatient mental health settings. In J. N. Butcher (Ed.). *MMPI-2: The practitioner's handbook*. (pp. 195-252). Washington, D. C.: American Psychological Association.
- Nichols, D. S., & Gass, C. S. (2015). The Fake Bad Scale: Malingering or Litigation Response Syndrome--Which is It? *Archives of Assessment Psychology*, 5(1), 5-10.
- Nichols, D. S. & Greene, R. L. (1997). Dimensions of deception in personality assessment: The example of the MMPI-2. *Journal of Personality Assessment*, 68(2), 251-266.
- Nichols, D. S. (1991). MMPI-2 MicroGenie? *Journal of Personality Assessment*, 56(3), 545-546.
- Nichols, D. S. (2001). Essentials of MMPI-2 assessment.
- Nichols, D. S. (2004). Giving the self a voice in MMPI self-report: Jerry Wiggins and the content scales. *Multivariate Behavioral Research*, 39, 155-165.
- Nichols, D. S., Padilla, J., & Gomez-Maqueo, E. L. (2000). Issues in the cross-cultural adaptation and use of the MMPI-2. *Dana, Richard Henry (Ed). Handbook of cross-cultural and multicultural personality assessment. Personality and clinical psychology series*. (pp. 247-266).
- Nicholson, R. A., Mouton, G. J., Bagby, R. M., Buis, T., Peterson, S. A., & Buigas, R. A. (1997). Utility of MMPI-2 indicators of response distortion: Receiver operating characteristic analysis. *Psychological Assessment*, 9(4), 471-479.
- Nieberding, R. J., Gacono, C. B., Pirie, M., Bannatyne, L. A., Viglione, D. J., Cooper, B., Bodholdt, R. H., & Frackowiak, M. (2003). MMPI-2 based classification of forensic psychiatric outpatients: An exploratory cluster analytic study. *Journal of Clinical Psychology*, 59(9), 907-920.
- Nieberding, R. J., Moore, J. T., Demataxis, A. P. (2002). Psychological assessment of forensic psychiatric outpatients. *International Journal of Offender Therapy & Comparative Criminology*. Vol 46(3), 350-363.
- Niemi, L. T., Suvisaari, J. M., Tuulio-Henriksson, A., & Loennqvist, J. K. (2003). Childhood developmental abnormalities in schizophrenia: Evidence from high-risk studies. *Schizophrenia Research*, 60(2-3), 239-258.

- Niu, L., Matsui, M., Yamashita, N., & Kurachi, M. (2000). The relationship between University Personality Inventory (UPI) and Minnesota Multiphasic Personality Inventory (MMPI). [Japanese]. *Seishin Igaku (Clinical Psychiatry)*. Vol 42(8), 827-833.
- Nørbech, P. C. B., Fodstad, L., Kuisma, I., Lunde, K. B., & Hartmann, E. (2016). Incarcerated Violent Offenders' Ability to Avoid Revealing Their Potential for Violence on the Rorschach and the MMPI-2. *Journal of Personality Assessment*, , 1-11.
- Norbech, P. C. B., Fodstad, L., Kuisma, I., Lunde, K. B., & Hartmann, E. (2016). Incarcerated violent offenders' ability to avoid revealing their potential for violence on the Rorschach and the MMPI-2. *Journal of Personality Assessment*, 98(4), 419-429.
- Norcross, J. C. & Beutler, L. E. (1997). Determining the therapeutic relationship of choice in brief therapy. In J. N. Butcher (Ed) *Personality assessment in managed care: Using the MMPI-2 in treatment planning*. New York: Oxford University Press. (pp 42-60).
- Nordin, H., Eisemann, M., & Richter, J. (2005). Memories of parental rearing and perceived self-image in groups of chronic pain patients. *European Journal of Pain*, 9, 277-284.
- Nordin, H., Eisemann, M., & Richter, J. (2005). MMPI-2 subgroups in a sample of chronic pain patients. *Scandinavian Journal of Psychology*, 46, 209-216.
- Norris, S. A. (2001). A demographic study of MMPI-2 elevated validity scale profiles among workers' compensation claimants involved in litigation. *Dissertation Abstracts International: Section B: the Sciences & Engineering*. Vol 62(4-B), 2071, US: Univ Microfilms International.
- Novo, M., Farina, F., Seijo, D., & Arce, R. (2013). The efficacy of the MMPI-A in bullying forensic cases: Malingering and psychological injury. *Psychological Intervention*, 22, 33-40.
- Nozaki, T., Takao, M., Takakura, S., Koreeda-Arimura, C., Ishido, K., Yamada, Y., Kawai, K., Takii, M., & Kubo, C. (2006). Psychopathological features of patients with prolonged anorexia nervosa as assessed by the Minnesota Multiphasic Personality Inventory. *Eating and Weight Disorders*, 11, 59-65.
- Nurse, A. R., & Sperry, L. (2004). Effective use of psychological tests with couples and families. In L. Sperry(Ed), *Assessment of couples and families: Contemporary and cutting-edge strategies* (pp. 65-89). New York, NY: Brunner-Routledge.

- Nzewi, E. N. (1999). Patterns of MMPI-2 scores of non-psychiatric Nigerian university graduates. *Journal of Psychology in Africa, South of the Sahara, the Caribbean & Afro-Latin America*, 9(2), 101-114.
- Oda, H., & Kinoshita, T. (2017). Efficacy of hormonal and mental treatments with MMPI in FtM individuals: cross-sectional and longitudinal studies. *BMC psychiatry*, 17, 25.
- Odland, A.P. (2014). Rates of apparently abnormal MMPI-2 profiles in the normal population. Dissertation Abstracts International: Section B: The Sciences and Engineering, Vol 74(12-B(E)), No Pagination Specified.
- Odland, A. P., Lammy, A. B., Perle, J. G., Martin, P. K., & Grote, C. L. (2015). Reaffirming normal: The high risk of pathologizing healthy adults when interpreting the MMPI-2-RF. *The Clinical Neuropsychologist*, 29(1), 38-52.
- Odland, A.P., Martin, P., Perie, J., Simco, E.R., & Mittenberg, W. (2011). Rates of apparently abnormal MMPI-2 profiles in the normal population. *The Clinical Neuropsychologist*, 25, 1134-1144.
- Ögel, K., Sarp, N., Gürol, D.T., & Ermağan, E.A. (2014). Bağımlı olan ve olmayan bireylerde farkındalık (mindfulness) ve farkındalık etkileyen etkenlerin incelenmesi. / Investigation of mindfulness and affecting factors of mindfulness among substance users and non users. *Psikiyatri Dergisi*, 15(4), 282-288.
- Ogle, A. D. (2003). Prediction of psychotherapy attendance using a psychodynamic model. Dissertation Abstracts International: Section B: the Sciences & Engineering. Vol 63(98-B), 3933, US: Univ Microfilms International.
- Ogloff, J. R. P. (1995). The legal basis of forensic application of the MMPI-2. In Y. S. Ben-Porath, J. R. Graham, G. C. N. Hall, R. D. Hirschman, & M. S. Zaragoza (Eds.), *Forensic applications of the MMPI-2*. Thousand Oaks, CA: Sage (pp 18-47).
- Okazaki, S., & Sue, S. (2000). Implications of test revisions for assessment with Asian Americans. *Psychological Assessment*. Vol 12(3), 272-280.
- Okazaki, S., & Tanaka-Matsumi, J. (2006). Cultural Considerations in Cognitive-Behavioral Assessment. In P. A. Hays, G. Y. Iwamasa (Eds), *Culturally responsive cognitive-behavioral therapy: Assessment, practice, and supervision*, pp. 247-266. Washington, DC, US: American Psychological Association.
- O'Jile, J. R., Ryan, L. M., Parks-Levy, J., Betz, B., & Gouvier, W. D. (2004). Sensation seeking

and risk behaviors in young adults with and without a history of head injury. *Applied Neuropsychology*, 11, 107-112.

Okazaki, S., Okazaki, M. & Sue, S. (2009). Clinical personality assessment with Asian Americans. In J. N. Butcher (Ed). *Oxford Handbook of Personality Assessment*. (pp.377-417). New York: Oxford University Press.

Olander, R. (2004). Defensive styles and other factors that differentiate between two types of child molesters: Use of the MCMI -II, MMPI-2, and the 16PF. *Dissertation Abstracts International: Section B: The Sciences & Engineering*, 64(7-B), 3537. US: Univ Microfilms International.

Olortegui, R. (2014). The relationship between MMPI-2-RF aggression scales and indices of executive functioning as measured by the delis-kaplan executive function system. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, Vol 74(10-B(E)), No Pagination Specified.

Olver, M. E., Coupland, R. B., & Kurtenbach, T. J. (2018). Risk-Need-Responsivity applications of the MMPI-2 in sexual offender assessment. *Psychology, Crime & Law*, 1-45.

O'Maille, P. S. (2001). The impact of compensation on symptom distortion in chronic pain patients: An examination of MMPI-2 symptom distortion measures. *Dissertation Abstracts International: Section B: the Sciences & Engineering*. Vol 62(5-B), 2496, US: Univ Microfilms International.

Omdal, R., Brokstad, K., Waterloo, K., Koldingsnes, W., Jonsson, R., & Mellgren, S. I. (2005). Neuropsychiatric disturbances in SLE are associated with antibodies against NMDA receptors. *European Journal of Neurology*, 12, 392-398.

Opazo, C. J., Oyarce, M. L., & Guevara, R. C. (2004). Approachment to the personality traits in patients with Narcolepsy. *Terapia Psicologica*, 22, 43-56.

Orme-Johnson, D. W., & Moore, R. M. (2003). Section II: Original research on rehabilitation. First prison study using the Transcendental Meditation program: La Tuna Federal Penitentiary, 1971. *Journal of Offender Rehabilitation*, 36(1-4), 89-95.

Osberg, T. M. & Harrigan, P. (1999). Comparative validity of the MMPI-2 Wiener-Harmon Subtle-Obvious Scales in male prison inmates. *Journal of Personality Assessment*, 72(1), 36-48.

Osberg, T. M. (1999). Comparative validity of the MMPI-2 Wiener-Harmon subtle-obvious scales in male prison inmates. *Journal of Personality Assessment*. Vol 72(1) , 36-48.

- Osberg, T.M., Haseley, E.N., & Kamas, M.M. (2008). The MMPI-2 Clinical Scales and Restructured Clinical (RC) Scales: Comparative psychometric properties and relative diagnostic efficiency in young adults. *Journal of Personality Assessment*, 90, 81-92.
- Osberg, T. M., & Poland, D. L. (2001). Validity of the MMPI-2 basic and Harris-Lingoes subscales in a forensic sample. *Journal of Clinical Psychology*. Vol 57(12), 1369-1380.
- Osberg, T. M., & Poland, D. L. (2002). Comparative accuracy of the MMPI-2 and the MMPI-A in the diagnosis of psychopathology in 18-year-olds. *Psychological Assessment*. Vol 14(2), 164-169.
- Osuna, E., López-Martínez, M., Arce, R., & Vázquez, M. J. (2015). Analysis of response patterns on the MMPI-2 in psychiatric prison inmates. *International Journal of Clinical and Health Psychology*, 15(1), 29-36.
- Otera, M., Machida, T., Machida, T., Abe, M., Ichie, M., & Fukudo, S. (2015). Pharmacological and psychosomatic treatments for an elderly patient with severe nausea and vomiting in reaction to postoperative stress. *Clinical Journal of Gastroenterology*, 8(5), 275-279.
- Otis, G. D., & Louks, J. L. (2001). Differentiation of psychopathology by psychological type. *Journal of Psychological Type*. Vol 57 , 5-17.
- Otto, R. & Butcher, J. N. (1995). Computer-assisted psychological assessment in child custody evaluations. *Family Law Quarterly*, 29, 79-96.
- Otto, R. & Collins, R. P. (1995). Use of the MMPI-2/MMPI-A in child custody evaluations. In Y. S. Ben-Porath, J. R. Graham, G. C. N. Hall, R. D. Hirschman, & M.S. Zaragoza (Eds.), *Forensic applications of the MMPI-2*. Thousand Oaks, CA: Sage (pp 222-252).
- Otto, R. K. (2002). Use of the MMPI-2 in forensic settings. *Journal of Forensic Psychology Practice*. Vol 2(3), 71-92.
- Owczarek, K. (2003). Somatisation indexes as differential factors in psychogenic pseudoepileptic and epileptic seizures. *Seizure*, 12(3), 178-181.
- Owczarek, K., & Jedrzejczak, J. (2001). Patients with coexistent psychogenic psuedoepileptic and epileptic seizures: A psychological profile. *Seizure*. Vol 10(8) , 566-569.
- Owens, S.L. (2014). Frequency of errors in scoring self-report assessments. Dissertation Abstracts International: Section B: The Sciences and Engineering, Vol 74(12-B(E)), No Pagination Specified.

- Ozcanli, T., Ozmen, M., Ozkara, C., Erdogan, A., Baycora, S., Uzan, M., & Maner, F. (2006). Personality features in patients of mesial temporal lobe epilepsy with hippocampal sclerosis. *Neurology Psychiatry and Brain Research*, 13, 103-108.
- Ozdemir, D. F., Yalçın, S. S., Akgül, S., Evinc, Ş. G., Karhan, A., Karadag, F., . . . Kanbur, N. (2015). Munchausen by Proxy Syndrome: A Case Series Study from Turkey. *Journal of Family Violence*, 30(5), 661-671.
- Ozonoff, S., Garcia, N., Clark, E., & Lainhart, J. E. (2005). MMPI-2 Personality Profiles of High-Functioning Adults With Autism Spectrum Disorders. *Assessment*, 12, 86-95.
- Pace, T. M., Robbins, R. R., Choney, S. K., Hill, J. S., Lacey, K., & Blair, G. (2006). A cultural-contextual perspective on the validity of the MMPI-2 with American Indians. *Cultural Diversity & Ethnic Minority Psychology*, 12(2), 320-333.
- Palav, A., Ortega, A., & McCaffrey, R. J. (2001). Incremental validity of the MMPI-2 content scales: A preliminary study with brain-injured patients. *Journal of Head Trauma Rehabilitation*. Vol 16(3), 275-283.
- Palermo, G. B. (2004). Editorial: A look at malingering. *International Journal of Offender Therapy & Comparative Criminology*, 48(3), 265-267.
- Palmer, G. A. (1999). Cluster analysis of MMPI-A profiles of adolescents with substance dependence. *Dissertation s International: Section B: the Sciences & Engineering*. Vol 59(8-B), 4479. US: Univ Microfilms International.
- Palmer, A., Borrás, C., Pérez-Pareja, J., Sesé, A., & Vilariño, M. (2013). Are patients with chronic pain and fibromyalgia correctly classified by MMPI-2 validity scales and indexes?. *The European Journal of Psychology Applied to Legal Context*, 5, 123-129.
- Palmer, G. A., & Daiss, D. D. (2005). Personality characteristics of adolescents with hallucinogen, methamphetamine, and cannabis dependence: A comparative study. *Journal of Child & Adolescent Substance Abuse*, 15, 37-49.
- Pancerz, K., Mich, O., Burda, A., & Gomuła, J. (2016). A Tool for Computer-Aided Diagnosis of Psychological Disorders Based on the MMPI Test: An Overview. *Applications of Computational Intelligence in Biomedical Technology* (pp. 201-213) Springer.
- Pancheri, P. & Sirgatti, S. (1996). MMPI-2: manuale de italiano (Translated version of *Minnesota Multiphasic Personality Inventory-2 (MMPI-2): Manual for administration and scoring*. (Butcher, J. N., Dahlstrom, W. G., Graham, J. R., Tellegen, A., & Kaemmer, B., 1989). Minneapolis: University of Minnesota Press.

- Pancheri, P., Sirigatti, S., & Biondi, M. (1996). Adaptation of the MMPI-2 in Italy. In J. N. Butcher (Ed), *International adaptations of the MMPI-2: Research and clinical applications*. Minneapolis, MN: University of Minnesota Press. (pp 416-441).
- Pant, H., McCabe, B.J., Deskovitz, M.A., Weed, N.C., & Williams, J.E. (2014). Diagnostic reliability of MMPI-2 computer-based test interpretations. *Psychological Assessment*, 26(3), 916-924. <http://dx.doi.org/10.1037/a0036469>
- Paolucci, T., Vetrano, M., Zangrandino, F., Vulpiani, M. C., Grasso, M. R., Trifoglio, D., . . . Reis, V. (2015). MMPI-2 profiles and illness perception in fibromyalgia syndrome: The role of therapeutic exercise as adapted physical activity. *Journal of Back and Musculoskeletal Rehabilitation*, 28(1), 101-109.
- Papaliaga, M.N., Vgontzas, A.N., Sarigiannidis, A., Karataraki, M.M., Calhoun, S.L., Lin, H., & Bixler, E.O. (2006). MMPI characteristics of insomnia in a general population sample. *Sleep*, 29, A248-A248.
- Papaneophytou, N.L. (2014). Acculturation experiences and personality characteristics of Greek Americans. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, Vol 75(1-B(E)), No Pagination Specified.
- Pape, T. L., Herrold, A. A., Smith, B., Babcock-Parziale, J., Harp, J., Shandera-Ochsner, A., . . . High, W. M. (2016). Algorithm for Symptom Attribution and Classification Following Possible Mild Traumatic Brain Injury. *The Journal of Head Trauma Rehabilitation*, doi:10.1097/HTR.0000000000000220 [doi]
- Paolo, A., Ryan, J., & Smith, A. J. (1991). Reading difficulty of MMPI-2 subscales. *Journal of Clinical Psychology*, 47, 529-532.
- Park, H. L. (2001). Development and validation of an MMPI-2 scale to assess symptoms of attention deficit hyperactivity disorder in adults. *Dissertation Abstracts International: Section B: the Sciences & Engineering*. Vol 61(9-B), 5049, US: Univ Microfilms International.
- Parker, K. C., Hunsley, J., Hanson, R. K. (1999). Old wine from old skins sometimes tastes like vinegar: A response to Garb, Florio, and Grove. *Psychological Science*. Vol 10(3), 291-292.
- Parkin, S.L. (2013). *Developmental and initial validation of a patienthood scale for the MMPI-A*. (Doctoral Dissertation). Retrieved from ProQuest Dissertations & Theses. (3573872)

Parnas, J., Carter, J., & Nordgaard, J. (2014). Premorbid self-disorders and lifetime diagnosis in the schizophrenia spectrum: A prospective high-risk study. *Early Intervention in Psychiatry*, Apr 11, 2014, No Pagination Specified. <http://dx.doi.org/10.1111/eip.12140>

Pasquini, M., Biondi, M., Picardi, A., Gaetano, P., & Pancheri, P. (1999). Psychopathological dimensions of depression: Scale-level factor analysis of the MMPI-2 in an outpatient sample. [Italian]. *Rivista di Psichiatria*. Vol 34(4), 200-207.

Patalano, F. (1980). Comparison of MMPI scores of drug abusers and Mayo clinic normative groups. *Journal of Clinical Psychology*, 36, 576–579. doi: 10.1002/jclp.6120360232

Patch, P. C., & Hartlage, L. C. (2003). Behavioral change following traumatic brain injury. In A. M. Horton, & L. C. Hartlage (Eds), *Handbook of Forensic Neuropsychology*. New York: Springer Publishing Co. (pp 215-235).

Patel, K., Bryant, A., Menatti, A., Howell, A., Morgan, B., Cook, C., . . . Suhr, J. (2015). Minnesota Multiphasic Personality Inventory-2-Restructured Format Profiles in Malingered Attention Deficit Hyperactivity Disorder: Does Reason for Malingering Matter? *Archives of Clinical Neuropsychology*, 30(6), 591-591.

Pavan, C., Scarpa, C., Bassetto, F., Azzi, M., & Vindigni, V. (2015). Munchausen's Syndrome in Plastic Surgery: An Interdisciplinary Challenge. *Plastic and Reconstructive Surgery—Global Open*, 3(6), e428.

Pawlowski, C. A. (2003). Therapeutic effects of MMPI-2 feedback favorability on client subjective well-being: A process and outcome study. *Dissertation Abstracts International: Section B: The Sciences & Engineering*, 63(9-B), 4382. US: Univ Microfilms International.

Peck, C. P., Schroeder, R. W., Heinrichs, R. J., Vondran, E. J., Brockman, C. J., Webster, B. K., & Baade, L. E. (2013). Differences in MMPI-2 FBS and RBS scores in brain injury, probable malingering, and conversion disorder groups: A preliminary study. *The Clinical Neuropsychologist*, 27, 693-707.

Pejovic, B., Vgontzas, A., Basta, M., Calhoun, S., Lin, H., Kales, A., & Bixler, E. (2004). First night effect in healthy individuals: Association with age, BMI, and MMPI profiles. *Sleep*, 27, 272-273.

Pelfrey, W. V. Jr. (2004). The relationship between malingers' intelligence and MMPI-2 knowledge and their ability to avoid detection. *International Journal of Offender Therapy & Comparative Criminology*, 48, 649-663.

Pena, L. M. (2001). The association of MMPI-A scales with measures of adjustment among institutionalized male juvenile delinquents. *Dissertation Abstracts International: Section B: the Sciences & Engineering*. Vol 62(5-B), 2527, US: Univ Microfilms International.

Pena, X.R. (2010). *MMPI-2 indications of a psychological adjustment and adaptation of Adlerian life tasks in ordained Roman Catholic priests*. (Doctoral dissertation). Retrieved from Dissertations and Theses database. (UMI No. 3452692).

Penberthy, J.K., Ait-Daoud, N., Breton, M., Kovatchev, B., DiClemente, C.C., Johnson, B.A. (2007). Evaluating readiness and treatment seeking effects in a pharmacotherapy trial for alcohol dependence. *Alcohol-Clinical and Experimental Research*, 31, 1538-1544.

Penk, W. E., Rierdan, J., Losardo, M., & Rabinowitz, R. (2006). The MMPI-2 and assessment of post-traumatic stress disorder (PTSD). In J. N. Butcher (Ed.). *MMPI-2: The practitioner's handbook*. (pp. 121-141). Washington, D. C.: American Psychological Association.

Perez, L.P., Dominguez, G.P., Mata, X.T., et al. (2002). Psychiatric disorders, personality and traumatic experiences in conversive non-epileptic seizures patients. *Acta Espanolas de Psiquiatria*, 30, 233-239.

PerezPareja, J., Sese, A., GonzalezOrdi, H., & Palmer, A. (2010). Fibromyalgia and chronic pain: Are there discriminating patterns by using the Minnesota Multiphasic Personality Inventory-2 (MMPI-2)? *International Journal of Clinical and Health Psychology*, 10(1), 41-56.

Perfect, M. M. (2005). Incremental validity of the Minnesota Multiphasic Personality Inventory (MMPI-A) and Rorschach Inkblot Test in predicting the number and severity of adolescents' maltreatment histories. *Dissertation Abstracts International Section A: Humanities and Social Sciences*, 65(8-A), 2909. US: Univ Microfilms International.

Perry, J. N., Miller, K. B. & Klump, K. (2005). Treatment planning with the MMPI-2. In J. N. Butcher (Ed.). *MMPI-2: The practitioner's handbook*. (pp. 143-163). Washington, D. C.: American Psychological Association.

Persinger, M. A., & Tiller, S. G. (2002). Intratest and intertest means and reliability of the MMPI-168 for university students and patients referred for neuropsychological assessment. *Perceptual & Motor Skills*. Vol 94 (3,Pt2) , 1143-1150.

Peters, K.M. (2014). Marital conflict in child custody disputes and the corresponding psychological variables. Dissertation Abstracts International: Section B: The Sciences

and Engineering, Vol 75(3-B(E)), No Pagination Specified.

Peterson, C. D. & Dahlstrom, W. G. (1992). The derivation of gender-role scales GM and GF for MMPI-2 and their relationship to Scale 5 (Mf). *Journal of Personality Assessment*, 59, 486-499.

Peterson, C. A. (2004). Psychological assessment with the MMPI-2 (2nd ed.). *Journal of Personality Assessment*, 83, 183.

Peterson, C. A. (2004). Integrating the Rorschach and the MMPI-2 in personality assessment. *Journal of Personality Assessment*, 83, 183.

Petot, J.-M., & Jocic, D. D. (2005). Discrepancies Between the Rorschach Inkblot Method and Self-Report Measures of Personality: Methodological and Theoretical Reflections. In A. Andronikof (Ed), *Rorschachiana XVIII: Yearbook of the International Rorschach Society*, pp. 101-116. US: Hogrefe & Huber Publishers.

Petroni, D. C., Allen-Byrd, L., & Lewis, V. M. (2003). Indicators of the alcohol recovery process: Critical items from Koss-Butcher and Lachar-Wrobel analysis of the MMPI-2. *Alcoholism Treatment Quarterly*, 21(2), 41-56.

Petroskey, L. J., Ben-Porath, Y. S., & Stafford, K. P. (2003). Correlates of the Minnesota Multiphasic Personality Inventory--2 (MMPI-2) Personality Psychopathology Five (PSY-5) scales in a forensic assessment setting. *Assessment*, 10(4), 393-399.

Phillips, B. T. (2004). The dimensions of socially desirable responding. *Dissertation Abstracts International: Section B: The Sciences & Engineering*, 64(9-B), 4666. US: Univ Microfilms International.

Philips, T.R. (2013). *Using the MMPI-2-RF to assess three models of psychopathy in a sample of incarcerated women* (Doctoral dissertation, Wright State University). Retrieved from: [http://etd.ohiolink.edu/view.cgi?acc\\_num=wsupsysch1342558221](http://etd.ohiolink.edu/view.cgi?acc_num=wsupsysch1342558221)

Philips, T.R., Sellbom, M., Ben-Porath, Y.S., & Patrick, C.J. (2014). Further development and construct validation of MMPI-2-RF indices of global psychopathy, fearless-dominance, and impulsive-antisociality in a sample of incarcerated women. *Law and Human Behavior*, 38, 34-46.

Piaggi, P., Lippi, C., Fierabracci, P., Maffei, M., Calderone, A., Mauri, M., Anselmino, M., Cassano, G. B., Vitti, P., Pinchera, A., Landi, A., & Santini, F. (2010). Artificial neural networks in the outcome prediction of adjustable gastric banding in obese women. *PLoS ONE*, 5(10), Art e13624-12.

- Picardi, A., Mannino, G., Arciero, G., Gaetano, P., Pilleri, M. F., Arduini, L., Vistarini, L., & Reda, M. A. (2003). Development and validation of QSP, an instrument to assess personality style in the framework of the “personal meaning organizations” theory [Italian]. *Rivista di Psichiatria*, 38(1), 13-34.
- Pickens, M. S. (2003). MMPI-2 scales of defensiveness: Are they measuring defensiveness? *Dissertation Abstracts International: Section B: The Sciences & Engineering*, 63(11-B), 5532. US: Univ Microfilms International.
- Piegza, M., Leksowska, A., Pudlo, R., Badura-Brzoza, K., Matysiakiewicz, J., Gierlotka, Z., & Gorczyca, P.W. (2014). Zaburzenia identyfikacji płciowej czy zachowania andromimetyczne u ofiary kazirodztwa—Studium przypadku. / Gender identity disorders or andromimetic behaviour in a victim of incest—A case study. *Psychiatria Polska*, Vol 48(1), 135-144.
- Pietrulewicz, B. (2004). Comparison of the full length MMPI-2 and the short form 92-item Mini-Clinique. *International Journal of Psychology*, 39, 270-270.
- Pinsoneault, T. B. (2011). Effective cutoffs for detecting random, partially random, and nonrandom 370-item MMPI-2 short form protocols. *Journal of Personality Assessment*, 93(1), 40-45.
- Pinsoneault, T. B. (1999). Efficacy of the three randomness validity scales for the Jesness Inventory. *Journal of Personality Assessment*, 73(3), 395-406.
- Pinsoneault, T. B. (2002). A variable response inconsistency scale and a true response inconsistency scale for the Millon Adolescent Clinical Inventory. *Psychological Assessment*. Vol 14(3) 320-328.
- Pinsoneault, T. B. (2005). Detecting Random, Partially Random, and Nonrandom Minnesota Multiphasic Personality Inventory--Adolescent Protocols. *Psychological Assessment*, 17, 476-480.
- Pinsoneault, T. B. (2006). Updating the Jesness Inventory randomness validity scales for the Jesness Inventory-Revised. *Journal of Personality Assessment*, 86, 190-195.
- Pinsoneault, T.B. (2014). Effective cutoffs for detecting random, partially random, and nonrandom 350-item MMPI—A short form protocols. *Psychological Assessment*, 26(2), 685-690. <http://dx.doi.org/10.1037/a0035870>

- Pinsoneault, T.B., & Ezzo, F.R. (2012). A comparison of MMPI-2-RF profiles between child maltreatment and non-maltreatment custody cases. *Journal of Forensic Psychology Practice*, 12, 227-237.
- Pinto, E., Gillet, I., & Guelfi, J.-D. (1999). Somatic complaints, psychiatric disorders and MMPI 2. [French]. *Encephale*. Vol 25(2), 103-109.
- Piotrowski, C. & Keller, J. W. (1992). Psychological testing in applied settings: A literature review from 1982-2992. *Journal of Training & Practice in Professional Psychology*, 6(2), 74-82.
- Piotrowski, C. & Zalewski, C. (1993). Training in psychodiagnostic testing in APA-approved PsyD and PhD clinical psychology programs. *Journal of Personality Assessment*, 61(2), 394-405.
- Piotrowski, C. (1998). Assessment of pain: A survey of practicing clinicians. *Perceptual and Motor Skills*, 86, 181-182.
- Pizitz, T., & McCullaugh, J. (2014). An overview of male stalkers' personality profiles using the MMPI-2. *American Journal of Forensic Psychology*, Vol 32(3), 2014, 57-72.
- Pizzi, C., Caraglia, M., Cianciulli, M., et al. (2002). Low-dose recombinant IL-2 induces psychological changes: Monitoring by Minnesota Multiphasic Personality Inventory (MMPI). *Anticancer Research*, 22, 727-732.
- Plante, T. G., & Aldridge, A. (2005). Psychological Patterns Among Roman Catholic Clergy Accused of Sexual Misconduct. *Pastoral Psychology*, 54, 73-80.
- Plante, T. G., Aldridge, A., & Louie, C. (2005). Are Successful Applicants to the Priesthood Psychologically Healthy? *Pastoral Psychology*, 54, 81-91.
- Pogge, D. L., Stokes, J. M., McGrath, R. E., Bilginer, L., & DeLuca, V. A. (2002). MMPI-A Structural Sumy variables: Prevalence and correlates in an adolescent inpatient psychiatric sample. *Assessment*. Vol 9(4) , 334-342.
- Poggioli, R. A. (2001). Malingered paranoid schizophrenia on the MMPI-2: Effects of coaching and prior exposure to schizophrenic inpatients. *Dissertation Abstracts International: Section B: the Sciences & Engineering*. Vol 61(9-B), 5001, US: Univ Microfilms International.
- Poirier, M., Laqueille, X., Jalfre, V., Willard, D., Bourdel, M. C., Fermanian, J., & Olie, J. P.

(2004). Clinical profile of responders to buprenorphine as a substitution treatment in heroin addicts: Results of a multicenter study of 73 patients. *Progress in Neuro-Psychopharmacology & Biological Psychiatry*, 28(2), 267-272.

Poizner, J. (2010). A cross-cultural examination of the MMPI-2-RF Substance Abuse Scale: Comparing samples from Mexico and the United States. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 71(6-B), 394

Polance, C., Daniel, M., Lane, J.B., & Brockwood, K. (2006). Validity of the Minnesota Multiphasic Personality Inventory-2 (MMPI-2) with Adult Attention-Deficit/Hyperactivity Disorder (ADHD) clients. *Archives of Clinical Neuropsychology*, 21, 559-560.

Polimeni, A., Moore, S. M., & Gruenert, S. (2010). Mental health improvements of substance-dependent clients after 4 months in a therapeutic community. *Drug and Alcohol Review*, 29(5), 546-550.

Polimeni, A., Moore, S. M., & Gruenert, S. (2010). MMPI-2 profiles of clients with substance dependencies accessing a therapeutic community treatment facility. *E-Journal of Applied Psychology*, 6(1), 1-9.

Pona, A. A., Heinberg, L. J., Lavery, M., Ben-Porath, Y. S., & Rish, J. M. (2015). Psychological predictors of body image concerns 3 months after bariatric surgery. *Surgery for Obesity and Related Diseases*, 12, 188-193.

Pongpanich, L. (1996). Use of the MMPI-2 in Thailand. In J. N. Butcher (Ed), *International adaptations of the MMPI-2: Research and clinical applications*. Minneapolis, MN: University of Minnesota Press. (pp 162-174).

Pompili, M., Innamorati, M., Giupponi, G., Pycha, R; Rihmer, Z., Casale, A.D., Manfredi, G., Celentano, A., Nastro, P.F., Ferracuti, S., Girardi, P., Tatarelli, R., Akiskal, H. S. (2009). Predicting risk of suicide in bipolar and unipolar depression. Correlation between temperament and personality. *Der Nervenarzt*, 80, 315-328.

Pompili, Maurizio; Lester, David; Innamorati, Marco; De Pisa, Eleonora; Iliceto, Paolo; Puccinno, Marianna; Nastro, Paolo Fiori; Tatarelli, Roberto; Girardi, Paolo. (2008). Suicide risk and exposure to mobbing. *Work: Journal of Prevention, Assessment & Rehabilitation*, 31, 237-243.

Pompili, M., Rihmer, Z., Akiskal, H.S., Innamorati, M., Iliceto, P., Akiskal, K.K., Lester, D., Narciso, V., Ferracuti, S., Tatarelli, R., De Pisa, E., & Girardi, P. (2008). Temperament

and personality dimensions in suicidal and nonsuicidal psychiatric inpatients.  
*Psychopathology*, 41, 313-321.

Pop-Jordanova, N. (2015). MMPI for Personality Characteristics of Patients with Different Diseases/MMPI За Психолошките Разлики Кај Пациенти Со Разни Заболувања. *Prilozi*, 36(1), 153-164.

Pope, K. S., Butcher, J. N., & Seelen, J. (1993). *MMPI/MMPI-2/MMPI-A in court: Assessment, testimony, and cross-examination for expert witnesses and attorneys*. Washington, D.C.: American Psychological Association.

Pope, K. S., Butcher, J. N., & Seelen, J. (1999). *MMPI/MMPI-2/MMPI-A in court: Assessment, testimony, and cross-examination for expert witnesses and attorneys*. (2<sup>nd</sup> edition). Washington, D.C.: American Psychological Association.

Pope, K. S., Butcher, J. N., & Seelen, J. (2006). *MMPI/MMPI-2/MMPI-A in court: Assessment, testimony, and cross-examination for expert witnesses and attorneys*. (3<sup>rd</sup> edition). Washington, D.C.: American Psychological Association.

Porter-Moffitt, S; Gatchel, RJ; Robinson, RC; Deschner, M; Posamentier, M; Polatin, P; Lou, L. 2006. Biopsychosocial profiles of different pain diagnostic groups. *Journal of Pain*, 7, 308-318.

Porterfield, E. A. (2016). *An Analysis of MMPI-2 Profiles of Californians Applying for Concealed Weapons Permits*. Alliant International University.

Pospisil, T., Kirsten, A., Chuplis, K.A., et al. (2002). Examination of the relationship between MMPI Depression Scale and performance on the Halstead-Reitan Test Battery. *Archives of Clinical Neuropsychology*, 17, 863-864.

Posthuma, A. (2003). A new MMPI-2 scale for custody disputes. *American Journal of Forensic Psychology*, 21(4), 51-64.

Posthuma, A. (2016). Current and New Developments in Psychological Testing for Child Custody Disputes. *Handbook of Child Custody* (pp. 67-84) Springer.

Posthuma, A. B. & Harper, J. F. (1998). Comparison of MMPI-2 responses of child custody and personal injury litigants. *Professional Psychology: Research and Practice*, 29, 437-443.

Powis, D. M. (1999). Actuarial use of the MMPI-A: Generation of clinical correlate data for frequently occurring codetypes in an adolescent inpatient sample. *Dissertation s*

*International: Section B: the Sciences & Engineering. Vol 59(11-B), 6107.* US: Univ Microfilms International.

Pozgain, I., Mandic, N., Filakovic, P., & Antolovic-Pozgain, A. (2003). The relation between personality disorder and posttraumatic stress disorder. *Socijalna Psihijatrija, 31*(4), 173-179.

Pozzi, F., Troisi, A., Cerilli, M., Autore, A. M., LoCastro, C., Ribatti, D., & Frajese, G. (2003). Serum cholesterol and impulsivity in a large sample of healthy young men. *Psychiatry Research, 120*(3), 239-245.

Press, N.G. (2011). *The test of memory malingering and the MMPI-2 validity scales as measures of response bias in the assessment of deficits of attention in adults.* (Doctoral dissertation). Retrieved from Dissertations and Theses database. (UMI No. 3442994).

Prewett, B.M. (2011). *Native Americans and the Minnesota multiphasic personality inventory (MMPI-2): Continuing to extend Native American norms.* (Doctoral dissertation). Retrieved from Dissertations and Theses database. (UMI No. 3465849).

Price, B. H. (1999). Personality variables of chemically dependent adolescents as refelected in the MMPI and the Millon Adolescent Personality Inventory. *Dissertation s International: Section B: the Sciences & Engineering. Vol 60(2-B), 0864.* US: Univ Microfilms International.

Puopolo, M. R. (1999). The development of a sensation seeking scale for the MMPI-2. *Dissertation s International: Section B: the Sciences & Engineering. Vol 60(3-B), 1313.* US: Univ Microfilms International.

Purdon, S.E., Purser, S.M., & Goddard, K.M. (2011). MMPI-2 restructured form over-reporting scales in first-episode psychosis. *The Clinical Neuropsychologist, 25*, 829-842.

Putzke, J. D., Williams, M. A., Daniel, F. Joseph, B., & Thomas, J. (1999). The utility of K-correction to adjust for a defensive response set on the MMPI. *Assessment. Vol 6*(1) , 61-70.

Quevedo, K. M. & Butcher, J. N. (2005). The use of MMPI and MMPI-2 in Cuba: A historical overview from 1950 to the Present. *International Journal of Clinical and Health Psychology, 5*, 335-347.

Quigg, M., Broshek, D. K., Heidal-Schiltz, S., Maedgen, J. W., & Bertram, E. H. III. (2003).

Depression in intractable partial epilepsy varies by laterality of focus and surgery.  
*Epilepsia*, 44(3), 419-424.

Quinsey, V.L., Arnold, L.S. & Pruesse, M.G. (1980). MMPI profiles of men referred for a pretrial psychiatric assessment as a function of offense type. *Journal of Clinical Psychology*, 36, 410–416. doi: 10.1002/jclp.6120360204

Quirk, S. W., Christiansen, N. D., Wagner, S. H., McNulty, J. L. (2003). On the usefulness of measures of normal personality for clinical assessment: Evidence of the incremental validity of the Revised NEO Personality Inventory. *Psychological Assessment*, 15(3), 311-325.

Rachal, K. C. (2000). Incorporating MMPI-2 test feedback into brief counseling multiple source effects in the counseling process. *Dissertation Abstracts International: Section B: the Sciences & Engineering*. Vol 61(6-B), 3289, US: Univ Microfilms International.

Rains, J. C., & Penzien, D. B. (2003). Sleep and chronic pain: Challenges to the alpha-EEG sleep pattern as a pain specific sleep anomaly. *Journal of Psychosomatic Research*, 54(1), 77-83.

Raintama, M., Kandou, L. F., & Kairupan, B. H. (2016). Profil personality psychopathology five (PSY-5) scales minnesota multiphasic personality inventory-2 (MMPI-2) adaptasi indonesia pada mahasiswa semester 1 tahun akademik 2013/2014 fakultas kedokteran universitas sam ratulangi manado. *E-Clinic*, 4(1).

Ramirez, M. J. (2010). Interictal language functioning and the effects of emotional distress on performance: A comparison of mesial temporal lobe and frontal lobe epilepsy. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 71(2-B), 1352.

Ranson, M., Nichols, D. S., Rouse, S. V. & Harrington, J. (2009). Changing or Replacing an Established Personality Assessment Standard: Issues, Goals, and Problems, with Special Reference to Recent Developments in the MMPI-2. In J. N. Butcher (2009). *Handbook of personality assessment*. (112-139). New York: Oxford University Press.

Raphael, A. J. & Golden, C. J. (2002). Relationships of objectively scored Bender variables with MMPI scores in an outpatient psychiatric population. *Perceptual and Motor Skills*, 95, 1217-1232.

Raphael, A. J., & Miller, R. L. (2015). Everything you have always wanted to know about the MMPI-2 in court settings. *PsycCritiques*, 60(23), No Pagination Specified. doi:10.1037/a0039334

- Rasco, R. (2010). Personality traits in caucasian missionary kids raised in a different culture. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 70(12-B), 7883.
- Rataj, D. M. (2004). Changes in pathological narcissism from midlife to older adulthood. *Dissertation Abstracts International: Section B: The Sciences & Engineering*, 65, 449. US: Univ Microfilms International.
- Rathvon, N. & Holmstrom, R. (1996). An MMPI-2 portrait of narcissism. *Journal of Personality Assessment*, 66, 1-19.
- Rawls, K.R., Rohling, M.L., Langhinrichsen-Rohling, J. (2008). Use of the FBS scale of the MMPI-2 in PTSD referrals seeking compensation or not. *Archives of Clinical Neuropsychology*, 23, 749.
- Rayls, K. R., Mittenberg, W., Burns, W. J., & Theroux, S. (2000). Prospective study of the MMPI-2 correction factor after mild head injury. *Clinical Neuropsychologist*. Vol 14(4), 546-550.
- Reed, M. K., Walker, B., Williams, G., McLeod, S., et al. (1996). MMPI-2 patterns in African-American females. *Journal of Clinical Psychology*, 52, 437-441.
- Reeve, B. B. I. (2000). Item- and scale-level analysis of clinical and non-clinical sample responses to the MMPI-2 depression scales employing Item Response Theory. *Dissertation Abstracts International: Section B: the Sciences & Engineering*. Vol 61(4-B), 2267, US: Univ Microfilms International.
- Reid, R. C., Carpenter, B. N., & Draper, E. D. (2011). Disputing the notion of psychopathology among women married to hypersexual men using the MMPI-2-RF. *Journal of Sex & Marital Therapy*, 37(1), 45-55.
- Reise, S. P. & Waller, N. G. (2003). How many IRT parameters does it take to model psychopathology items? *Psychological Methods*, 8, 164-184.
- Reljic, R.D. (2008). The correlates of the MMPI-2 clinical scales for a selected non-clinical population using the Adjective Checklist. *Dissertation Abstracts International Section A: Humanities and Social Sciences*, 68, 3746.

- Reuber, M., Pukrop, R., Bauer, J., Derfuss, R., & Elger, C.E. (2004). Multidimensional assessment of personality in patients with psychogenic non-epileptic seizures. *Journal of Neurology Neurosurgery and Psychiatry*, 75, 743-748.
- Ribeiro, M. S., Teixeira, L. S., Alves, M. J. M., & Ronzani, T. M. (2000). Construction and validation of MMPI derived alcoholism scales. [Portuguese]. *Revista Brasileira de Neurologia*. Vol 36(2), 57-66.
- Rice, K. G., & Stuart, J. (2010). Differentiating adaptive and maladaptive perfectionism on the MMPI-2 and MIPS Revised. *Journal of Personality Assessment*, 92(2), 158-167.
- Ricci, C. M. (2002). The examination of Meehl and Hathaway's methodology to create a revised K scale for the MMPI-2 (test-taking attitudes). *Dissertation Abstracts International: Section B: the Sciences & Engineering*. Vol 62(11-B), 5389, US: Univ Microfilms International.
- Ricketts, A. J. (2003). Validity of the MMPI-2 content scales and content component scales in a forensic diagnostic sample. *Dissertation Abstracts International: Section B: The Sciences & Engineering*, 64(1-B), 429. US: Univ Microfilms International.
- Riddle, M. P. (2003). MMPI-2 profiles of anonymous oocyte donor candidates: A comparative characterization. *Dissertation Abstracts International: Section B: The Sciences & Engineering*, 63(10-B), 4954. US: Univ Microfilms International.
- Riddle, M.P., Applegarth, L., Josephs, L., Grill, E., Cholst, I., & Rosenwaks, Z. (2004). Psychological characteristics of sister oocyte donor candidates: A comparison against anonymous donor candidates using the MMPI-2. *Fertility and Sterility*, 82, S100-S100.
- Riesco, Y., Perez Urdaniz, A., Rubio, V., Izquierdo, J. A., Sanchez Iglesias, S., Santos, J. M., & Carrasco, J. L. (1998). Evaluation of personality disorders in a penal population using the International Personality Disorder Examination and the MMPI. *Actas Luso-Espanolas de Neurologia y Psiquiatria y Ciencias Afines*, 26(3), 151-154.
- Riley, J. L., III & Robinson, M. E. (1998). Validity of MMPI-2 profiles in chronic back pain patientsDifferences in path models of coping and somatization. *Clinical Journal of Pain*, 14(4), 324-335.
- Rina, H., Terao, T., Nakano, H., Okamoto, T., Iwata, N., & Nakamura, J. (2004). Predicting denial function of schizophrenic patients by the picture completion subtest of WAIS-R. *Progress in Neuro-Psychopharmacology & Biological Psychiatry*, 28, 1185-1187.

- Rissetti, F. J., Himmel, E., & Gonzelez-Moreno, J. A. (1996). Use of the MMPI-2 in Argentina. In J. N. Butcher (Ed), *International adaptations of the MMPI-2: Research and clinical applications*. Minneapolis, MN: University of Minnesota Press. (pp 221-251).
- Rissmiller, D. J., Wayslow, A., Madison, H., Hogate, P., Rissmiller, F. R., & Steer R., A. (1998). Prevalence of malingering in inpatient suicide ideators and attempters. *Crisis, 19*(2), 62-66.
- Ritsher, J. B., Slivko-Kolchik, E. B. & Oleichik, I. V. (2001). Assessing depression in Russian psychiatric patients: Validity of MMPI and Rorschach. *Assessment. Vol 8*(4) , 373-389.
- Ritsher, J. B. (2004). Association of Rorschach and MMPI psychosis indicators and schizophrenia spectrum diagnoses in a Russian clinical sample. *Journal of Personality Assessment, 83*, 46-63.
- Ritzler, B. & Singer, M. (1998). MMPI-2 by proxy and the Rorschach: A demonstration assessment of the commandant of Auschwitz. *Journal of Personality Assessment, 71*, 212-227.
- Rogers, M. L., Anestis, J. C., Harrop, T. M., Schneider, M., Bender, T. W., Ringer, F. B., & Joiner, T. E. (2017). Examination of MMPI-2-RF Substantive scales as indicators of acute suicidal affective disturbance components. *Journal of personality assessment, 99*(4), 424-434.
- RoBards, M. J., & RoBards, MA. (2002). The 2002 update: MMPI-2 results for 38 present and former railroad shop workers with chronic toxic encephalopathy due to remote history of mixed organic and inorganic solvent exposure. *Archives of Clinical Neuropsychology, 17*, 759-760.
- Robin, R. W., Greene, R. L., Albaugh, B., Caldwell, A., & Goldman, D. (2003). Use of the MMPI-2 in American Indians: I. Comparability of the MMPI-2 between two tribes and with the MMPI-2 normative group. *Psychological Assessment, 15*(3), 351-359.
- Robinson, N.B. (2008). Personality profiles of adolescents with Asperger's disorder. *Dissertation Abstracts International: Section B: The Sciences and Engineering, 69*, 3275.
- Robinson, R. C. (2000). Psychometric testing: The early years and the MMPI. *Gatchel, Robert J. (Ed); Weisberg, James N. (Ed). Personality characteristics of patients with pain*. (pp. 37-58).
- Rogers, R. (2003). Forensic use and abuse of psychological tests: Multiscale inventories. *Journal of Psychiatric Practice, 9*(4), 316-320.

- Rogers, R., Bagby, R. M., & Chakraborty, D. (1993). Feigning schizophrenic disorders on the MMPI-2: Detection of coached simulators. *Journal of Personality Assessment, 60*, 215-226.
- Rogers, R., Gillard, N.D., Berry, D.T.R., & Granacher, R.P. (2011). Effectiveness of the MMPI-2-RF validity scales for feigned mental disorders and cognitive impairment: A known-groups study. *Journal of Psychopathology and Behavioral Assessment, 33*, 355-367.
- Rogers, R., Jackson, R.L., & Kaminski, P.L. (2005). Factitious psychological disorders: The overlooked response style in forensic evaluations. *Journal of Forensic Psychology Practice, 5*, 21-41.
- Rogers, R., Jackson, R. L., Sewell, K. W., & Salekin, K. L. (2005). Detection Strategies for Malingering: A Confirmatory Factor Analysis of the SIRS. *Criminal Justice and Behavior, 32*, 511-525.
- Rogers, R. & McKee, G. R. (1995). Use of the MMPI-2 in the assessment of criminal responsibility. In Y. S. Ben-Porath, J. R. Graham, G. C. N. Hall, R. D. Hirschman, & M.S. Zaragoza (Eds.), *Forensic applications of the MMPI-2*. Thousand Oaks, CA: Sage (pp 103-127).
- Rogers, R., Sewell, K. W., Harrison, K. W. & Jordan, M. J. (2006). The MMPI-2 Restructured Clinical scales: A paradigmatic shift to scale development. *Journal of Personality Assessment, 87*, 139-147.
- Rogers, R., Sewell, K. W., Martin, M. A., & Vitacco, M. J. (2003). Detection of feigned mental disorders: A meta-analysis of the MMPI-2 and malingering. *Assessment, 10*(2), 160-177.
- Rogers, R., & Shuman, D. W. (2005). *Fundamentals of forensic practice: Mental health and criminal law*. New York, NY, US: Springer Science + Business Media.
- Rogish, M. T. (2003). The effects of social support and surgical outcome on depression and quality of life in post surgical epilepsy patients. *Dissertation Abstracts International: Section B: The Sciences & Engineering, 63*(10-B), 4922. US: Univ Microfilms International.
- Rolin, S., Biddle, C., De Leon, J., & King, J. (2015). Comparison of the Minnesota Multiphasic Personality Inventory-(MMPI-2) Malingered Mood Disorder Scale and an Abbreviated Restructured Form Version; Classification Accuracy in a Mixed Clinical Sample. *Archives of Clinical Neuropsychology, 30*(6), 589-589.

- Roma, P., Ricci, F., Kotzalidis, G.D., Abbate, L., Lavadera, A.L., Versace, G., ... & Ferracuti, S. (2014). MMPI-2 in child custody litigation. *European Journal of Psychological Assessment, 1*, 1-7.
- Roma, P., Ricci, F., Kotzalidis, G.D., Abbate, L., Lavadera, A.L., Versace, G., Pazzelli, F., Togliatti, M.M., Girardi, P., & Ferracuti, S. (2014). MMPI-2 in child custody litigation: A comparison between genders. *European Journal of Psychological Assessment, Vol 30(2)*, 110-116. <http://dx.doi.org/10.1027/1015-5759/a000192>
- Romero, I. E., Toorabally, N., Burchett, D., Tarescavage, A. M., & Glassmire, D. M. (2017). Mapping the MMPI-2-RF Substantive scales onto internalizing, externalizing, and thought dysfunction dimensions in a forensic inpatient setting. *Journal of Personality Assessment, 99*, 351-362.
- Romeo, L., Balducci, C., Quintarelli, E., Riolfi, A., Pelizza, L., Serpelloni, A., ... & Perbellini, L. (2013). MMPI-2 Personality Profiles and Suicidal Ideation and Behavior in Victims of Bullying at Work: A Follow-Up Study. *Violence and Victims, 28*, 1000-1014.
- Roper, B., Ben-Porath, Y. S. & Butcher, J. N. (1995). Comparability and validity of computerized adaptive testing with the MMPI-2. *Journal of Personality Assessment, 65*, 358-371.
- Roper, B., Ben-Porath, Y. S., & Butcher, J. N. (1991). Comparability of computerized adaptive and conventional testing with the MMPI-2. *Journal of Personality Assessment, 57*, 278-290.
- Rosen, G. M., Baldwin, S. A., & Smith, R. E. (2015). Reassessing the "Traditional Background Hypothesis" for Elevated MMPI and MMPI-2 Lie-Scale Scores. *Psychological Assessment, doi:2015-55810-001 [pii]*
- Rosenfeld, B., Green, D., Pivovarova, E., Dole, T., & Zapf, P. (2010). What to do with contradictory data? Approaches to the integration of multiple malingering measures. *The International Journal of Forensic Mental Health, 9(2)*, 63-73.
- Rosenthal, R., Hiller, J. B., Bornstein, R., F., Berry, D. T. R., & Brunell-Neuleib, S. (2001). Meta-analytic methods, the Rorschach, and the MMPI. *Psychological Assessment. Vol 13(4)* , 449-451.
- Rosik, C. H., & Borisov, N. I. (2010). Can specific MMPI-2 scales predict treatment response among missionaries? *Journal of Psychology and Theology, 38(3)*, 195-204.
- Rosik, C. H., Rosel, G., Slivoskey, M. M., Ogdon, K. M., Roos, I. K., Kincaid, T. M., &

- Castanon, M. R. (2017). MMPI-2 profiles among Asian American missionary candidates: Gendered comparisons for ethnicity and population norms. *Asian American Journal of Psychology*, 8(2), 167-175.
- Rosner, M.M., Curtiss, G. (2006). MMPI profile and code-type elevations after war-zone trauma. *Clinical Neuropsychologist*, 20, 593-593.
- Ross, S. R., Millis, S. R., Kruckowski, R. A., Putnam, S. H., & Adams, K. M. (2004). Detecting incomplete effort on the MMPI-2: An examination of the Fake-Bad Scale in mild head injury. *Journal of Clinical & Experimental Neuropsychology*, 26(1), 115-124.
- Ross, S. R., Putnam, S. H., & Adams, K. M. (2006). Psychological Disturbance, Incomplete Effort, and Compensation-Seeking Status as Predictors of Neuropsychological Test Performance in Head Injury. *Journal of Clinical and Experimental Neuropsychology*, 28, 111-125.
- Ross, S. R., Putnam, S. H., Gass, C. S., Bailey, D. E., & Adams, K. M. (2003). MMPI-2 indices of psychological disturbance and attention and memory test performance in head injury. *Archives of Clinical Neuropsychology*, 18(8), 905-916.
- Rossi, G., Hauben, C., Van den Brande, I., & Sloore, H. (2003). Empirical evaluation of the MCMI-III personality disorder scales. *Psychological Reports*, 92(2), 627-642.
- Rossi, G., & Sloore, H. (2008). Cross-cultural reliability and generality of the Megargee Offender Classification System. *Criminal Justice and Behavior*, 35, 725-740.
- Rossi, G., Van den Brande, I., Tobac, A., Sloore, H., & Hauben, C. (2003). Convergent validity of the MCMI-III personality disorder scales and the MMPI-2 scales. *Journal of Personality Disorders*, 17(4), 330-340.
- Rossi, L. E. (2003). Comparability of the English and Spanish translations of the MMPI-2 and MCMI-III. *Dissertation Abstracts International: Section B: The Sciences & Engineering*, 63(10-B), 4961. US: Univ Microfilms International.
- Rothke, S. E., Friedman, A. F., Dahlstrom, W. G., Greene, R. L., Arredondo, R., & Mann, A. (1994). MMPI-2 normative data for the F-K index: Implications for clinical neuropsychological, and forensic practice. *Journal of Personality Assessment*, 1(1), 1-15.
- Rothke, S. E., Friedman, A. F., Jaffe, A. M., Greene, R. L., Wetter, M. W., Cole, P., & Baker, K. (2000). Normative data for the F(p) scale fo the MMPI-2: Implications for clinical and forensic assessment of malingering. *Psychological Assessment*, 12(3), 335-340.

- Rouhbakhsh, P., Lewis, V., & Allen-Byrd, L. (2004). Recovering alcoholic families: When is normal not normal and when is not normal healthy? *Alcoholism Treatment Quarterly*, 22(2), 35-53.
- Rouse, S. V. & Butcher, J. N. (1995). *Annotated bibliography on the use of the MMPI/MMPI-2 in personnel and educational selection*. Minneapolis, MN: University of Minnesota Press.
- Rouse, S. V., Greene, R. L, Butcher, J. N., Nichols, D. S. & Williams, C. L (2008). What do the MMPI-2 Restructured Clinical Scales reliably measure? Answers from multiple research settings. *Journal of Personality Assessment*, 90, 435-442.
- Rouse, S. V., Greene, R. L., Butcher, J. N., Nichols, D. S., & Williams, C. L. (in press). What Do the MMPI-2 Restructured Clinical Scales Reliably Measure? Answers from Multiple Research Settings. *Journal of Personality Assessment*,
- Rouse, S. V., Butcher, J. N., & Miller, K. B. (1999). Assessment of substance abuse in psychotherapy clients: The effectiveness of the MMPI-2 substance abuse scales. *Psychological Assessment*. Vol 11(1) , 101-107.
- Rouse, S. V., Finger, M. S., & Butcher, J. N. (1999). Advances in clinical personality measurement: An item response theory analysis of the MMPI-2 PSY-5 scales. *Journal of Personality Assessment*. Vol 72(2), 282-307.
- Rouse, S. V., Sullivan, J., & Taylor, J. (1997). Treatment-oriented MMPI/MMPI-3 studies. In J. N. Butcher (Ed) *Personality assessment in managed care: Using the MMPI-2 in treatment planning*. New York: Oxford University Press. (pp 173-200).
- Ruchinskas, R.A., Narayan, R.K., Meagher, R.J., et al. (2002). The relationship of psychopathology and hyperhidrosis. *British Journal of Dermatology*, 147, 733-735.
- Ruiz, J., Fusté, A., Ferrando, P.J., & García, E. (2014). Confirmatory factor analysis of an integrated model of psychopathology assessed with the MMPI-2-RF and the MCMI-II. *Personality and Individual Differences*, 60, S54.
- Ruscio, J., & Kaczetow, W. (2009). Differentiating categories and dimensions: Evaluating the robustness of taxometric analyses. *Multivariate Behavioral Research*, 44, 259-280.
- Rutland, J.B. (2010). *Socially desirable responding on the MMPI-2, MCMI-III, and PAI in a substance abuse treatment setting*. (Doctoral dissertation). Retrieved from Dissertations and Theses database. (UMI No. 3429509).

- Ruttan, L. A., & Heinrichs, R. W. (2003). Depression and neurocognitive functioning in mild traumatic brain injury patients referred for assessment. *Journal of Clinical and Experimental Neuropsychology*, 25(3), 407-419.
- Ryan, N. (2005). The clinical utility of the Cognitive Assessment System (CAS) in a child and adolescent psychiatric inpatient population. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 65(8-B), 4333. US: Univ Microfilms International.
- Ryan, W. J., Kucharski, L. T., & Kunkle, C. D. (2003). Judicial and amorous stalkers: An analysis of Rorshach, MMPI-2 and findings. *American Journal of Forensic Psychology*, 21(4), 5-30.
- Rychlak, R. P. (2005). Implications of MMPI/MMPI-A findings for understanding adolescent development and psychopathology. *Journal of Personality Assessment*, 85, 257-270.
- Sabatino, D. A., Webster, B. G., & Vance, H. B. (2001). Childhood mood disorders: History, characteristics, diagnosis and treatment. H. B. Vance & A. Pumariega (Eds.), *Clinical assessment of child and adolescent behavior*. (pp. 413-449).
- Saketkoo, C. D. (2004). Validity and reliability of the Bender Visual Motor Gestalt as a projective personality measure. *Dissertation Abstracts International: Section B: The Sciences & Engineering*, 64(8-B), 4061. US: Univ Microfilms International.
- Salazar-Schneiderman, C. S. T., Sommers, L. M., & Greene, R. L. (2015). Interpretation of the MMPI-21. *The Wiley Handbook of Personality Assessment*, , 158.
- Saltstone, R., Skinner, C., & Tremblay, P. (2001). Conditional standard error of measurement and personality scale scores: An investigation of classical test theory estimates with four MMPI scales. *Personality & Individual Differences*. Vol 30(4) , 691-698.
- Salveson, A. (2016). Law enforcement: The MMPI-2's PD scale and its relationship to job performance. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 76(12-B(E)).
- Samouei, R., Fooladvand, M., Janghorban, S., & Khorvash, F. (2015). Predicting the educational performance of Isfahan University students of medical sciences based on their behaviour profile, mental health and demographic characteristic. *Journal of Education and Health Promotion*, 4.
- Sances, G., Galli, F., Anastasi, S., Ghiotto, N., Giorgio, G., Guidetti, V., Firenze, C., Pazzi, S., Quartesan, R., Gallucci, M., & Nappi, G. (2010). Medication-overuse headache and

personality: A controlled study by means of the MMPI-2. *Headache: The Journal of Head and Face Pain*, 50(2), 198-209

Sankaran, K. (2005). Equivalence evaluation of the MMPI-2 for Singaporean college students. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 65(10-B), 5451. US: Univ Microfilms International.

Santana, P. S. (2005). Adult nonpatient data for the Rorschach Mutuality of Autonomy Scale. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 65(9-B), 4887. US: Univ Microfilms International.

Sarfati, Y., Bouchaud, B., & Hardy-Bayle, M.-C. (2003). Cathartic effect of suicide attempts not limited to depression: A short-term prospective study after deliberate self-poisoning. *Crisis: Journal of Crisis Intervention and Suicide*, 24(2), 73-78.

Satoh, K., Masaoka, Y., Kasai, H., Satoh, H., Tsukada, S., Seino, T., . . . Izumizaki, M. (2015). Amygdala Response During Anticipatory Anxiety in Patients with Tension-type Headache. *The Showa University Journal of Medical Sciences*, 27(1), 39-48.

Savasir, I. & Culha, M. (1996). Development of the MMPI-2 in Turkey. In J. N. Butcher (Ed), *International adaptations of the MMPI-2: Research and clinical applications*. Minneapolis, MN: University of Minnesota Press. (pp 448-462).

Savasir, I. & Erol, N. (1990). The Turkish MMPI: Translation, standardization, and validation. In J. N. Butcher & Spielberger, C. D. (Eds), *Advances in personality assessment* (Volume 8) (pp. 49-62), Hillsdale, N. J.: LEA Press..

Sawrie, S. M., Kahat, M. H., Dietz, C., Greene, R. L., Arredondo, R., & Mann, A. W. (1995). Internal structure of the MMPI-2 Addiction Potential Scale in alcoholic and psychiatric patients. *Journal of Personality Assessment*, 66, 177-193.

Scaduto, A.A., Barbieri, V., dos Santos, M.A. (2014). Comunidades terapêuticas para dependentes de substâncias psicoativas: avaliação dos resultados do tratamento. / Therapeutic communities for substance abusers: Assessment of treatment outcomes. *Psicologia: Teoria e Prática*, Vol 16(2), 156-171. <http://dx.doi.org/10.15348/1980-6906/psicologia.v16n2p156-171>

Scafidi, F. A., Field, T., Prodromidis, M., & Abrams, S. M. (1999). Association of fake-good MMPI-2 profiles with low Beck Depression Inventory scores. *Adolescence*. Vol 34(133), 61-68.

Scholte, W.R., Eurelings-Bontekoe, E.H.M., Tiemens, B.G., Verheul, R., Meerman, A., &

Hutschemaekers, G.J.M. (2014). Association between level of personality organization as assessed with theory-driven profiles of the Dutch Short Form of the MMPI and outcome of inpatient treatment for personality disorder. *Bulletin of the Menninger Clinic*, 78(2), 160-176. <http://dx.doi.org/10.1521/bumc.2014.78.2.160>

Scholte, W., Tiemens, B., Verheul, R., Meerman, A., Egger, J. & Hutschemaekers, G. (2012), The RC scales predict psychotherapy outcomes: The predictive validity of the MMPI-2's restructured clinical scales for psychotherapeutic outcomes. *Personality*, 6, 292–302. doi: 10.1002/pmh.1190

Scholte, W., Tiemens, B., Verheul, R., Meerman, A., Egger, J., & Hutschemaekers, G. (2012). Predictive validity of the MMPI-2 clinical, PSY-5, and RC scales for therapy disruptive behavior. *Journal of Psychiatric Practice*, 18, 420-429.

Schramm, K.M. (2014). *An examination of suicide in law enforcement utilizing the MMPI-2-RF, PAI, and CPI*. (Doctoral Dissertation). Retrieved from ProQuest Dissertations & Theses. (3590405)

Schroeder, R.W., Baade, L.E., Peck, C.P., VonDran, E.J., Brockman, C.J., Webster, B.K., & Heinrichs, R.J. (2012). Validation of MMPI-2-RF validity scales in criterion group neuropsychological samples. *The Clinical Neuropsychologist*, 26, 129-146.

Schattner, T. J. (2003). Sex offenders and the use of the validity scales of the MMPI-2 to confirm treatment progress. *Dissertation Abstracts International: Section B: The Sciences & Engineering*, 64(5-B), 2404. US: Univ Microfilms International.

Schatz, D., Harder, D., Schatz, M., Harden, K., Chilingar, L., Fox, D., & Hoffman, C. (2000). The relationship of maternal personality characteristics to birth outcomes and infant development. *Birth*. Vol 27(1), 25-32.

Schaugaard, M. J. (1999). Detection of MMPI-2 faked, honest response, and archival comparison group membership. *Dissertation s International: Section B: the Sciences & Engineering*. Vol 60(3-B), 1314. US: Univ Microfilms International.

Scheibe, S., Bagby, R. M., Miller, L. S., & Dorian, B. J. (2001). Assessing posttraumatic disorder with the MMPI-2 in a sample of workplace accident victims. *Psychological Assessment*. Vol 13(3), 369-374.

Schill, T., & Wang, T. (1990). Correlates of the MMPI-2 Anger Content Scale. *Psychological Reports*, 67, 800-804.

- Schinka, J. A. & LaLone, L. (1997). MMPI-2 norms: Comparisons with a census-matched subsample. *Psychological Assessment*, 9, 307-311.
- Schinka, J. A., LaLone, L., & Greene, R. L. (1998). Effects of psychopathology and demographic characteristics on MMPI-2 scale scores. *Journal of Personality Assessment*, 70(2), 197-211.
- Schinka, J. A., LaLone, L., Tellegen, A., Ben-Porath, Y. S., Graham, J. R., Timbrook, R. E., Butcher, J. N., Harrell, T. H., Honaker, L. M., & Parnell, T. MMPI-2 norms and T scores. J. N. Butcher (Ed.), *Basic sources on the MMPI-2*. (pp. 101-160).
- Schleussner, D. (2005). Effectiveness of individual psychological psychotherapy--A long term trial regarding psychotherapy research. [German]. *Zeitschrift fur Individualpsychologie*, 30, 51-77.
- Schoenberg, M. R., Dorr, D., Morgan, C. D., & Burke, M. (2004). A comparison of the MCMI-III personality disorder and modifier indices with the MMPI-2 clinical and validity scales. *Journal of Personality Assessment*, 82(3), 273-280.
- Schmidt, R. G. (2010). Adding the Rey Memory Test to the MMPI-2: Implications for the evaluation of symptom reporting (in an acute care, inpatient psychiatric setting). *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 70(10-B), 6567.
- Schmutzler, P.A. (2008). Effect of motivation on superlative responding among aviation and psychology students on the MMPI-2. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 69, 1973.
- Schuder, K. M., Gooding, D. C., Matts, C. W., & Bolinskey, P. K. (2016). Further evidence of the MMPI-2-RF's ability to discriminate psychometrically identified schizotypic college students from a matched comparison sample. *Personality and Individual Differences*, 94, 107-112.
- Schuldberg, D. (1992). Ego-strength revised: A comparison of the MMPI-2 and MMPI-1 versions of the Barron Ego-Strength Scale. *Journal of Clinical Psychology*, 48, 500-505.
- Schutz, LE. (2002). MMPI-2 indicators of vocational prognosis after outpatient neurorehabilitation. *Archives of Clinical Neuropsychology*, 17, 784-784.
- Schwartz, A. (2016). The utility of the MMPI-2 symptom validity scale (FBS) for detecting litigation: An analog study. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 77(1-B(E)).

- Scogan, T. C. (2001). Assessing psychopathy with the MMPI-2: The development of a supplementary scale. *Dissertation Abstracts International: Section B: the Sciences & Engineering*. Vol 62(3-B), 1638, US: Univ Microfilms International.
- Scott, R. L., Butcher, J. N., Young, T. L.,& Gomez, N. (2002). The Hispanic MMPI-A across five countries. *Journal of Clinical Psychology*. Vol 58(4) , 407-417.
- Scott, W. C., Kaiser, D., Othmer, S., & Sideroff, S. I. (2005). Effects of an EEG Biofeedback Protocol on a Mixed Substance Abusing Population. *American Journal of Drug and Alcohol Abuse*, 31, 455-469.
- Scott, R. L., & Pampa, W. M. (2000). The MMPI-2 in Peru: A normative study. *Journal of Personality Assessment*. Vol 74(1), 95-105.
- Segal, M. (2004). A comparison of MMPI-2 profiles of women charged with murder or other offenses. *Dissertation Abstracts International: Section B: The Sciences & Engineering*, 64, 5801. US: Univ Microfilms International.
- Sellbom, M. (2014). A factor mixture model approach to elaborating on offender mental health classification with the MMPI-2-RF. *Journal of personality assessment*, DOI: 10.1080/00223891.2013.843538
- Sellbom, M.O.H. (2008). Locating psychopathy in abnormal range personality dimensions: The MMPI-2 restructured clinical (RC) scales as a road map. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 68, 4846.
- Sellbom, M. (2017). Mapping the MMPI-2-RF Specific Problems scales onto extant psychopathology structures. *Journal of Personality Assessment*, 99, 341-350.
- Sellbom, M. (2017). Using the MMPI-2-RF to Characterize Defendants Evaluated for Competency to Stand Trial and Criminal Responsibility. *International Journal of Forensic Mental Health*, 16(4), 304-312.
- Sellbom, M., & Arbisi, P. A. (2017). Introduction to the Special Section: Linking the MMPI-2-RF to Contemporary Models of Psychopathology. *Journal of Personality Assessment*, 99, 337-340.
- Sellbom, M., Anderson, J.L., & Bagby, R.M. (2013). Assessing DSM-5 section III personality traits and disorders with the MMPI-2-RF. *Assessment*, 20, 709-722.

- Sellbom, M., & Bagby, R. M. (2010). Detection of overreported psychopathology with the MMPI-2 RF form validity scales. *Psychological Assessment*, 22(4), 757-767.
- Sellbom, M., & Bagby, R. M. (2011). "Detection of overreported psychopathology with the MMPI-2 RF validity scales": Correction to Sellbom and Bagby (2010). *Psychological Assessment*, 23(1), 183.
- Sellbom, M., & Bagby, R.M. (2008). Validity of the MMPI-2-RF (restructured form) L-r and K-r scales in detecting underreporting in clinical and nonclinical samples. *Psychological Assessment*, 20, 370-376.
- Sellbom, M., Bagby, M., Kushner, S., Quilty, L.C., & Ayearst, L. (2011). Diagnostic construct validity of MMPI-2 restructured form (MMPI-2-RF) scale scores. *Assessment*. Online publication. doi: 10.1177/1073191111428763
- Sellbom, M., Bagby, R.M., Kushner, S., Quilty, L.C., & Ayears, L.E. (2012). Diagnostic construct validity of MMPI-2 restructured form (MMPI-2-RF) scale scores. *Assessment*, 19, 176-186.
- Sellbom, M., & Ben-Porath, Y. S. (2005). Mapping the MMPI-2 Restructured Clinical Scales Onto Normal Personality Traits: Evidence of Construct Validity. *Journal of Personality Assessment*, 85, 179-187.
- Sellbom, M., & Ben-Porath, Y. S. (2006). The Minnesota Multiphasic Personality Inventory-2. In R. P. Archer (Ed), *Forensic uses of clinical assessment instruments*, pp. 19-55. Mahwah, NJ, US: Lawrence Erlbaum Associates Publishers.
- Sellbom, M., Ben-Porath, Y.S., & Bagby, R.M. (2008). Personality and psychopathology: Mapping the MMPI-2 Restructured Clinical (RC) Scales onto the Five Factor Model of Personality. *Journal of Personality Disorders*, 22, 291-312.
- Sellbom, M., Ben-Porath, Y. S., Baum, L.J., Erez, E., & Gregory, C. (2008). Predictive validity of the MMPI-2 Restructured Clinical (RC) scales in a batterers' intervention program. *Journal of Personality Assessment*, 90, 129-135.
- Sellbom, M., Ben-Porath, Y. S., & Graham, J. R. (2006). Correlates of the MMPI-2 restructured clinical (RC) scales in a college counseling setting. *Journal of Personality Assessment*, 86, 89-99.
- Sellbom, M., Ben-Porath, Y. S., Graham, J. R., Arbisi, P. A., & Bagby, R. M. (2005). Susceptibility of the MMPI-2 Clinical, Restructured Clinical (RC), and Content Scales to Overreporting and Underreporting. *Assessment*, 12, 79-85.

- Sellbom, M., Ben-Porath, Y. S., Lilienfeld, S. O., Patrick, C. J., & Graham, J. R. (2005). Assessing psychopathic personality traits with the MMPI-2. *Journal of Personality Assessment*, 85, 334-343.
- Sellbom, M., Ben-Porath, Y.S., Patrick, C.J., Wygant, D.B., Gartland, D.M., & Stafford, K.P. (2012). Development and construct validation of MMPI-2-RF indices of global psychopathy, fearless-dominance, and impulsive-antisociality. *Personality Disorders: Theory, Research, and Treatment*, 3, 17-38.
- Sellbom, M., Dhillon, S., & Bagby, R. M. (2017). Development and Validation of an Overreporting Scale for the Personality Inventory for DSM-5 (PID-5). *Psychological Assessment*.
- Sellbom, M., Drislane, L. E., Johnson, A. K., Goodwin, B. E., Phillips, T. R., & Patrick, C. J. (2015). Development and Validation of MMPI-2-RF Scales for Indexing Triarchic Psychopathy Constructs. *Assessment*, doi:1073191115590853 [pii]
- Sellbom, M., Graham, J. R., & Schenk, P. W. (2005). Symptom Correlates of MMPI-2 Scales and Code Types in a Private-Practice Setting. *Journal of Personality Assessment*, 84, 163-171.
- Sellbom, M., Graham, J. R., & Schenk, P. W. (2006). Incremental validity of the MMPI-2 restructured clinical (RC) scales in a private practice sample. *Journal of Personality Assessment*, 86, 196-205.
- Sellbom, M. & Lee, T.T.C. (2013). Assessment of anxiety symptoms using the MMPI-2, MMPI-2-RF, and MMPI-A. In D. McKay & E.K. Storch (Eds.), *Handbook of assessing variants and complications in anxiety disorders* (pp.139-162). New York, NY: Springer.
- Sellbom, M., Lee, T.T.C., Ben-Porath, Y.S., Arbisi, P.A., & Gervais, R.O. (2012). Differentiating PTSD symptomatology with the MMPI-2-RF (restructured form) in a forensic disability sample. *Psychiatry Research*, 197, 172-179.
- Sellbom, M., & Meunier, G. (2003). Assessing antisocial characteristics in females: Can the Bender-Gestalt test provide clinically meaningful information? *Journal of Forensic Psychology Practice*, 3(2), 39-51.
- Sellbom, M., Smid, W., de Saeger, H., Smit, N., & Kamphuis, J.H. (2014). Mapping the personality psychopathology five domains onto DSM-IV personality disorders in Dutch clinical and forensic samples: Implications for DSM-5. *Journal of Personality Assessment*, 96(2), 185-191. <http://dx.doi.org/10.1080/00223891.2013.825625>

- Sellbom, M., & Smith, A. (2017). Assessment of DSM-5 Section II personality disorders with the MMPI-2-RF in a nonclinical sample. *Journal of personality assessment*, 99(4), 384-397.
- Sellbom, M., Toomey, J. A., Wygant, D. B., Kucharski, L. T., & Duncan, S. (2010). Utility of the MMPI-2-RF (Restructured Form) validity scales in detecting malingering in a criminal forensic setting: A known-groups design. *Psychological Assessment*, 22(1), 22-31.
- Sellbom, M., Waugh, M. H., & Hopwood, C. J. (2018). Development and Validation of Personality Disorder Spectra Scales for the MMPI-2-RF. *Journal of Personality Assessment*, 1-15.
- Sellbom, M., Wygant, D., & Bagby, M. (2012). Utility of the MMPI-2-RF in detecting non-credible somatic complaints. *Psychiatry Research*, 197, 295-301.
- Senior, G. (2001). Uses and abuses of the MMPI-2. *Australian Journal of Psychology*, 53, 200-200.
- Senior, G., & Douglas, L. (2001). Misconceptions and misuse of the MMPI-2 in assessing personal injury claimants. *Neurorehabilitation*. Vol 16(4) , 203-213.
- Senior, G. J., & Douglas, L. A. (2004). Straw men in the Land of Oz: A reply to Butcher and Ben-Porath (2004). *Australian Psychologist*, 39(1), 51-56.
- Senior, G.J., Lange, R.T., & Douglas, L.A. (2003). Detecting psychosocial exaggeration: base rates of the MMPI-2 validity index in community controls and personal injury claimants. *Archives of Clinical Neuropsychology*, 18, 787-788.
- Sepaher, I., Bongar, B., & Greene, R. L. (1999). Codetype base rates for the "I Mean Business" suicide items on the MMPI-2. *Journal of Clinical Psychology*. Vol 55(9), 1167-1173.
- Severin, D. A. (2003). A taxometric analysis of MMPI-2 impression management and self-deception scales in clergy. *Dissertation Abstracts International: Section B: The Sciences & Engineering*, 64(6-B), 2939. US: Univ Microfilms International.
- Shaeval, B. & Archer, R. (1996). Effects of MMPI-2 and MMPI-A norms on T score elevations for 18 year olds. *Journal of Personality Assessment*, 67, 71-78.
- Shaffer, J., Norman, Z., & Bourey, R. (2007). Gender differences on the MMPI-2 hypochondriasis scale in sleep apnea patients, *Sleep*, 30, A334-A334.

- Shaffer, J.I., Norman, Z.Z., Devabhaktuni, S., Jacquot, E., & Bourey, R.E. 2006. Gender differences in MMPI-2 depression scores in obstructive sleep apnea patients. *Sleep*, 29, A172-A172.
- Shaffer, T. W., Erdberg, P., & Haroian, J. (1999). Current nonpatient data for the Rorschach, WAIS--R, and MMPI-2. *Journal of Personality Assessment. Vol 73(2)* , 305-316. Lawrence Erlbaum, US
- Sharf, A. J., Rogers, R., Williams, M. M., & Henry, S. A. (2017). The effectiveness of the MMPI-2-RF in detecting feigned mental disorders and cognitive deficits: A meta-analysis. *Journal of Psychopathology and Behavioral Assessment*, 1-15.
- Sharpe, J. P., & Desai, S. (2001). The revised NEO Personality Inventory and the MMPI-2 Psychopathology Five in the prediction of aggression. *Personality & Individual Differences. Vol 31(4)*, 505-518.
- Shea, S. J. & McKee, G. R. (1996). MMPI-2 profiles of men charged with murder or other offenses. *Psychological Reports*, 78, 1039-1042.
- Shearer, D. S. (2001). The Minnesota Multiphasic Personality Inventory-2 and low back pain surgery outcome. *Dissertation Abstracts International: Section B: the Sciences & Engineering. Vol 62(1-B)*, 532, US: Univ Microfilms International.
- Shemer, H. (2010). *Cross-cultural equivalence of the MMPI-2 RF: A comparison between an Israeli and an American normal sample*. (Doctoral dissertation). Retrieved from Dissertations and Theses database. (UMI No. 3415799).
- Shercliffe, R.J., & Colotla, V. (2009). MMPI-2 profiles in civilian PTSD: An examination of differential responses between victims of crime and industrial accidents. *Journal of Interpersonal Violence*, 24, 349-360.
- Sherry, H.F. (2014). Estimated MMPI-2-RF profiles of women with disordered eating behavior. Dissertation Abstracts International: Section B: The Sciences and Engineering, Vol 75(2-B(E)), No Pagination Specified.
- Shi, Z., Guo, N. F., & Zhang, J. X. (2004). Evidence for the Congruence between the Chinese MMPI-2 and MMPI in Testing Schizophrenic Patients. *Chinese Mental Health Journal, 18(1)*, 42-44 (in Chinese).
- Shi, Z., Zhang, J. X., & Guo, N. F., (2003). Research about consistency of clinical scales between the Chinese MMPI and MMPI - 2. *Chinese Journal of Clinical Psychology, 11(4)*, 241-244 (in Chinese).

- Shi, Z.B., Zhang, J.X., Guo, N.F., & Li, C.Q. (2004). Evidence for the congruence between the Chinese MMPI-2 and MMPI in testing mental disorder patients. *International Journal of Psychology*, 39, 115-115.
- Shiels, J. (2015). *Detecting Feigned Depression on Psychology Graduate Students using the MMPI-2-RF*. Alliant International University.
- Shim, I. H., Wang, H., & Bahk, W. (2016). Typical MMPI-2 profiles of multiple-DWI individuals. *International Journal of Mental Health and Addiction*, 14(2), 149-153.
- Shkalim, E., Almagor, M., & Ben-Porath, Y. S. (2017). Examining current conceptualizations of psychopathology with the MMPI-2/MMPI-2-RF Restructured Clinical scales: Preliminary findings from a cross-cultural study. *Journal of Personality Assessment*, 99, 375-383.
- Shkalim, E., Ben-Porath, Y. S., Handel, R. W., Almagor, M., & Tellegen, A. (2016). Psychometric examination, adaptation, and evaluation of the Hebrew translation of the MMPI-2-RF VRIN-r and TRIN-r validity scales. *Journal of Personality Assessment*, 98(6), 608-615.
- Shura, R. D., Denning, J. H., Miskey, H. M., & Rowland, J. A. (2017). Symptom and performance validity with veterans assessed for attention-deficit/hyperactivity disorder (ADHD). *Psychological Assessment*, 29(12), 1458 – 1465.
- Siira, V., Wahlberg, K.E., Hakko, H., & Tienari, P. (2013). Stability in MMPI among adoptees with high and low genetic risk for schizophrenia and with low Communication Deviance of their adoptive parents. *Psychiatry research*, 210, 69-74.
- Silverstein, M. L. (2013). *Personality assessment in depth: A casebook*. New York: Routledge.
- Shin, M., Song, J., Han, K., Lee, H., Do, R., Kim, B. J., & Oh, S. H. (2015). The effect of psychosocial factors on outcomes of cochlear implantation. *Acta Oto-Laryngologica*, 135(6), 572-577.
- Shiota, N. K., Krauss, S. S., & Clark, L. A. (1996). Adaptation and validation of the Japanese MMPI-2. In J. N. Butcher (Ed), *International adaptations of the MMPI-2: Research and clinical applications*. Minneapolis, MN: University of Minnesota Press. (pp 67-87).
- Shipp-Nelson, D. M. (2000). Normative personality profiles of graduate clinical psychology students using the 16 Personality Factor Questionnaire and the MMPI-2. *Dissertation Abstracts International: Section B: the Sciences & Engineering*. Vol 61(6-B), Jan , 3315, US: Univ Microfilms International.

- Shiri, S., Tsenter, J., Livai, R., Schwartz, I., & Vatine, J. (2003). Similarities between the psychological profiles of complex regional pain syndrome and conversion disorder patients. *Journal of Clinical Psychology in Medical Settings*, 10(3), 193-199.
- Shkalim, E. (2015). Psychometric Evaluation of the MMPI-2/MMPI-2-RF Restructured Clinical Scales in an Israeli Sample. *Assessment*, 22(5), 607-618. doi:10.1177/1073191114555884 [doi]
- Shkalim, E., Ben-Porath, Y. S., & Almagor, M. (2016). Mapping the MMPI-2/MMPI-2-RF Restructured Clinical Scales Onto Mood Markers in an Israeli Sample. *Journal of Personality Assessment*, , 1-5.
- Shores, A. & Carstairs, J. R. (1998). Accuracy of the MMPI-2 computerized Minnesota Report in identifying fake-good and fake-bad response sets. *The Clinical Neuropsychologist*, 12, 101-106.
- Siafaka, V., Hyphantis, T.N., Alamanos, I., Fountzilas, G., Skarlos, D., Pectasides, D., Mavreas, V., & Pavlidis, N. (2008). Personality factors associated with psychological distress in testicular cancer survivors. *Journal of Personality Assessment*, 90, 348-355.
- Siebert, M. (2016). *Exhibitionists, Child Molesters, and Rapists: Personality Differences on MMPI-2 Clinical Scales*. The Chicago School of Professional Psychology.
- Sieber, K. O., & Meyers, L. (1992). Validation of the MMPI-2 Social Introversion Subscales. *Psychological Assessment*, 4, 185-189.
- Siegel, J. C. & Langford, J. S. (1998). MMPI-2 validity scales and suspected parental alienation. *American Journal of Forensic Psychology*, 16(4), 5-14.
- Siegel, S. L. (2002). Typologies of sex offenders: A Minnesota Multiphasic Personality Inventory (MMPI) cluster analytic study. *Dissertation Abstracts International: Section B: the Sciences & Engineering*. Vol 62(9-B), 4236, US: Univ Microfilms International.
- Siegel, J. C.; Bow, J. N. & Gottlieb, M. C. (2012). The MMPI-2 in high conflict child custody cases. *American Journal of Forensic Psychology*, Vol 30(3), 2012, 21-34.
- Siemsen, R. A. (1999). Relationships of rorschach and mmpi-2 variables to the hare psychopathy checklist-revised among mentally ill incarcerated felons. *Dissertation s International: Section B: the Sciences & Engineering*. Vol 60(5-B), 2367. US: Univ Microfilms International.
- Sierra, J. C., Zubeidat, I., Ortega, V., & Delgado-Dominguez, C. J. (2005). Assessment of the

relationship between psychopathological personality traits and sleep quality. *Salud Mental [Spanish]*, 28(3), 13-21.

Siira, V., Wahlberg, K.E., Miettunen, J., Laksy, K., & Tienari, P. (2008). MMPI measures as signs of predisposition to mental disorder among adoptees at high risk for schizophrenia. *Psychiatry Research*, 158, 278-286.

Siira, V., Wahlberg, K.E., Miettunen, J., Tienari, P., & Laksy, K. (2006). Differentiation of adoptees at high versus low genetic risk for schizophrenia by adjusted MMPI indices. *European Psychiatry*, 21, 245-250.

Siira, V., Wahlberg, K-E., Miettunen, J., Laksy, K., & Tienari, P. (2004). Psychometric deviance measured by MMPI in adoptees at high risk for schizophrenia and their adoptive controls. *Journal of Personality Assessment*, 83, 14-21.

Sillanpaa, M. C., Agar, L. M., & Axelrod, B. N. (1999). Minnesota Multiphasic Personality Inventory-2 validity patterns: An elucidation of gulf war syndrome. *Military Medicine*, 164, 261-263.

Simms, L. J., Casillas, A., Clark, L. A., Watson, D., & Doebbeling, B. N. (2005). Psychometric evaluation of the restructured clinical scales of the MMPI-2. *Psychological Assessment*, 17, 345-358.

Simonds, E.C., Handel, R.W., & Archer, R.P. (2008). Incremental validity of the Minnesota Multiphasic Personality Inventory-2 and Symptom Checklist-90-Revised with mental health inpatients. *Assessment*, 15, 78-86.

Simonsen, E. (2005). Experiences in Translating the Millon Inventories in a European Country. In S. Strack (ed.), *Handbook of personology and psychopathology*, pp. 390-402. US: John Wiley & Sons, Inc.

Sinacori, D. R. (2000). Depression in a brain-injured sample: An investigation of indicators on the Rorschach and MMPI-2. *Dissertation Abstracts International: Section B: the Sciences & Engineering*. Vol 60(8-B), 4251, US: Univ Microfilms International.

Sinha, B. K., & Watson, D. C. (2001). Personality disorder in university students: A multitrait-multimethod matrix study. *Journal of Personality Disorders*. Vol 15(3) , 235-244

Sinnett, E. R., & Downey, R. G. (1999). Is the demise of the original MMPI premature? *Psychological Reports*, Vol 85(2) 378-380.

- Sinnett, E., Robert, H., Michael, C., & Albott, W. L. (1999). Profile validity standards for MMPI and MMPI-2 F scales. *Psychological Reports*, Vol 84(1), 288-290.
- Sinnett, E. R., Shin, K., & Downey, R. G. (2003). The original MMPI and collegian norms revisited. *Psychological Reports*, 93(2), 515-518.
- Sirigatti, S. (2000). Toward an Italian version of the MMPI-2Adolescent. [Italian]. *Bollettino di Psicologia Applicata*. Vol 230, 67-72.
- Sirigatti, S., & Stefanile, E.C. (1994). Il questionario è leggibile? Il caso del MMPI-2. *Bollettino Di Psicologia Applicata*, 211, 49-51.
- Sirigatti, S, Pancheri, P, Narbone, G, & Biondi, M. (1994). L'adattamento italiano del MMPI-2 al vaglio del test-retest con bilingui. *Bollettino Di Psicologia Applicata*, 211, 23-27.
- Sirigatti, S., & Giannini, M. (2000). Detection of faking good on the MMPI-2: Psychometric characteristics of the S Scale. [Italian]. *Bollettino di Psicologia Applicata*. Vol 232(47) , 61-69.
- Sirigatti, S., Giannini, M., Laura-Grotto, R. & Giangrasso, B.(2002). Classificare i detenuti con il MMPI-2: il sistema di Megargee. Primi dati su un campione italiano. / Classifying prison inmates with the MMPI-2: The Megargee system. First data from an Italian sample. *Bollettino di Psicologia Applicata*, 238, 2002, 17-23.
- Sivec, H. J., Hilsenroth, M. J., & Lynn, S. J. (1995). MMPI-2: A cost-benefits model employing base rates. *Journal of Personality Assessment*, 64, 295-311.
- Sivik, T., Delimar, N., & Schoenfeld, R. (1999). Construct validity of the Sivik Psychosomaticism test and test of Operational Style: Correlations with four Minnesota Multiphasic Personality Inventory (MMPI) subscales. *Integrative Physiological & Behavioral Science*. Vol 34(2) , 79-84.
- Skeem, J. L., Golding, S. L., Cohn, N. B., & Berge, G. (1998). Logic and reliability of evaluations of competence to stand trial. *Law and Human Behavior*, 22(5), 519-548.
- Skinstad, A. H., Swain, A., & Ellertsen, B. (2001). MMPI-2 comparisons of substance abusers with additional diagnosis of personality disorders. *New Trends in Experimental & Clinical Psychiatry*. Vol 17(1-4) , 31-42.
- Slesinger, D. (2001). Minnesota Multiphasic Personality Inventory-2: Correlates in a chronic pain population. *Dissertation Abstracts International: Section B: the Sciences & Engineering*. Vol 62(3-B), 1633, US: Univ

Slesinger, D., Archer, R. P., & Duane, W. (2002). MMPI-2 characteristics in a chronic pain population. *Assessment. Vol 9(4)*, 406-414.

Slick, D. J.. Hopp, G., Strauss, E. & Spellacy, Frank J. Victoria Symptom Validity Test: Efficiency for detecting feigned memory impairment and relationship to neuropsychological tests and MMPI-2 validity scales. *Journal of Clinical and Experimental Neuropsychology. 18(6)*, 911-922.

Sloan, P., Arsenault, L., & Hilsenroth, M. J. (1998). A longitudinal evaluation of the Mississippi Scale for combat-related PTSD in detecting war-related stress symptomatology. *Journal of Clinical Psychology, 54(8)*, 1085-1090.

Sloore, H., Derkzen, J., de Mey, H., & Hellenbosch, G. (1996). The Flemish/Dutch version of the MMPI-2: Development and adaptation of the inventory for Belgium and the Netherlands. In J. N. Butcher (Ed), *International adaptations of the MMPI-2: Research and clinical applications*. Minneapolis, MN: University of Minnesota Press. (pp 329-349).

Smart, C.M., Nelson, N.W., Sweet, J.J., Bryant, F.B., Berry, D.T.R., Granacher, R. P., & Heilbronner, R.L. (2008). Use of MMPI-2 to predict cognitive effort: A hierarchically optimal classification tree analysis. *Journal of the International Neuropsychological Society, 14*, 842-852.

Smead, J.D. (2014). Using the MMPI-2-RF to assess and evaluate clients with acquired brain injury. Dissertation Abstracts International: Section B: The Sciences and Engineering, Vol 74(12-B(E)), No Pagination Specified.

Smith, E. D. (2000). The Minnesota Multiphasic Personality Inventory (MMPI-2) and mild traumatic brain injury: Analysis of a neurocorrection factor in a litigation sample. *Dissertation Abstracts International: Section B: the Sciences & Engineering. Vol 61(6-B)*, 3293, US: Univ Microfilms International.

Smith, S. (2016). Divorce and work related problems in law enforcement: Factors that influence law enforcement functioning. *Dissertation Abstracts International: Section B: The Sciences and Engineering, 77(3-B(E))*.

Smith, S. R, Hilsenroth, M. J., Castlebury, F. D., & Durham, T. W. (1999). The clinical utility of the MMPI-2 Antisocial Practices Content Scale. *Journal of Personality Disorders. Vol 13(4)* 385-393.

Smith, S. R. & Hilsenroth, M.J. (2001). Discriminative validity of the MacAndrew Alcoholism Scale with cluster B personality disorders. *Journal of Clinical Psychology*, 57(6), 801-803.

Smith, S. R., Gorske, T. T., Wiggins, C., & Little, J. A. (2010). Personality assessment use by clinical neuropsychologists. *International Journal of Testing*, 10(1), 6-20.

Smith-Zoeller, M. A. (2003). MMPI-2 subscale 8 responses and Native American traditional worldview: Is there a relationship? *Dissertation Abstracts International: Section B: the Sciences & Engineering*. Vol 63(98-B), 3933, US: Univ Microfilms International.

Smissen, C. P. (2010). Using interest inventory profile elevation to predict depression and anxiety in individuals with disabilities resulting from a personal injury. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 71(3-B), 2061.

Soetaert, D.K., Baade, L.E., Heinrichs, R.J., & Morgan, C. (2008). Examination of the MMPI-2 Fake Bad Scale in two inpatient samples. *Archives of Clinical Neuropsychology*, 23, 711-711.

Soliman, A. M. (1996). Development of an Arabic translation of the MMPI-2: With clinical applications. In J. N. Butcher (Ed), *International adaptations of the MMPI-2: Research and clinical applications*. Minneapolis, MN: University of Minnesota Press. (pp 463-486).

Soloff, P. H., Kelly, T. M., Strotmeyer, S. J., Malone, K. M., & Mann, J. J. (2003). Impulsivity, gender, and response to fenfluramine challenge in borderline personality disorder. *Psychiatry Research*, 119(1-2), 11-24.

Song, W. Z. (1985) Analysis of results of administration of the MMPI to normal Chinese subjects. *Acta Psychologica Sinica*, 17(4), 346-355 (in Chinese).

Solomon, D., Morgan, B., Åsberg, K., & McCord, D. (2014). Treatment implications based on measures of child abuse potential and parent mental health: Are we missing an intervention opportunity? *Children and Youth Services Review*, 43, 153-159.  
<http://dx.doi.org/10.1016/j.chlyouth.2014.05.016>

Song, W. Z. (1991). Use and evaluation of a modified MMPI in China. *International Journal of Mental Health*, 20(1), 81-93.

Song, W. Z., Cui, C. Z., Cheung, F. M., & Hong, Y. Y. (1987). Comparison of the personality characteristics of Beijing and Hong Kong students – Content analysis on the MMPI item endorsement differences. *Acta Psychologica Sinica*, 19(3), 263-269 (in Chinese).

- Sorokina, N.D., Selitskii, G.V., & Troshina, A. V. (2004). A psychophysiological study of affective disorders in patients during post-stroke rehabilitation. *Human Physiology*, 30, 166-171.
- Sperry, D. M., & Gilbert, B. O. (2005). Child peer sexual abuse: Preliminary data on outcomes and disclosure experiences. *Child Abuse & Neglect*, 29, 889-904.
- Spezzaferri, R., Modica, M., Racca, V., Ripamonti, V., Tavanelli, M., Brambilla, G., & Ferratini, M. (2016). Psychological disorders after coronary artery by-pass surgery: a one-year prospective study. *Monaldi Archives for Chest Disease*, 72(4).
- Spiro, A., III, Butcher, J. N., Levenson, M. R., Aldwin, C., & Bosse, R. (2000). Change and stability in personality: A five-year study of the MMPI-2 in older men. (pp 443-462). In J. N. Butcher, (Ed) (2000). *Basic sources on the MMPI-2*. Minneapolis, MN: University of Minnesota Press.
- Sprock, J. & Bienek, J. (1998). Barron's Ego Strength Scale and Welsh's Anxiety and Repression Scales: A comparison of the MMPI and MMPI-2. *Journal of Personality Assessment*, 70(3), 506-513.
- Sprock, J. (2000). Invalid response sets in MMPI and MMPI-2 profiles of college students. *Educational & Psychological Measurement*. Vol 60(6), 956-964.
- Sprohge, E., Handler, L., Plant, D. D., & Wicker, D. (2002). A Rorschach study of oral dependence in alcoholics and depressives. *Journal of Personality Assessment*. Vol 79(1) , 142-160.
- Staal, M. A. & Greene, R. L. (1998). Classification accuracy in the measurement of MMPI/MMPI-2: Profile similarity. *Journal of Personality Assessment*, 71(1), 70-83.
- Stafford, M. C. (2013). *Narcissism in Law Enforcement: A Correlation between the MMPI-2 and the Narcissistic Personality Inventory* (Doctoral dissertation). Retrieved from ProQuest Dissertations & Theses. (3557230)
- Stage, A.K. (2011). *Predicting common two-point combinations of the MMPI with the Dean-Woodcock structured emotional status exam in a neurological sample*. (Doctoral dissertation). Retreived from: <http://liblink.bsu.edu/uhtbin/catkey/1660961>
- Stage, S. A. (1999). Predicting behavior functioning of adolescents in residential treatment with profiles from the MMPI-A, CBCL/4-18, and CBCL/TRF. *Residential Treatment for Children & Youth*, 17(2), 49-74.

- Steffan, J. S., Morgan, R. D., Lee, J., & Sellbom, M. (2010). A comparative analysis of MMPI-2 malingering detection models among inmates. *Assessment*, 17(2), 185-196.
- Steffen, L. J. (1999). MMPI-2 indicators of return to work following injury and participation in a chronic pain program. *Dissertation s International: Section B: the Sciences & Engineering*. Vol 59(7-B), 3716. US: Univ Microfilms International.
- Steffan, J.S., & Morgan, R.D. (2008). Diagnostic accuracy of the MMPI-2 Malingering Discriminant Function Index in the detection of malingering among inmates. *Journal of Personality Assessment*, 90, 392-398.
- Stein, L. A. R. (1999). Detecting fake-good MMPI-A profiles in a correctional facility. *Dissertation s International: Section B: the Sciences & Engineering*. Vol 59(8-B), 4486. US: Univ Microfilms International.
- Stein, L. A. R., & Graham, J. R. (1999). Detecting fake-good MMPI-A profiles in a correctional facility. *Psychological Assessment*. Vol 11(3) , 386-395.
- Stein, L. A. R., & Graham, J. R. (2005). Ability of substance abusers to escape detection on the Minnesota Multiphasic Personality Inventory-Adolescent (MMPI-A) in a juvenile correctional facility, *Assessment*. 12, 28-39.
- Stein, L. A. R., & Graham, J. R. (2001). Use of the MMPI-A to detect substance abuse in a juvenile correctional setting. *Journal of Personality Assessment*. Vol 77(3) , 508-523.
- Stein, L. A. R, Graham, J. R., Ben-Porath, Y. S., McNulty, J. L. (1999). Using the MMPI-2 to detect substance abuse in an outpatient mental health setting. *Psychological Assessment*. Vol 11(1), 94-100.
- Stein, L. A. R., Graham, J. R., & Williams, C. L. (1995). Detecting fake-bad MMPI-A profiles. *Journal of Personality Assessment*, 65, 15-427.
- Stein, M. B. & Hackerman, F. R. (1991). The use of the MMPI-2 in conjunction with the Neo-Personality Inventory. *Psychological Reports*, 69, 955-958.
- Steffan, J. S., Clopton, J. R., & Morgan, R. D. (2003). An MMPI-2 scale to detect malingered depression (Md Scale). *Assessment*, 10(4), 382-392.

- Stevens, M. J., Kwan, K., & Graybill, D. F. (1993). Comparison of MMPI-2 scores of foreign Chinese and Caucasian-American students. *Journal of Clinical Psychology*, 49, 23-27.
- Stokes, J.M., Pogge, D.L., & Zaccario, M. (2013). Response character styles in adolescents: A replication of convergent validity between the MMPI-A and the Rorschach. *Journal of Personality Assessment*, 95, 159-173.
- Stolberg, R. A. (2001). Suicidal risk assessment with the MMPI-2. *Dissertation Abstracts International: Section B: the Sciences & Engineering*. Vol 62(3-B), 1601, US: Univ Microfilms International.
- Stoll, G.E. (2008)The Native American child molester: An exploration of psychopathology as measured by the Minnesota Multiphasic Personality Inventory and the Millon Clinical Multiaxial Inventory. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 68, 5625.
- Stone, F. L. (2006). Construct validity of the Rorschach Erlebnistypus (EB) using the Minnesota Multiphasic Personality Inventory - Second Edition (MMPI-2). *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 66(7-B), 3994.
- Stone, H.M. (2014). Mmpi-2-rf profiles of women with eating disorders in an inpatient setting: Anorexia nervosa, bulimia nervosa, and eating disorders -- not otherwise specified. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, Vol 74(9-B(E)), No Pagination Specified.
- Storm, J. (2003). The development of a scale to detect coached malingering on the MMPI-2. *Dissertation Abstracts International: Section B: The Sciences & Engineering*, 63(10-B), 4926. US: Univ Microfilms International.
- Storm, J., & Graham, J. R. (2000). Detection of coached general malingering on the MMPI--2. *Psychological Assessment*. Vol 12(2), 158-165.
- Stout, C. E. (1997). *Psychological assessment in managed care*. New York: John Wiley & Sons, Inc.
- Strack, S., & Guevara, L. F. (1999). Relating PACL measures of Millon's basic personality styles and MMPI-2 scales in patient and normal samples. *Journal of Clinical Psychology*. Vol 55(7), 895-906.
- Straeter, S. V. (2003). Body image and acculturation status, eating disorder symptomatology, psychopathology and self-esteem in Latina college students. *Dissertation Abstracts*

*International: Section B: The Sciences & Engineering*, 63(9-B), 4388. US: Univ Microfilms International.

Strassberg, D. S. & Russell, S. W. (2000). MMPI-2 content scales validity within a sample of chronic pain patients. *Journal of Psychopathology and Behavioral Assessment*, 22(1), 47-61.

Strassberg, D. S. (1991). A resolution of the interpretive dilemmas created by the Minnesota Multiphasic Personality Inventory 2 (MMPI-2)? A reply to Ben-Porath and Graham. *Journal of Psychopathology and Behavioral Assessment*, 13, 181-184.

Strassberg, D. S. (1991). Interpretive dilemmas created by the Minnesota Multiphasic Personality Inventory 2 (MMPI-2). *Journal of Psychopathology and Behavioral Assessment*, 13, 53-59.

Strassberg, D. S., & Russell, S. W. (2000). MMPI-2 content scale validity within a sample of chronic pain patients. *Journal of Psychopathology & Behavioral Assessment*. Vol 22(1), 47-60.

Strassberg, D. S., Clutton, S., Korboot, P. (1991). A descriptive and validity study of the Minnesota Multiphasic Personality Inventory-2 (MMPI-2) in an elderly Australian sample. *Journal of Psychopathology and Behavioral Assessment*, 13, 1991.

Strassberg, D. S., Tilley, D., Bristone, S., & Tian, P. S. (1992). The MMPI and chronic pain: A cross-cultural view. *Psychological Assessment*, 4(4), 493-497.

Streiner, D. L. (2003). Being inconsistent about consistency: When coefficient alpha does and doesn't matter. *Journal of Personality Assessment*, 80(3), 217-222.

Streit, K., Greene, R. L., Cogan, R., & Davis, H. G. (1993). Clinical correlates fo MMPI depression scales. *Journal of Personality Assessment*, 60(2), 390-396.

Stroescu, I. (2010). Response bias in neuropsychology: A factor analytic exploration of cognitive effort and psychological response validity indicators. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 71(4-B), 2703.

Strong, D. R, Greene, R. L., Hoppe, C., Johnston, T., & Olesen, N.. Taxometric analysis of impression management and self-deception on the MMPI-2 in child-custody litigants. *Journal of Personality Assessment*. Vol 73(1) , 1-18.

- Strong, D. R., Greene, R. L., & Kordinak, S. T. (2002). Taxometric analysis of impression management and self-eoption in college student and personnel evaluation settings. *Journal of Personality Assessment*. Vol 78(1), 161-175.
- Strong, D. R., Greene, R. L., & Schinka, J. A. (2000). A taxometric analysis of MMPI-2 Infrequency Scales [F and F(p)] in clinical settings. *Psychological Assessment*. Vol 12(2) Jun , 166-173.
- Stroupe, M. A. (1999). The effects of k-correction on the validity of MMPI-A. *Dissertation s International: Section B: the Sciences & Engineering*. Vol 59(10-B), 5615. US: Univ Microfilms International.
- Stuetzle, R. E. (2000). Item-content bias on scale 1 of the MMPI-2, and the development of stroke-related subscales. *Dissertation Abstracts International: Section B: the Sciences & Engineering*. Vol 60(10-B), 5234, US: Univ Microfilms International.
- Stukenberg, K., Brady, C., & Klinetob, N. (2000). Psychiatric inpatients and the MMPI-2: Providing benchmarks. *Journal of Clinical Psychology*, 56(6), 747-756.
- Stukenberg, K., Brady, C., & Klinetob, N. (2000). Use of the MMPI-2's VRIN scale with severely disturbed populations: Consistent responding may be more problematic than inconsistent responding. *Psychological Reports*. Vol 86(1), 3-14.
- Subotnik, K. L., Asarnow, R. F., Nuechterlein, K. H., Fogelson, D. L., Thorpe, T. I., Payne, D. L. Giannini, C. A., Kupping, H. E., Torquato, R. D., Mintz, J., Hwang, S. S., & Gottesman, I. I. (2005). MMPI Vulnerability Indicators for Schizophrenia and Attention Deficit Disorder: UCLA Family Study of Biological Parents of Offspring with Childhood-Onset Schizophrenia or ADHD. *Behavior Genetics*, 35, 159-175.
- Subotnik, K. L., Nuechterlein, K. H., & Green, M. F. (1999). Trait versus state aspects of the MMPI during the early course of schizophrenia. *Journal of Psychiatric Research*. Vol 33(3) , 275-284.
- Subotnik, K. L., Nuechterlein, K. H., Irzhevsky, V., Kitchen, C. M., Woo, S. M., & Mintz, J. (2005). Is unawareness of psychotic disorder a neurocognitive or psychological defensiveness problem? *Schizophrenia Research*, 75, 147-157.

- Subotnik, K. L., Nuechterlein, K. H., & Ventura, J. (2000). MMPI discriminators of deficit vs. non-deficit recent-onset schizophrenia patients. *Psychiatry Research*. Vol 93(2), 111-123.
- Sue, S., Keefe, K., Enomoto, K., Durvasula, R. S., & Chao, R. (1996). Asian American and White college student's performance on the MMPI-2. In J. N. Butcher (Ed), *International adaptations of the MMPI-2: Research and clinical applications*. Minneapolis, MN: University of Minnesota Press. (pp 206-220).
- Sue, S., & Sue, D. W. (1974). MMPI comparisons between Asian American and Non-Asian students utilizing a student health psychiatric clinic. *Journal of Counseling Psychology*, 21, 423-427.
- Sulaiman, S., Bhugra, D., & De Silva, P. (2003). Symptoms of depression in women in Dubai—a pilot study. *European Journal of Psychiatry*, 17(1), 23-33.
- Sullivan, K.A., & Elliot, C. (2012). An investigation of the validity of the MMPI-2 response bias scale using an analog simulation design. *The Clinical Neuropsychologist*, 26, 160-176.
- Surette, M. A., & Serafino, G. (2003). Relationship between personality and law enforcement performance. *Applied H.R.M. Research*, 8(1), 89-92.
- Sweet, J.J., Malina, A., Ecklund-Johnson, E. (2006). Application of the new MMPI-2 Malingered Depression scale to individuals undergoing neuropsychological evaluation: Relative lack of relationship to secondary gain and failure on validity indices. *Clinical Neuropsychologist*, 20, 541-551.
- Sweet, J.J., Nelson, N.W., Berry, D.T.R., Granacher, R., & Heilbronner, R.L. (2006). Impact on MMPI-2 of cognitive effort on the Victoria Symptom Validity Test, Letter Memory Test, and Test of Memory Malingering. *Clinical Neuropsychologist*, 20, 206-206.
- Sweet, J.J., Nelson, N.W., & Heilbronner, RL. (2005). Relative lack of correspondence of individual MMPI-2 validity scales with individual measures of cognitive effort. *Clinical Neuropsychologist*, 19, 156-156.
- Swendsen, J.D., Conway, K.P., Rounsville, B.J., et al. (2002). Are personality traits familial risk factors for substance use disorders? Results of a controlled family study. *American Journal of Psychiatry*, 159, 1760-1766.

Szlyk, J. P., Becker, J. E., Fishman, G. A., & Seiple, W. (2000). Psychological profiles of patients with central vision loss. *Journal of Visual Impairment & Blindness*. Vol 94(12), 781-786.

Takatsuji, H., Kobayashi, T., Kojima, T., Hasebe, D., Izumi, N., Saito, I., & Saito, C. (2015). Effects of orthognathic surgery on psychological status of patients with jaw deformities. *International Journal of Oral and Maxillofacial Surgery*, 44(9), 1125-1130.

Talarowska, M., Zboralski, K., & Galecki, P. (2012). Results of the MMPI-2 test among patients suffering from depressive disorders and organic depressive disorders. *Pol Merkur Lakarski*, 32, 159-162.

Tanner, B.A. (2007). A Windows program to aid in MMPI-2 interpretation. *Computers in Human Behavior*, 23, 52-57.

Tardif, M., & van Gijseghem, H. (2005). Research Concerning Offenders: The Gender Identity of Pedophiles: What Does the Outcome Data Tell Us? *Journal of Child Sexual Abuse*, 14, 57-74.

Tarescavage, A.M. (2012). *Use of the MMPI-2-RF in predicting post-bariatric surgery appointment non-attendance*. (Master's thesis). Retrieved from:  
<http://etd.ohiolink.edu/send-pdf.cgi/Tarescavage%20Anthony%20Michael.pdf?kent1336413955>

Tarescavage, A. M., & Ben-Porath, Y. S. (2017). Examination of the feasibility and utility of flexible and conditional administration of the Minnesota Multiphasic Personality Inventory-2-Restructured Form. *Psychological Assessment*, 29(11), 1337 - 1348.

Tarescavage, A. M., Glassmire, D. M., & Burchett, D. (2016). Introduction of a conceptual model for integrating the MMPI-2-RF into HCR-20V3 violence risk assessments and associations between the MMPI-2-RF and institutional violence. *Law and Human Behavior*. Published online July 25, 2016 (doi: 10.1037/lhb0000207).

Tarescavage, A. M., Glassmire, D. M., & Burchett, D. (2018). Minnesota Multiphasic Personality Inventory-2-Restructured Form markers of future suicidal behavior in a forensic psychiatric hospital. *Psychological Assessment*, 30(2), 170 -178.

Tarescavage, A. M., & Ben-Porath, Y. S. (2015). A Response to Odland et al.'s Misleading, Alarmist Estimates of Risk for Overpathologizing when Interpreting the MMPI-2-RF. *The Clinical Neuropsychologist*, 29(2), 183-196.

- Tarescavage, A. M., Corey, D. M., Gupton, H. M., & Ben-Porath, Y. S. (2015). Criterion Validity and Practical Utility of the Minnesota Multiphasic Personality Inventory-2-Restructured Form (MMPI-2-RF) in Assessments of Police Officer Candidates. *Journal of Personality Assessment*, 97(4), 382-394.
- Tarescavage, A. M., Corey, D. M., & Ben-Porath, Y. S. (2016). A Prorating Method for Estimating MMPI-2-RF Scores From MMPI Responses: Examination of Score Fidelity and Illustration of Empirical Utility in the PERSEREC Police Integrity Study Sample. *Assessment*, 23(2), 173-190. doi:10.1177/1073191115575070 [doi]
- Tarescavage, A. M., Finn, J. A., Marek, R. J., Ben-Porath, Y. S., & van Dulmen, M. H. (2015). Premature termination from psychotherapy and internalizing psychopathology: The role of demoralization. *Journal of Affective Disorders*, 174, 549-555.
- Tarescavage, A. M., Fischler, G. L., Cappo, B. M., Hill, D. O., Corey, D. M., & Ben-Porath, Y. S. (2015). Minnesota Multiphasic Personality Inventory-2-Restructured Form (MMPI-2-RF) predictors of police officer problem behavior and collateral self-report test scores. *Psychological Assessment*, 27(1), 125.
- Tarescavage, A.M., Luna-Jones, L., & Ben-Porath, Y.S. (2014). Minnesota Multiphasic Personality Inventory-2-Restructured Form (MMPI-2-RF) predictors of violating probation after felonious crimes. *Psychological Assessment*, 26(4), 1375-1380.  
<http://dx.doi.org/10.1037/pas0000022>
- Tarescavage, A. M., Marek, R. J., Finn, J. A., Hicks, A., Rapier, J. L., & Ben-Porath, Y. S. (2013). Minnesota Multiphasic Personality Inventory-2-Restructured Form (MMPI-2-RF) Normative Elevation Rates: Comparisons With Epidemiological Prevalence Rates. *The Clinical neuropsychologist*, 27, 1106-1120.
- Tarescavage, A. M., Scheman, J., & Ben-Porath, Y. S. (2015). Reliability and validity of the Minnesota Multiphasic Personality Inventory-2-Restructured Form (MMPI-2-RF) in evaluations of chronic low back pain patients. *Psychological Assessment*, 27(2), 433.
- Tarescavage, A. M., Scheman, J., & Ben-Porath, Y. S. (2018). Prospective Comparison of the Minnesota Multiphasic Personality Inventory-2 (MMPI-2) and MMPI-2-Restructured Form (MMPI-2-RF) in Predicting Treatment Outcomes Among Patients with Chronic Low Back Pain. *Journal of Clinical Psychology in Medical Settings*, 25(1), 66-79.
- Tarescavage, A.M., Windover, A., Ben-Porath, Y.S., Boutacoff, L.I., Marek, R.J., Ashton, K., ... & Heinberg, L.J. (2013). Use of the MMPI-2-RF Suicidal/Death Ideation and Substance Abuse scales in screening bariatric surgery candidates. *Psychological assessment*, 25, 1384-1389.
- Tarescavage, A.M., Wygant, D.B., Boutacoff, L.I., & Ben-Porath, Y.S. (2013). Reliability, validity, and utility of the Minnesota Multiphasic Personality Inventory-2-Restructured

Form (MMPI-2-RF) in assessments of bariatric surgery candidates. *Psychological assessment*, 25, 1179-1194.

Tarescavage, A.M., Wygant, D.B., Gervais, R.O., & Ben-Porath, Y.S. (2012). Association between the MMPI-2 restructured form (MMPI-2-RF) and malingered neurocognitive dysfunction among non-head injury disability claimants. *The Clinical Neuropsychologist*, 27, 313-335.

Tate, V. P. (2004). Trends over time on the MMPI-2 for a sample of college students, 1993-1999: Statistical and descriptive correlates. *Dissertation Abstracts International: Section B: The Sciences & Engineering*. Vol 64(7-B), 3544. US: Univ Microfilms International.

Tateno, A., Yano, K., Kawakami, M., Imamura, Y., & Nakamura, K. (2015). Obsessive-Compulsive Disorder cases with a Good Prognosis which Underwent CBT and Morita Therapy. *Family Medicine & Medical Science Research*, 2015.

Tatrow, K., Blanchard, E. B., Hickling, E. J., & Silverman, D. J. (2003). Posttraumatic headache: Biopsychosocial comparisons with multiple control groups. *Headache*, 43(7), 755-766.

Tatrow, K., Blanchard, E. B., & Kim, M. (2003). Menstrual cycle effects on headache activity of tension-type headache: Preliminary Data. *Headache & Pain: Diagnostic Challenges, Current Therapy*, 14(2), 76-80.

Taylor, S. G. (2006). Are there differences in drinking patterns and course of alcoholism between inhibited and disinhibited alcoholics? *Dissertations International: Section B: The Sciences and Engineering*, 66(8-B), 4502. US: Univ Microfilms International.

Taziki, S., Saghafi, S., Fathi, D., & Ramezannezhad, A. (2014). Personality characteristics in migraine and tension type headache. *African Journal of Psychiatry*, 17(5), 1-4.

Teiverlaur, M., & Huik, J. (2013). An analysis of MMPI-2 profile of the participants of the international reality show “the moment of truth.” *Journal of Media Psychology*, 17, 1-24.

Telander, C. M. (1999). Asian and Hispanic-American performance on the supplementary scales of the MMPI-2. *Dissertation s International: Section B: the Sciences & Engineering*. Vol 59(11-B), 6108. US: Univ Microfilms International.

Tellegen, A. & Ben-Porath, Y. S. (1993). Code type comparability of the MMPI and MMPI-2: Analysis of recent findings and criticisms. *Journal of Personality Assessment*, 61, 489-500.

- Tellegen, A. & Ben-Porath, Y. S. (1996). Evaluating the similarity of MMPI-2 and MMPI profiles: Reply to Dahlstrom and Humphrey. *Journal of Personality Assessment*, 66, 640-644.
- Tellegen, A., & Ben-Porath, Y. S. (1992). The new uniform T-scores for the MMPI-2: Rationale, derivation, and appraisal. *Psychological Assessment*, 4, 145-155.
- Tellegen, A., Ben-Porath, Y. S., McNulty, J., Arbisi, P., Graham, J. R., & Kaemmer, B. (2003). *MMPI-2: Restructured clinical (RC) scales*. Minneapolis, MN.: University of Minnesota Press.
- Temple, R. O., Horner, M. D., Taylor, R. M. (2004). Brief Report: Relationship of MMPI-2 anxiety and defensiveness to neuropsychological test performance and psychotropic medication use. *Cognition & Emotion*, 18, 989-998.
- Temple, R. O., McBride, A. M., Horner, M. D., & Taylor, R. M. (2003). Personality characteristics of patients showing suboptimal cognitive effort. *Clinical Neuropsychologist*, 17(3), 402-409.
- Temple, R.O., Taylor, R.M., & Horner, MD. (2002). Relationship of MMPI-II anxiety and defensiveness to neuropsychological test performance and medication use. *Archives of Clinical Neuropsychology*, 17, 810-811.
- Terlidou, C., Moschonas, D., Kakitsis, P., Manthouli, M., Moschona, T., & Tsegos, I. K. (2004). Personality changes after completion of long-term group-analytic psychotherapy. *Group Analysis*, 37, 401-418.
- Testa, S. M. (2005). Correlates of health-related quality of life in epileptic and psychogenic nonepileptic seizures: Mood symptoms, personality factors, and neurocognitive functioning. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 65(7-B), 3728. US: Univ Microfilms International.
- Thivierge, J. L. (2016). *An Examination of MMPI-2-RF Profiles and Life Stressors of Women in Residential Treatment for Substance use Disorders*. Alliant International University.
- Thomas, M.L., Lanyon, R.I., Millsap, & R.E. (2009). Validation of diagnostic measures based on latent class analysis: A step forward in response bias research. *Psychological Assessment*, 21, 227-230.
- Thomas, M. L., & Locke, D. E. C. (2010). Psychometric properties of the MMPI-2-RF Somatic Complaints (RC1) Scale. *Psychological Assessment*, 22(3), 492-503.

- Thomas, S. N., & Plante, T. G. (2015). Psychological well-Being of Roman Catholic and Episcopal clergy applicants. *Pastoral Psychology*, 64(6), 875-881.
- Thompson, S.E. (2014). The minnesota multiphasic personality inventory-2nd edition and anonymous oocyte donor profiles: An investigation of supplementary scales and critical items. Dissertation Abstracts International: Section B: The Sciences and Engineering, Vol 75(5-B(E)), No Pagination Specified.
- Thumin, F. J. (2002). Comparison of the MMPI and MMPI-2 among job applicants. *Journal of Business & Psychology*. Vol 17(1), 73-86.
- Thurber, S., Snow, M., & Honts, C. R. (2002). The Zung Self-Rating Depression Scale: Convergent validity and diagnostic discrimination. *Assessment*. Vol 9(4), 401-405.
- Thurber, S., Snow, M., & Lee, J. P. (2001). The profile variability index in relation to psychopathology and academic achievement. *Journal of Genetic Psychology*. Vol 162(2), 242-246.
- Tinder, A. (2009). An empirical investigation of parental response styles as measured by the validity scales of the MMPI-2. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 69, 5795.
- Timbrook, R. E. & Graham, J. R. (1994). Ethnic differences on the MMPI-2? *Psychological Assessment*, 6(4), 212-217.
- Timbrook, R.E., Graham, J. R., Keiller, S. W., & Watts, D. (1993). Comparison of the Wiener-Harmon Subtle-Obvious scales and the standard validity scales in detecting valid and invalid MMPI-2 profiles. *Psychological Assessment*, 5, 53-61.
- Tirrell, C. A. (2005). Concurrent validity of the MMPI-A substance abuse scales: MAC-R, ACK, and PRO. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 65(9-B), 4893. US: Univ Microfilms International.
- Tobie, S.A. (2014). Differences in scores on the "F", "FB", and "L" scales of the MMPI-2 using incest and non-incest offenders either sexually abused or not. Dissertation Abstracts International: Section B: The Sciences and Engineering, Vol 74(12-B(E)), No Pagination Specified.
- Tolin, D. F., Maltby, N., Weathers, F. W., Litz, B. T., Knight, J., & Keane, T. M. (2004). The use of the MMPI-2 infrequency-psychopathology scale in the assessment of

posttraumatic stress disorder in male veterans. *Journal of Psychopathology & Behavioral Assessment*, 26(1), 23-29.

Tolin, D. F., Steenkamp, M. M., Marx, B. P., & Litz, B. T. (2010). Detecting symptom exaggeration in combat veterans using the MMPI-2 symptom validity scales: A mixed group validation. *Psychological Assessment*, 22(4), 729-736.

Tolmunen, T., Lehto, S. M., Laukkanen, J., Ronkainen, K., Julkunen, J., & Kauhanen, J. (2015). Somatic concerns, depressive traits, atherosclerosis and the incidence of cardiovascular disease in ageing Finnish men. *Journal of Psychosomatic Research*, 79(3), 207-213.

Tomaich, E. M. (2015). *Time to Return to Work Following Carpal Tunnel Surgery: Can it be Predicted by Somatic Complaints, Mindfulness, Or Body Awareness?* Fielding Graduate University.

Topchyan, A. (2010). Cross-validation of the matrix-predictive uniform law enforcement selection evaluation (M-PULSE) inventory validity scales. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 70(7-B), 4531.

Townsend, A. L. (2004). QEEG and MMPI-2 profiles of adults reporting childhood sexual abuse: Determining differences and predictor models. *Journal of Neurotherapy*, 8, 117-118.

Townsend, A. L. (2004). QEEG and MMPI-2 profiles of adults reporting childhood sexual abuse: Determining differences and predictor models. *Dissertation Abstracts International: Section B: The Sciences & Engineering*, 64, 6344. US: Univ Microfilms International.

Toyer, E. A. (1999). Development and validation of the A-ADHD: An MMPI-A scale to assess Attention-Deficit Hyperactivity Disorder in adolescents. *Dissertation s International: Section B: the Sciences & Engineering*. Vol 60(3-B), 1319. US: Univ Microfilms International.

Trachanatzi, K.A. (2014). A cross-cultural examination of Latino/a- and Caucasian levels of somatization and treatment attitudes using the MMPI-2. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, Vol 75(6-B(E)), No Pagination Specified.

Tran, B. N. (1996). Vietnamese translation and adaptation of the MMPI-2. In J. N. Butcher (Ed), *International adaptations of the MMPI-2: Research and clinical applications*. Minneapolis, MN: University of Minnesota Press. (pp 175-193).

- Tran, G. Q., Bux, D. A., Haug, N. A., Stitzer, M. L., & Svikis, D. S. (2001). MMPI-2 typology of pregnant drug-dependent women in treatment. *Psychological Assessment. Vol 13(3)*, 336-346.
- Treon, M., Dempster, L., & Blaesing, K. (2006). MMPI-2/A assessed personality differences in people who do, and do not, stutter. *Social Behavior and Personality, 34(3)*, 271-294.
- Trumbetta, S. L., Bolinskey, P. K., & Gottesman, I. I. (2013). The MMPI-ARC and MMPI-AF Scales: Psychometric properties of the MMPI-2-RF's Restructured Clinical (RC) and higher order factor scales when adapted for use with archival adolescent MMPI data. *Archives of Assessment Psychology, 3*, 23-36.
- Trunzo, J. J., Petrucci, R. J., Carter, A., & Donofrio, N. (1999). Use of the MMPI and MMPI-2 in patients being evaluated for cardiac transplant. *Psychological Reports, 85(3, Pt 2)*, 1105-1110.
- Trygg, T., Lundberg, G., Rosenlund, E., et al. (2002). Personality characteristics of women with fibromyalgia and of women with chronic neck, shoulder, or low back complaints in terms of Minnesota Multiphasic Personality Inventory and Defense Mechanism Technique Modified. *Journal of Musculoskeletal Pain, 10*, 33-55.
- Trytten, H. L. (2010). Relationship of measures of the unpredictability scales on the m-pulse(TM) to the content scales on the Minnesota Multiphasic Personality Inventory-II. *Dissertation Abstracts International: Section B: The Sciences and Engineering, 70(7-B)*, 4525.
- Tsai, D. C., & Pike, P. L. (2000). Effects of acculturation on the MMPI-2 scores of Asian American students. *Journal of Personality Assessment. Vol 74(2)*, 216-230.
- Tsirigotis, K., Gruszczyński, W., & Tsirigotis-Maniecka, M. (2015). Psychopathological Predictors of Indirect Self-Destructiveness in Patients with Schizophrenia. *Psychiatric Quarterly, , 1-10*.
- Tsushima, W.T., Bridenstine, M.P., & Balfour, J.F. (2004). MMPI-2 scores in the outcome prediction of gastric bypass surgery. *Obesity Surgery, 14*, 528-532.
- Tsushima, W.T., Geling, O., & Fabrigas, J. (2011). Comparison of MMPI-2 validity scale scores of personal injury litigants and disability claimants. *The Clinical Neuropsychologist, 25*, 1403-1414.

- Tsushima, W.T., Geling, O., & Woo, A. (2013). Comparison of four MMPI-2 validity scales in identifying invalid neurocognitive dysfunction in traumatic brain injury litigants. *Applied Neuropsychology: Adult*, 20, 263-271.
- Tsushima, W. T., & Ingolfsdottir, E. (2004). MMPI-2 scores of patients with insomnia. *Psychological Reports*, 94(1), 267-272.
- Tsushima, W. T., & Tsushima, V. G. (2001). Comparison of the Fake Bad Scale and other MMPI-2 validity scales with personal injury litigants. *Assessment*. Vol 8(2), 205-212.
- Tuchman, S. (2003). Personality characteristics of parents who have been court-ordered to have supervised visitation with their children: An exploratory study. *Dissertation Abstracts International: Section B: The Sciences & Engineering*, 64(3-B), 1538. US: Univ Microfilms International.
- Turkel, Y., Oguzturk, O., Dag, E., Buturak, S. V., & Ekici, M. S. (2015). Minnesota Multiphasic Personality Inventory profile in patients with restless legs syndrome. *Asia-Pacific Psychiatry*, 7(2), 153-156.
- Twenge, J. M., Gentile, B., DeWall, C. N., Ma, D., Lacefield, K., & Schurtz, D. R. (2010). Birth cohort increases in psychopathology among young Americans, 1938-2007: A cross-temporal meta-analysis of the MMPI. *Clinical Psychology Review*, 30(2), 145-154.
- Uluc, S. (2008). Examination of the criterion validity of the MMPI-2 depression, anxiety, and anger content scales. MMPI-2 depresyon, kaygi ve ofke içerik olceklerinin olcut gecerligi acisindan degerlendirilmesi. *Turk Psikiyatri Dergisi*, 19, 57-66.
- Uluç, S., Vatan, S., & Işıklı, S. (2014). MMPI Lineer T Puanları ve MMPI-2'nin Tek Tip T Puanlarının Türk Yetişkin Örnekleminde Karşılaştırılması. / A comparison of T-scores from MMPI and MMPI-2 in Turkish adults Turkish population. *Türk Psikiyatri Dergisi*, Vol 25(3), 190-200.
- Vacha-Haase, T., Kogan, L. R., Tani, C. R., & Woodall, R. A. (2001). Reliability generalization: Exploring variation of reliability coefficients of MMPI clinical scales scores. *Educational & Psychological Measurement*. Vol 61(1) , 45-59
- Vacha-Haase, T., Tani, C. R., Kogan, L. R., Woodall, R. A. & Thompson, B. (2001). Reliability generalization: Exploring reliability variations on MMPI/MMPI-2 validity scale scores. *Assessment*. Vol 8(4) , 391-401.
- Van der Heijden, P. T., Egger, J. I. M., & Derkxen, J. J. L. (2010). Comparability of scores on

the MMPI-2-RF Scales generated with the MMPI-2 and MMPI-2-RF booklets. *Journal of Personality Assessment*, 92(3), 254-259.

Van der Heijden, P.T., Egger, J.I.M., & Rossi, G.M.P. (2012). Integrating Psychopathology and Personality Disorders Conceptualized by the MMPI-2-RF and the MCMI-III: A Structural Validity Study. *Journal of Personality Assessment*. Advance Online Publication. doi: 10.1080/00223891.2012.656861

van der Heijden, P.T., Egger, J.I., Rossi, G.M., Grundel, G., & Derksen, J.J. (2013). The MMPI-2-restructured form and the standard MMPI-2 clinical scales in relation to DSM-IV. *European Journal of Psychological Assessment*, 29, 182.

van der Heijden, P.T., Egger, J.I., Rossi, G.M., van der Veld, W.M., & Derksen, J.J. (2013). Personality and psychopathology mapping the MMPI-2-RF on Cloninger's psychobiological model of personality. *Assessment*, 20, 576-584.

van der Heijden, P.T., Rossi, G.M., van der Veld, W.M., Derksen, J.J., & Egger, J.I. (2013). Personality and psychopathology: Higher order relations between the five factor model of personality and the MMPI-2 Restructured Form. *Journal of Research in Personality*, 47, 572-579.

Van Dyke, S. A., Axelrod, B. N., & Schutte, C. (2010). The utility of the Post-Concussive Symptom Questionnaire. *Archives of Clinical Neuropsychology*, 25(7), 634-639.

van Kemenade, J. F., & Hosman, C. M. (2015). The Development of a Short Psychotic Symptoms Questionnaire Using Data of a Two-Wave Epidemiological Study. *Psychology*, 6(16), 2125.

Van Wijk, C. H., & Meintjes, W. A. (2017). Mental health and personality functioning of naval specialists working in extreme environments. *Military Psychology*, 29(6), 601-614.

Valliant, P. M., De Wit, M., & Bowes, R. (2004). Cognitive and personality factors associated with assaultive and domestic offenders. *Psychological Reports*, 94, 1180-1184.

Valliant, P. M., Freeston, A., Pottier, D., & Kosmyna, R. (2003). Personality and executive functioning as risk factors in recidivists. *Psychological Reports*, 92(1), 299-306.

Valsiner, J., Diriwachter, R., & Sauck, C. (2005). Diversity in Unity: Standard Questions and Nonstandard Interpretations. In R. Bibace, J. D. Laird, K. L. Noller, & J. Valsiner (Eds), *Science and medicine in dialogue: Thinking through particulars and universals* (pp. 289-307). Westport, CT: Praeger Publishers.

- Van Akkerveeken, P. F. & Vendrig, A. A. (1998). Chronic symptoms after whiplash: A cognitive behavioral approach. In R. Gunzberg & M. Szpalski (Eds) *Whiplash injuries: Current concepts in prevention, diagnosis , and treatment of the cervical whiplash syndrome*. Philadelphia: Lippincott-Raven.
- Van Atta, R. E. (1999). Psychology: A study of the validity of the MMPI post-traumatic stress disorder scale: Implications for forensic clinicians. *Forensic Examiner*, 8(7-8), 20-23.
- Vanderslice-Barr, J., Lynch, J.K., & McCaffrey, R.J. (2008). Assessment of MMPI-2 symptom validity scales. *Archives of Clinical Neuropsychology*, 23, 706-706.
- van Hoof, E., de Meirleir, K., Cluydts, R., & Coomans, D. (2003). The symptoms and psychiatric status of the Bijlmermeer plane crash disaster: Similarities with chronic fatigue syndrome and gulf war syndrome. *Journal of Chronic Fatigue Syndrome*, 11(3), 3-21.
- Van Natta, S. C. (2005). A comparative study of the MMPI-2 clinical scales: An examination of differences in aggressive and nonaggressive psychiatric inpatients. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 65(7-B), 3731. US: Univ Microfilms International.
- Vande Streek, H. E. (2000). Concurrent validity of the Minnesota Multiphasic Personality Inventory, Jesness Inventory, and the Carlson Psychological Survey in a sample of juvenile delinquents. *Dissertation Abstracts International: Section B: the Sciences & Engineering*. Vol 60(9-B), 4951, US: Univ Microfilms International.
- Varela, J. G., Boccaccini, M. T., Scogin, F., Stump, J., & Caputo, A. (2004). Personality testing in law enforcement employment settings: A meta-analytic review. *Criminal Justice & Behavior*, 31, 649-675.
- Vaughn, M. G., & Howard, M. O. (2005). Self-Report Measures of Juvenile Psychopathic Personality Traits: A Comparative Review. *Journal of Emotional and Behavioral Disorders*, 13, 152-162.
- Velasquez, R. J., Ayala, G. X., & Mendoza, S. A. (1998). *Psychodiagnostic Assessment of U.S. Latinos: MMPI, MMPI-2, and MMPI-A Results*. East Lansing, MI: Julian Samora Research Institute.
- Velasquez, R. J., Chavira, D. A., Karle, H. R., Callahan, W. J., Garcia, J. A., & Castellanos, J. (2000). Assessing bilingual and monolingual Latino students with translations of the MMPI-2: Initial data. *Cultural Diversity & Ethnic Minority Psychology*. Vol 6(1), 65-72.

Velasquez, R., Maness, P. J., & Anderson, U. (2002). Culturally competent assessment of Latino clients. In J. N. Butcher (Ed). *Clinical personality assessment (2<sup>nd</sup> Edition)*. (pp. 154-170). New York: Oxford University Press.

Velasquez, R. J., Mendoza, S., Nezami, E., Castillo-Canez, I., Pace, T., Choney, S. K., Gomez, F. C., & Miles, L. E. (2000). Culturally competent use of the Minnesota Multiphasic Personality Inventory-2 with minorities. I. Cuellar & F. A. Paniagua, (Eds.), *Handbook of multicultural mental health*, (pp.389-417).

Velasquez, R., Gonzales, M., & Butcher, J. N., Castillo-Canez, I., Apodaca, J. X., & Chavira, D. (1997). Use of the MMPI-2 with Chicanos: Strategies for counselors. *Journal of Multicultural Counseling and Development*, 25, 107-120.

Veltri, C.O.C., Sellbom, M., Graham, J.R., Ben-Porath, Y.S., Forbey, J.D., & White, R.S. (2014). Distinguishing personality psychopathology five (PSY-5) characteristics associated with violent and nonviolent juvenile delinquency. *Journal of Personality Assessment*, 96(2), 158-165. <http://dx.doi.org/10.1080/00223891.2013.843539>

Veltri, C.O.C., & Williams, J.E. (2013). Does the disorder matter? Investigating a moderating effect on coached noncredible overreporting using the MMPI-2 and PAI. *Assessment*, 20, 199-209.

Vendrig, A. A. (2000). The Minnesota Multiphasic Personality Inventory and chronic pain: A conceptual analysis of a long-standing but complicated relationship. *Clinical Psychology Review*. Vol 20(5) , 533-559.

Vendrig, A. A., de Mey, H. R., Derkzen, J. L., & van Akkeren, P. F. (1998). Assessment of chronic back pain patient characteristics using factor analysis of the MMPI-2: Which dimensions are actually assessed? *Pain*, 76, 179-188.

Vendrig, A. A., Derkzen, J. J. L., & de Mey, H. R. (2000). MMPI-2 Personality Psychopathology Five (PSY-5) and prediction of treatment outcome for patients with chronic back pain. *Journal of Personality Assessment*. Vol 74(3), 423-438.

Vendrig, A. A., Derkzen, J. L., & de Mey, H R. (1999). Utility of selected MMPI-2 scales in the outcome prediction for patients with chronic back pain. *Psychological Assessment*, 11(3) 381-385.

Veraldi, D. M. (1992). Assessing PTSD in personal injury cases. *American Journal of Forensic Psychology*, 10(1), 5-13.

Vernon, M.,& Miller, K. (2001). Interpreting in mental health settings: Issues and concerns. *American Annals of the Deaf*. Vol 146(5) , 429-433.

- Viglione, D. J., Wright, D. M., Dizon, N. T., Moynihan, J. E., DuPuis, S., & Pizitz, T. D. (2001). Evading detection on the MMPI-2: Does caution produce more realistic patterns of responding? *Assessment*. Vol 8(3), 237-250.
- Viken, R., Kline, M. P., & Rose, R. J. (2005). Development and validation of an MMPI-based Sensation Seeking Scale. *Personality & Individual Differences*, 38, 619-625.
- Vines, L.M., Gervais, R.O., & Wygant, D. (2012). Empirically guided case conceptualization of posttraumatic stress disorder with the Minnesota multiphasic personality inventory-2 restructured form (MMPI-2-RF) in a forensic disability evaluation. *Journal of Psychological Practice*, 17, 180-205.
- Vinet, E.V., & Faundez, X. (2012). Consumo de alcohol y drogas en adolescentes evaluado a traves del MMPI-A. *Salud Mental*, 35, 205-213.
- Vo, B. M. (2010). Using the Vietnamese version of the MMPI-2 with clinical population from Vietnam. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 71(6-B), 3949.
- Vincent, K. R. (1990). The fragile nature of MMPI codetypes. *Journal of Clinical Psychology*, 46, 800-802.
- Vinet, E. V., & Gomez-Maqueo, M. E. L. (2005). Applicability of Mexican and United States norms for the MMPI-A in the assessment of Chilean adolescents. [Spanish]. *Revista Mexicana de Psicología*, 22, 519-528.
- Vitacco, M.J., Rogers, R., Gabel, J., & Munizza, J. (2007). An evaluation of malingering screens with competency to stand trial patients: A known-groups comparison. *Law and Human Behavior*, 3, 249-260.
- Volpe, U., Federspiel, A., Mucci, A., Dierks, T., Frank, A., Wahlund, L., Galderisi, S., & Maj, M. (2008). Cerebral connectivity and psychotic personality traits: A diffusion tensor imaging study. *European Archives of Psychiatry and Clinical Neuroscience*, 258, 292-299.
- Wagner, A. H. (1999). Empirical correlates of the MMPI as a function of ethnic group membership. *Dissertation s International: Section B: the Sciences & Engineering*. Vol 59(10-B), 5589. US: Univ Microfilms International.
- Wahler, C.N. (2014). Mmpi-2 profiles of women with medically unexplained physical symptoms. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, Vol 75(4-B(E)), No Pagination Specified.

- Waldo, S. L., McIntosh, D. E., & Koller, J. R. (1999). Personality profiles of adults with verbal and nonverbal learning disabilities. *Journal of Psychoeducational Assessment. Vol 17(3)*, 196-206.
- Walfish, S. (2011). Reducing MMPI-defensiveness in professionals presenting for evaluation. *Journal of Addictive Diseases, 30(1)*, 75-80.
- Walfish, S. (2007). Reducing Minnesota Multiphasic Personality Inventory defensiveness: effect of specialized instructions on retest validity in a sample of preoperative bariatric patients. *Surgery for Obesity and Related Diseases, 3*, 184-188.
- Walker, H. I. (2001). Male and female, Caucasian and African American alcohol-dependent veterans: An investigation of MacAndrews Alcoholism Scale-Revised scores as they relate to personality characteristics. *Dissertation Abstracts International: Section B: the Sciences & Engineering. Vol 61(7-B)*, 3892, US: Univ Microfilms International.
- Wallace, A., & Liljequist, L. (2005). A Comparison of the Correlational Structures and Elevation Patterns of the MMPI-2 Restructured Clinical (RC) and Clinical Scales. *Assessment, 12*, 290-294.
- Waller, N. G., DeYoung, C. G., & Bouchard, T. J., Jr. (2016). The recaptured scale technique: A method for testing the structural robustness of personality scales. *Multivariate Behavioral Research, 51(4)*, 433-445.
- Waller, N. G. (1999). Searching for structure in the MMPI. S. E. Embretson, & S. L. Hershberger (Eds.), *The new rules of measurement: What every psychologist and educator should know*. (pp. 185-217).
- Waller, N. G., Thompson, J. S., & Wenk, E. (2000). Using IRT to separate measurement bias from true group differences on homogeneous and heterogeneous scales: An illustration with the MMPI. *Psychological Methods. Vol 5(1)*, 125-146.
- Walsh, S. (2015). *Linking the psychopathology five scales of the MMPI-2-RF to the personality pattern and clinical syndrome scales of the MCMI-III: a study of concurrent and construct validity*. Wichita State University.
- Walters, G. L. & Clopton, J. R. (2000). Effect of symptom information and validity scale information on the malingering of depression on the MMPI-2. *Journal of Personality Assessment, 75(2)*, 183-199.
- Walters, G.D., Rogers, R., Berry, D.T.R., Miller, H.A., Duncan, S.A., McCusker, P.J., Payne, J.W., & Granacher, R.P., Jr.. (2008). Malingering as a categorical or dimensional

construct: The latent structure of feigned psychopathology as measured by the SIRS and MMPI-2. *Psychological Assessment*, 20, 238-247.

Wang, Z., Koenig, H. G., Ma, H., & Al Shohaib, S. (2016). Religion, Purpose in Life, Social Support, and Psychological Distress in Chinese University Students. *Journal of Religion and Health*, , 1-10.

Wang, L., Zhang, J., Shi, Z., Zhou, M., & Li, Z. (2010). Internal consistencies and structural analysis of the MMPI-2 PSY-5 facet subscales in Chinese population. *Journal of Psychopathology and Behavioral Assessment*, 32(1), 150-155.

Wang, J., Zhang, Y., & Luo, G. (2005). A Study on Applicability of Brief MMPI for Chinese Armed Police Force. [Chinese]. *Chinese Journal of Clinical Psychology*, 13, 138-140.

Wang, X. P., Yang, D. S., Li, L. J., Gao, B. L., Liu, Z. Q., Lu, P. Y., Yang, C. R., & Wang, G. Y. (1995). *Chinese Journal of Clinical Psychology*, 3(4), 227-229 (in Chinese).

Wang, Y., Wu, C., & Wu, A. (2000). The MMPI results in patients with chronic pain. [Chinese]. *Chinese Mental Health Journal*. Vol 14(5), 321-322.

Wang, Y. Q., Luo, H., & Wang, L. Q. (2003). Differentiate Indicator of Random Test of MMPI - 2. *Chinese Mental Health Journal*, 17(10), 682-684 (in Chinese).

Ward L. C., Kersh, B. C., & Waxmonsky, J. A. (1998). Factor structure of the paranoia scale of the MMPI-2 in relation to the Harris-Lingoes subscales and Comrey Factor Analysis. *Psychological Assessment*, 10, 292-296.

Ward, L. C. (1991). A comparison of T scores from MMPI and MMPI-2. *Psychological Assessment: A Journal of Consulting and Clinical Psychology*, 3, 688-690.

Ward, L. C. (1995). Correspondence of the MMPI-2 and MCMI-II in male substance abusers. *Journal of Personality Assessment*, 64, 394-396.

Ward, L. C. (1997). Confirmatory factor analyses of the Anxiety and Depression Content Scales of the MMPI-2. *Journal of Personality Assessment*, 68(3), 678-691.

Warnes, E. B. (2006). The Overcontrolled Hostility Scale from the Minnesota Multiphasic Personality Inventory - Second Edition (MMPI-2) in child custody evaluations. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 66(7-B), 3994.

- Warriner, E. M., Rourke, B. P., Velikonja, D., & Metham, L. (2003). Subtypes of emotional and behavioral sequelae in patients with traumatic brain injury. *Journal of Clinical and Experimental Neuropsychology*, 25(7), 904-917.
- Watkins, C. E. (1996). On Hunsley, Harangue, and Hoopla . *Professional Psychology: Research and Practice*, 27, 316-318.
- Watkins, E. R. (2000). MMPI profile configurations associated with convicted sex offenders from two West Virginia department of corrections facilities. *Dissertation Abstracts International: Section B: the Sciences & Engineering*. Vol 60(11-B), 5798, US: Univ Microfilms International.
- Watson, C., Quilty, L.C., & Bagby, M. (2011). Differentiating bipolar disorder from major depressive disorder using the MMPI-2-RF: A receiver operating characteristics (ROC) analysis. *Journal of Psychopathology and Behavioral Assessment*, 33, 368-374.
- Watson, P. J., Sawrie, S. M., Greene, R. L., & Arredondo, R. (2002). Narcissism and depression: MMPI-2 evidence for the continuum hypothesis in clinical samples. *Journal of Personality Assessment*. Vol 79(1), 85-109.
- Watson, G., Plemel, D., DeMotts, J. & Howard, M. T.; et al (1994). A comparison of four PTSD measures' convergent validities in Vietnam veterans. *Journal of Traumatic Stress*, 7, 75-82.
- Webb, L. M. (1999). Clinical assessment of malingering utilizing the Minnesota Multiphasic Personality Inventory-II (MMPI-II), Millon Clinical Multiaxial Inventory-III (MCMI-III), and Dissociative Experiences Scale. *Dissertations International*. Vol 59(12-A), 4362. US: University Microfilms International.
- Weed, N. C. (1993). An evaluation of the efficacy of MMPI-2 indicators of validity. *Dissertation Abstracts International*, 53, 3800.
- Weed, N. C., & Butcher, J. N. (1992). The MMPI-2 Development and research issues. In P. McReynolds (Ed). *Advances in Psychological Assessment*, Vol. 8. (pp 131-163).
- Weed, N. C., Ben-Porath, Y. S., & Butcher, J. N. (1990). Failure of the Weiner-Harmon MMPI subtle scales as predictors of psychopathology and as validity indicators. *Psychological Assessment: A Journal of Consulting and Clinical Psychology*, 2, 281-283.

- Weed, N. C., Butcher, J. N. & Ben-Porath, Y. S. (1995). MMPI-2 measures of substance abuse. In J. N. Butcher and C. D. Spielberger (Eds.) *Advances in personality assessment* Volume 10. Hillsdale, N. J.: LEA (pp 25-50).
- Weed, N. C., Butcher, J. N., Ben-Porath, Y. S., & McKenna, T. (1992). New measures for assessing alcohol and drug abuse with the MMPI-2: The APS and AAS. *Journal of Personality Assessment, 58*, 389-404.
- Weed, N. C., Han, K., & Butcher, J. N. (in press). The Minnesota Multiphasic Personality Inventory-2. In S. R. Briggs, J. M. Cheek, & E. M. Donohue (Eds), *Handbook of Adult Personality Inventories*. New York: Plenum.
- Weeks, R., & Weier, Z. (2006). Psychological assessment of the headache patient. *Headache, 46*, S110-S118.
- Weiss, P.A., Vivian, J.E., Weiss, W.U., Davis, R.D., & Rostow, C.D. (2013). The MMPI-2 L scale, reporting uncommon virtue, and predicting police performance. *Psychological services, 10*, 123.
- Werb, Z. (2006). MMP9 mediates angiogenic switch in early phases of carcinogenesis: implications for MMPI-based therapy. *Acta Pharmacologica Sinica, 27*, 20-20.
- Weilbaecher, A. N. (2002). MMPI-2 and Rorschach indices of schizophrenia: An evaluation of convergent and incremental validity. *Dissertation Abstracts International: Section B: the Sciences & Engineering. Vol 62(8-B)*, 3818, US: Univ Microfilms International.
- Weiner, I. (1995). Psychometric issues in forensic applications of the MMPI-2. In Y. S. Ben-Porath, J. R. Graham, G. C. N. Hall, R. D. Hirschman, & M.S. Zaragoza (Eds.), *Forensic applications of the MMPI-2*. Thousand Oaks, CA: Sage (pp 48-81).
- Weiner, I. B., & Greene, R. L. (2008). *Handbook of personality assessment*. New York: Wiley.
- Weiner, I. B. (1999). What the Rorschach can do for you: Incremental validity in clinical applications. *Assessment. Vol 6(4)*, 327-339.
- Weiner, I. B. (2001). Advancing the science of psychological assessment: The Rorschach Inkblot Method as exemplar. *Psychological Assessment. Vol 13(4)*, 423-432.
- Weisenburger, S.M., Harkness, A.R., McNulty, J.L., Graham, J.R., & Ben-Porath, Y.S. (2008). Interpreting low Personality Psychopathology-Five Aggressiveness scores on the MMPI-2: Graphical, robust, and resistant data analysis. *Psychological Assessment, 20*, 403-408.

Weiss, P. A., Bell, K. J., & Weiss, W. U. (2010). Use of the MMPI-2 Restructured Clinical (RC) scales in detecting criminal malingering. *Journal of Police and Criminal Psychology*, 25(1), 49-55.

Weiss, J. M. (2000). Idiographic use of the MMPI-2 in the assessment of dangerousness among incarcerated felons. *International Journal of Offender Therapy & Comparative Criminology*. Vol 44(1), 70-83.

Weitlauf, J. C. (2003). Attention, intelligence and emotional functioning in Attention Deficit Hyperactivity Disorder. *Dissertation Abstracts International: Section B: The Sciences & Engineering*, 63(12-B), 6110. US: Univ Microfilms International.

Welburn, K. R., Fraser, G. A., Jordan, S. A., Cameron, C., Webb, L. M., & Raine, D. (2003). Discriminating dissociative identity disorder from schizophrenia and feigned dissociation on psychological tests and structured interview. *Journal of Trauma & Dissociation*, 4(2), 109-130.

Wershba, R.E. (2014). Improving the ability of the MMPI-2-RF to discriminate between psychogenic non-epileptic seizures and epileptic seizures. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, Vol 74(8-B(E)), No Pagination Specified.

Wershba, R. E., Locke, D. E., & Lanyon, R. I. (2015). Analysis of Minnesota Multiphasic Personality Inventory-2-Restructured Form response bias indicators as suppressors or moderators in a medical setting. *Psychological Assessment*, 27(2), 733.

Wetter, M. W. & Deitsch, S. E. (1996). Faking specific disorders and temporal response consistency on the MMPI-2. *Psychological Assessment*, 8(1), 39-47.

Wetter, M. W., Baer, R. A., Berry, D. T., Robison, L. H., & Sumpter, J. (1993). MMPI-2 profiles of motivated fakers given specific symptom information. *Psychological Assessment*, 5, 317-323.

Wetter, M. W., Baer, R. A., Berry, D. T., Smith, G. T., & Larsen, L. (1992). Sensitivity of the MMPI-2 validity scales to random responding and malingering. *Psychological Assessment*, 4, 369-374.

Wetter, M. W. & Corrigan, S. K. (1995). Providing information to clients about psychological tests: A survey of attorneys' and law students' attitudes. *Professional Psychology: Research & Practice*, 26, 474-477.

- Wetzel, R. D., Brim, J., Guze, S. B., Cloninger, C. R., Martin, R. L., & Clayton, P. J. (1999). MMPI screening scales for somatization disorder. *Psychological Reports*. Vol 85(1) 341-348.
- Wetzel, R. D., Clayton, P. J., Cloninger, C. Robert; B. J., Martin, R. L., Guze, S. B., Yutzy, S. H., & North, C. (2000). Diagnosis of posttraumatic stress disorder with the MMPI: PK scale scores in somatization disorder. *Psychological Reports*. Vol 87(2), 535-541.
- Wetzel, R. D., Murphy, G. E., Simons, A., Lustman, P., North, C., & Yutzy, S. (2003). What does the Keane PTSD scale of the MMPI measure? Repeated measurements in a group of patients with major depression. *Psychological Reports*, 92(3), 781-786.
- Wetzler, S. & Marlowe, D. (1990). "Faking bad" on the MMPI, MMPI-2, and Millon-II. *Psychological Reports*, Dec 6-1990 D1118.
- Whatley, P. R., Allen, J., & Dana, R. H. (2003). Racial identity and the MMPI in African American male college students. *Cultural Diversity and Ethnic Minority Psychology*, 9(4), 345-353.
- Wheeler, H. M. (2015). *Personality assessment of ministerial candidates: A profile of ministerial candidacy applicants in the United Methodist Church and lie scale item analysis*. AZUSA PACIFIC UNIVERSITY.
- Whisman, M. A., Uebelacker, L. A. & Weinstock, L. M. (2004). Psychopathology and marital satisfaction: The importance of evaluating both partners. *Journal of Consulting & Clinical Psychology*, 72, 830-838.
- Whiteleather, A. (2014). Depression and introversion with sexual offenders. Dissertation Abstracts International: Section B: The Sciences and Engineering, Vol 74(10-B(E)), No Pagination Specified.
- Whitney, K.A., Davis, J.J., Shepard, P.H., & Herman, S.M. (2008). Utility of the Response Bias Scale (RBS) and other MMPI-2 validity scales in predicting TOMM performance. *Archives of Clinical Neuropsychology*, 23, 777-786.
- Whitten, W. D. (2010). Potential of multiple test biases against Hispanics in the MMPI-2: A study of Mexico and Venezuela. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 71(4-B), 2706.

- Whitworth, R. H. & McBlaine, D. D. (1993). Comparison of the MMPI and MMPI-2 administered to Anglo and Hispanic American university students. *Journal of Personality Assessment*, 61, 19-27.
- Wicklund, A.H., Ammar, A., Weitlauf, J.C., Heilbronner, R.L., Fink, J., Lee, R.C., Kelley, K., & Pliskin, N.H. (2008). MMPI-2 patterns in electrical injury: A controlled investigation. *Clinical Neuropsychologist*, 22, 98-111.
- Wiggins, J. S., Behrends, R. S., Ben-Porath, Y. S., Blatt, S. J., Costa, P. T. Jr., Gurtman, M. B., McAdams, D. P., Piedmont, R. L., Pincus, A. L., & Trobst, K. K. (2003). *Paradigms of personality assessment*. New York, NY, US: Guilford Press.
- Wilk J. E., P. A. (2000). The role of assessment in treatment planning: The impact of the MMPI-2 on treatment strategies. *Dissertation Abstracts International: Section B: the Sciences & Engineering*. Vol 60(12-B), 6389, US: Univ Microfilms International.
- Wilkinson, S. K. (2010). Effects of personality, prior PTSD and anxiety on police applicant hiring recommendations. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 71(2-B), 1384.
- Williams-Anderson, S. (2005). Predicting chronic juvenile offender recidivism using the MMPI-A. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 65(9-B), 4857. US: Univ Microfilms International.
- Williams, C. L., Butcher, J. N., Gass, C. S., Cumella, E. & Kally, Z. (2009). Inaccuracies About the MMPI-2 Fake Bad Scale in the Reply by Ben-Porath, Greve, Bianchini, and Kaufman (2009). *Psychological Injury and the Law* (2009) 2:182–197
- Williams, C. L., & Lally, S. J. (2017). MMPI-2, MMPI-2-RF, and MMPI-A administrations (2007–2014): Any evidence of a “new standard?”? *Professional Psychology: Research and Practice*, 48(4), 267 – 274.
- Williams, J. E. Weed, N. C. (2004). Review of computer-based test interpretation software for the MMPI-2. *Journal of Personality Assessment*. 83(1), 78-83.
- Williams, J. E. (2003). The relative validity of eight computer-based interpretations for the MMPI-2. *Dissertation Abstracts International: Section B: The Sciences & Engineering*, 63(10-B), 4931. US: Univ Microfilms International.
- Williams, C. L., & Butcher, J. N. (2011). Getting down to the basics: Validity and standard scales. In Williams, C.L., & Butcher, J.N., *A beginner's guide to the MMPI-A*, pp. 49-81. Washington, DC: American Psychological Association.

- Williams, C. L., & Butcher, J. N. (2011). Globalization of the MMPI-A: Making culturally inclusive interpretations. In Williams, C.L., & Butcher, J.N., *A beginner's guide to the MMPI-A*, pp. 107-137. Washington, DC: American Psychological Association.
- Williams, C. L., & Butcher, J. N. (2011). The MMPI-A and the digital age. In Williams, C.L., & Butcher, J.N., *A beginner's guide to the MMPI-A*, pp. 139-193. Washington, DC: American Psychological Association.
- Williams, C. L., & Lally, S. J. (2016). MMPI-2, MMPI-2-RF, and MMPI-A administrations (2007-2014): Any evidence of a “new standard?” *Professional Psychology: Research and Practice*. Published online June 9, 2016 (doi: 10.1037/pro0000088).
- Williams, J. E., & Weed, N. C. (2004). Relative User Ratings of MMPI-2 Computer-Based Test Interpretations. *Assessment*, 11, 316-329.
- Williams, J. E., & Weed, N. C. (2004). Review of computer-based test interpretation software for the MMPI-2. *Journal of Personality Assessment*, 83, 78-83
- Williams, J. S. (2002). Psychopathy in instrumental and reactive violent offenders using MMPI-2 scales as predictors. *Dissertation Abstracts International: Section B: the Sciences & Engineering*. Vol 62(9-B), 4243, US: Univ Microfilms International.
- Williams, M. A., Putzke, J. D., LaMarche, J. A., Bourge, R. C., Kirklin, J. K., McGiffin, D. C., & Boll, T. J. (2000). Psychological defensiveness among heart transplant candidates. *Journal of Clinical Psychology in Medical Settings*. Vol 7(3) , 167-174.
- Williams, P. E. (1999). Development of a sexual abuse scale for the MMPI-A: The Aversive Sexual Experience Scale. *Dissertation s International: Section B: the Sciences & Engineering*. Vol 59(12-B), 6516. US: Univ Microfilms International.
- Williams, S. (2006). A discriminant function analysis of the MMPI-2 in the differential diagnosis of Attention Deficit Hyperactivity Disorder in adults. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 66(7-B), 3965.
- Williamson, S. D. (1999). The relative sensitivity of the MMPI-2 substance abuse scales to psychopathology. *Dissertation s International: Section B: the Sciences & Engineering*. Vol 59(10-B), 5611. US: Univ Microfilms International.

- Wilson, S.N. (2011). *Comparative validity of MMPI-A scales scores in African American and Caucasian male juvenile delinquents*. (Doctoral dissertation). Retrieved from Dissertations and Theses database. (UMI No. 3430309).
- Wind, B. M. (2004). Codetype selection of MMPI-2 profiles: A Delphi approach. *Dissertation Abstracts International: Section B: The Sciences & Engineering*, 64, 5807. US: Univ Microfilms International.
- Winkleman, A.K. (2010). *Psychometric properties of the MMPI-A Harris-Lingoes and si subscales in a forensic sample*. (Doctoral dissertation). Retrieved from Dissertations and Theses database. (UMI No. 3441919).
- Wise, E. A., Streiner, D. L., & Walfish, S. (2010). A review and comparison of the reliabilities of the MMPI-2, MCMI-III- and PAI presented in their respective test manuals. *Measurement and Evaluation in Counseling and Development*, 42(4), 246-254.
- Wise, E. A. (1996) Comparative validity of the MMPI-2 and MCMI-II personality disorder classifications. *Journal of Personality Assessment*, 66, 569-582.
- Wise, E. A. (2001). The comparative validity of MCMI-II and MMPI-2 personality disorder scales with forensic examinees. *Journal of Personality Disorders*. Vol 15(3), 275-279.
- Wise, E. A. (2002). Relationships of personality disorders with MMPI-2 malingering, defensiveness, and inconsistent response scales among forensic examinees. *Psychological Reports*. Vol 90 (3,Pt1) , 760-766.
- Wolf, E.J. & Miller, M.W. (2014). The Minnesota Multiphasic Personality Inventory-2 Restructured Form and posttraumatic stress disorder: Forensic applications and considerations. *Psychological Injury and Law*, 7(2), 143-152.  
<http://dx.doi.org/10.1007/s12207-014-9193-z>
- Wolf, E.J., Miller, M.W., Orazem, R.J., Weierich, M.R., Castillo, D.T., Milford, J., Kaloupek, D.G., & Keane, T.M. (2008). The MMPI-2 Restructured Clinical Scales in the assessment of posttraumatic stress disorder and comorbid disorders. *Psychological Assessment*, 20, 327-340.
- Wolf, G.K., Reinhard, M., Cozolino, L.J., Caldwell, A., & Asamen, J.K. (2009). Neuropsychiatric symptoms of complex posttraumatic stress disorder: A preliminary Minnesota Multiphasic Personality Inventory scale to identify adult survivors of childhood abuse. *Psychological Trauma: Theory, Research, Practice, and Policy*, 1, 49-64.

- Wolfe, T.L. (2014). Suicide and non-suicidal self-injury risk assessment using the mmpi-2-rf. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, Vol 75(4-B(E)), No Pagination Specified.
- Woo, M., & Oei, T.P.S. (2007). MMPI-2 profiles of Australian and Singaporean psychiatric patients. *Psychiatry Research*, 150, 153-161.
- Woolley, M. M. (2004). An examination of the construct validity of three approaches to assessing personality disorder: Millon, Morey, Ben-Porath. *Dissertation Abstracts International: Section B: The Sciences & Engineering*, 64, 6347. US: Univ Microfilms International.
- Wong, J. L., & Besett, T. M. (1999). Sex differences on the MMPI-2 Substance Abuse Scales in psychiatric inpatients. *Psychological Reports*. Vol 84(2), 582-584.
- Woo, M., & Oei, T.P.S. (2008). Empirical investigations of the MMPI-2 Gender-Masculine and Gender-Feminine scales. *Journal of Individual Differences*, 29, 1-10.
- Wood, H.L. (2008). Cultural validity of the MMPI-2 substance abuse scales with American Indians. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 68, 4852.
- Woodka, R. M. (1999). Screening for eating disorders utilizing the Minnesota Multiphasic Personality Inventory. *Dissertation s International: Section B: the Sciences & Engineering*. Vol 60(4-B), 1905. US: Univ Microfilms International.
- Workowski, E. J., & Pallone, N. J. (1999). Previously unscored pre-service MMPI data in relation to police performance over a decade: A multivariate inquiry. *Journal of Offender Rehabilitation*, 29(3-4), 71-94.
- Wright, L.D. (2008). A search for and comparison of MMPI-2 maladjustment scales. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 69, 1999.
- Wright, P., Nussbaum, D., Lynett, E., & Buis, T. (1997). Forensic MMPI-2 profiles: Normative limitations impose interpretive restrictions with both males and females. *American Journal of Forensic Psychology*, 15, 19-37.
- Wygant, D.B. (2008). Validation of the MMPI-2 infrequent somatic complaints (FS) scale. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 68, 6989.

- Wygant, D.B., Anderson, J.L., Sellbom, M., Rapier, J.L., Allgeier, L.M., & Granacher, R.P. (2011). Association of the MMPI-2 restructured form (MMPI-2-RF) validity scales with structured malingering criteria. *Psychological Injury and Law*, 4, 13-23.
- Wygant, D.B., & Fleming, K.P. (2008). Clinical utility of MMPI-2 Restructured Clinical (RC) scales in therapeutic assessment: A case study. *Journal of Personality Assessment*, 90, 110-118.
- Wygant, D.B., Gevais, R.O., & Ben-Porath, Y.S. (2005). Correlation between Word Memory Test (WMT) performance and the MMPI-2 Restructured Clinical (RC) scales. *Archives of Clinical Neuropsychology*, 20, 892-892.
- Wygant, D.B., Gervais, R.O., & Ben-Porath, Y.S. (2008). The MMPI-2 restructured form (MMPI-2-RF) validity scales: Association with various response bias criteria. *Archives of Clinical Neuropsychology*, 23, 709-709.
- Wygant, D. B., Sellbom, M., Gervais, R. O., BenPorath, Y. S., Stafford, K. P., Freeman, D. B., & Heilbronner, R. L. (2010). Further validation of the MMPI-2 and MMPI-2-RF Response Bias Scale: Findings from disability and criminal forensic settings. *Psychological Assessment*, 22(4), 745-756.
- Wygant, D. B., Sellbom, M., Graham, J. R., & Schenk, P. W. (2006). Incremental Validity of the MMPI-2 PSY-5 Scales in Assessing Self-Reported Personality Disorder Criteria. *Assessment*, 13(2), 178-186.
- Xinyi, Z, Hongqi, H, & Ying, W. (2001). Analysis of MMPI data of medical fresh students in the past 13 years. *Chinese Mental Health Journal*, 15(4), 275-277.
- Yamout, K. Z., Heinrichs, R. J., Baade, L. E., Soetaert, D. K., & Liow, K. K. (2017). Comparative prediction of nonepileptic events using MMPI-2 clinical scales, Harris Lingoes subscales, and restructured clinical scales. *Epilepsy & Behavior*, 68, 31-34.
- Yanish, T. (2005). The utility of the MMPI-2 work interference scale with severe traumatic brain injury and stroke patients. *Dissertation Abstracts International Section A: Humanities and Social Sciences*, 65(10-A), 3757. US: Univ Microfilms International.
- Yazici, E., Kotan, D., Ozten, M., & Erol, A. (2015). Temperament and character traits in multiple sclerosis patients: a twink to lesion localization. *Bulletin of Clinical Psychopharmacology*, 25(1), S156-S7.

- Yell, N. (2008). A taxometric analysis of impression management and self-deception on the MMPI-2 and Rorschach among a criminal forensic population. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 68, 4853.
- Yen, S., & Siegler, I. C. (2003). Self-blame, social introversion, and male suicides: Prospective data from a longitudinal study. *Archives of Suicide Research*, 7(1), 17-27.
- Yildirim, A. S., Celik, M., Kabakci, E., & Ulusahin, A. (2005). Psychopathology and Personality Patterns in the First-Degree Relatives of Bipolar Patients. [Turkish]. *Turk Psikiyatri Dergisi*, 16, 229-236.
- Ying, L., Yu, W., & Bao-Kun, D. (2003). Clinical symptoms, personality characteristics and treatment of stutterers. [Chinese]. *Chinese Journal of Clinical Psychology*, 11(2), 144-145.
- Yildirim, A.S., Kabakci, E., & Ulusahin, A. (2002). Comparison of MMPI-2 profiles of the first degree relatives of bipolar patients and normal controls. *European Neuropsychopharmacology*, 12, S187-S188.
- Yoneyama, E., Matsui, M., Kawasaki, Y., Nohara, S., Takahashi, T., Hagino, H., Suzuki, M., Seto, H., & Kurachi, M. (2003). Gray matter features of schizotypal disorder patients exhibiting the schizophrenia-related code types of the Minnesota Multiphasic Personality Inventory. *Acta Psychiatrica Scandinavica*, 108(5), 333-340.
- Yook, S., Baek, J. M., & Hahn, S. W. (2017). Psychological Characteristics of Elderly Visited to the Department of Psychiatry: Focused on the Cluster Analysis of The Minnesota Multiphasic Personality Inventory-2. *Journal of Korean Geriatric Psychiatry*, 21(1), 1-7.
- Young, G. (2014). The MMPI-2-RF personality inventory in psychological injury cases. *Malingering, Feigning, and Response Bias in Psychiatric/Psychological Injury*, 56, 89-107.
- Young, K.R. (2009). Concurrent validity of the MMPI-2 substance abuse scales using physiological drug detection methods. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 69, 4451.
- Young, A. M. (2011). Are personality characteristics related to substance abuse treatment outcome?: Using the Minnesota Multiphasic Personality Inventory-2 (MMPI-2) Personality Psychopathology Five to evaluate influences of personality characteristics on substance abuse treatment outcome. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 71(7-B), 4510.

- Young, J.C., Kearns, L.A., & Roper, B.L. (2011). Validation of the MMPI-2 response bias scale and Henry-Heilbronner Index in a U.S. veteran population. *Archives of Clinical Neuropsychology*, 26, 194-204.
- Young, K. R. & Weed, N. C. (2005) Assessing alcohol and drug abusing clients with the MMPI-2. In J. N. Butcher (Ed.). *MMPI-2: The practitioner's handbook*. (pp. 361379). Washington, D. C.: American Psychological Association.
- Youngjohn, J. R. Davis, D, & Wolf, I (1997). Head injury and the MMPI-2: Paradoxical severity effects and the influence of litigation. *Psychological Assessment*, 9, 177-184.
- Youngjohn, J.R., Wershba, R., Stevenson, M., Sturgeon, J., & Thomas, M.L. (2011). Independent validation of the MMPI-2-RF somatic/cognitive and validity scales in TBI litigants tested for effort. *The Clinical Neuropsychologist*, 25, 463-476.
- Youssef, G., Plancherel, B., Laget, J., Corcos, M., Flament, M. F., & Halfon, O. (2004). Personality trait risk factors for attempted suicide among young women with eating disorders. *European Psychiatry*, 19(3), 131-139.
- Yu, L. M., & Templer, D. I. (2004). Personality, psychopathology, and demographic correlates of medical vs behavioral reasons for referral in alcoholic men. *Psychological Reports*, 94(1), 273-276.
- Zadra, A., Joncas, S., Pilon, M., et al. (2002). MMPI profiles of sleepwalkers and controls. *Sleep*, 25, 514.
- Zao-huo, C., & Lin-xiang, T. (2004). The Chinese Marital Quality Inventory: Development, reliability and validity. *Chinese Journal of Clinical Psychology*, 12, 226-230.
- Zapata, A., Kreuch, T., Landers, R. N., Hoyt, T. & Butcher, J. N. (2009). Clinical personality assessment in personnel settings using the MMPI-2: A cross-cultural comparison. *International Journal of Clinical and Health Psychology*, 9, 287-298.
- Zeng, H., Su, D., Jiang, X., Zhu, L., & Ye, H. (2016). The similarities and differences in impulsivity and cognitive ability among ketamine, methadone, and non-drug users. *Psychiatry Research*, 243, 109-114.
- Ze-Ping, X., Ming-Dao, Z., & Zhen, W. (2003). A study of the psychology and biology difference between obsessive-compulsive disorder patients with or without inherited history. [Chinese]. *Chinese Journal of Clinical Psychology*, 11(2), 89-91.

- Zhanbiao, S., Nianfeng, G., & Jianxin, Z. (2004). Evidence for the congruence between the Chinese MMPI-2 and MMPI in testing schizophrenic patients. *Chinese Mental Health Journal*, 18, 42-44.
- Zhang, H. C. (1988). Psychological measurement in China. *International Journal of Psychology*, 23(1), 101-117.
- Zhang, J. X. (1992). A study of K corrections used in Scale 8 and Scale 9 of the Chinese normative version of the MMPI. *Acta Psychologica Sinica*, 24(4), 429-435.
- Zhang, J. X., Song, W. Z., & Cheung, F. M. (1999). The MMPI-2 and its standardization in China and Hong Kong. *Chinese Mental Health Journal*, 13(1), 20-23, 29-31 (in Chinese).
- Zhang, J., Song, W., & Zhang, M. (1999). The MMPI-2 and its standardization in China and Hong Kong. [Chinese]. *Chinese Mental Health Journal*. Vol 13(1), 20-23.
- Zhang, J., Niaura, R., Todaro, J. F., McCaffery, J. M., Shen, B.-J., Spiro, A., & Ward, K. D. (2005). Suppressed hostility predicted hypertension incidence among middle-aged men: The normative aging study. *Journal of Behavioral Medicine*, 28, 443-454.
- Zhao, R. J., Sun, W., Zhang, L. L., Bao, Y. P., Huang, L., Dong, P., ... & Sun, H. Q. (2017). Psychopathology and personality traits associated with driving while intoxicated in Beijing, China: Implications for interventions. *The American Journal on Addictions*, 26(4), 374-378.
- Zenger, N. L. (2010). Malingering of depression in a prison population: Evaluating the utility of the Beck Depression Inventory-II. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 70(9-B), 5855.
- Ziegler, D. K. & Paolo, A. M. (1996). Self-reported disability due to headache: A comparison of clinic patients and controls, *Headache*, 36(8), 476-480.
- Zinn, S., McCumber, S., & Dahlstrom, W. G. (1999). Cross-validation and extension of the MMPI-A IMM scale. *Assessment*. Vol 6(1), 1-6.
- Zojaji, R., Javanbakht, M., Ghanadan, A., Hosien, H., & Sadeghi, H. (2007). High prevalence of personality abnormalities in patients seeking rhinoplasty. *Otolaryngology-Head and Neck Surgery*, 137, 83-87.
- Zolotas, Y., Kalafati, M., Tzannatos, E., & Rassias, D. (2017). Psychometric assessment: A case study of Greek merchant marine officers using the MMPI-2. In M. MacLachlan (Ed.), *Maritime psychology: Research in organizational and health behavior at sea* (pp. 201-222). Cham, Switzerland: Springer International Publishing.

Zonno, J. S. (2004). Correlates of behavioral infractions among institutionalized male juvenile offenders. *Dissertation Abstracts International: Section B: The Sciences & Engineering*, 64, 5244. US: Univ Microfilms International.

Zou, Y. Z., & Zhao, C. Y. (1992). Analysis of the structure validity of the Chinese version of the MMPI. *New Trends in Experimental and Clinical Psychiatry*, 8(1), 29-36.

Zubeidat, I., Fernandez-Parra, A., Sierra, J.C., & Salinas, J.M. (2007). Comorbidity of specific and generalized social anxiety in Spanish adolescents. *Psicothema*, 19, 654-660.

Zuckerman, M. (2003). Are there racial and ethnic differences in psychopathic personality? A critique of Lynn's (2002) racial and ethnic differences in psychopathic personality. *Personality and Individual Differences*, 35(6), 1463-1469.

Zwart, J-A., Ellertsen, B. & Bovim, G. (1996). Psychosocial factors and MMPI-2 patterns in migraine, cluster headache, tension-type headache, and cervicogenic headache. *New Trends in Experimental & Clinical Psychiatry*, 12(3), 167-174.

### **MMPI-A References Updated 3/30/2018**

Abbas, M., Kaiser, R., Shaw, J., & Yu, S. (2007). Criterion validity of the BDI-II and MMPI-A depression scale in tertiary care adolescent headache patients. *Cephalgia*, 27, 634-634.

Aharoni, D. M. (1999). The effectiveness of the MMPI-A in the assessment of adolescent substance abuse (Minnesota Multiphasic Personality Inventory). *Dissertations International: Section B: the Sciences & Engineering*, 60(6-B), 2932. US: Univ Microfilms International.

Alpern, J. J., Archer, R., & Coates, G. D. (1996). Development and effects of an MMPI- A K correction. *Journal of Personality Assessment*, 67, 155-168 .

Archer, R. (1992). *MMPI-A: Assessing adolescent psychopathology*. Hillsdale, N. J.: Lawrence Erlbaum Press.

Archer, R. P., & Baker, E. M. (2005). Minnesota Multiphasic Personality Inventory--Adolescent. In T. Grisso, G. Vincent, & D. Seagrave (Eds.), *Mental health screening and assessment in juvenile justice*, pp. 240-252. US: Guilford Press.

- Archer, R. P. & Krishnamurthy, R. (1997). MMPI-A and Rorschach indices related to depression and conduct disorder: An evaluation of the incremental validity hypothesis. *Journal of Personality Assessment*, 69, 517-533.
- Archer, R. P. (1997). Future directions for the MMPI-A: research and clinical issues. *Journal of Personality Assessment*, 68(1), 95-109.
- Archer, R. P. (1999). Overview of the Minnesota Multiphasic Personality Inventory- Adolescent (MMPI-A). M. E. Maruish, (Ed), *The use of psychological testing for treatment planning and outcomes assessment* (2nd ed.), (pp. 341-380).
- Archer, R. P. (2002). Editor's introduction to a special section on the MMPI-A Structural Sumy. *Assessment*. Vol 9(4) , 317-318.
- Archer, R. P., Bollnskey, P. K., Morton, T. L., & Farris, K. L. (2003). MMPI-A characteristics of male adolescents in juvenile justice and clinical treatment settings. *Assessment*, 10(4), 400-410.
- Archer, R. P., & Elkins, D. E. (1999). Identification of random responding on the MMPI- A. *Journal of Personality Assessment*, 73(3), 407-421.
- Archer, R. P., & Krishnamurthy, R. (2002). Essentials of MMPI-A assessment. *New York, US: John Wiley & Sons*. Archer, R. P., & Slesinger, D. MMPI-A patterns related to the endorsement of suicidal ideation. *Assessment*. Vol 6(1), 51-59.
- Archer, R. P., Bolinskey, P. K., Morton, T. L., & Farris, K. L. (2002). A factor structure for the MMPI-A: Replication with male delinquents. *Assessment*. Vol 9(4) , 319- 326.
- Archer, R. P., Handel, R. W., & Lynch, K. D. (2001). The effectiveness of MMPI-A items in discriminating between normative and clinical samples. *Journal of Personality Assessment*. Vol 77(3) , 420-435.
- Archer, R. P., Handel, R. W., & Lynch, K. D. (2002). The effectiveness of MMPI-A items in discriminating between normative and clinical samples: Erratum. *Journal of Personality Assessment*. Vol 79(2) , 375.
- Archer, R. P., Handel, R. W., Lynch, K. D., & Elkins, D. E. (2002). MMPI-A validity scale uses and limitations in detecting varying levels of random responding. *Journal of Personality Assessment*. Vol 78(3) , 417-431.
- Archer, R. P., Tirrell, C. A., & Elkins, D. E. (2001). Evaluation of an MMPI-A Short Form: Implications for adaptive testing. *Journal of Personality Assessment*. Vol 76(1) , 76-89.

- Archer, R. P., Zoby, M., & Stredny, R. V. (2006). The Minnesota Multiphasic Personality Inventory-Adolescent. In R. P. Archer (Ed), *Forensic uses of clinical assessment instruments*, pp. 57-87. Mahwah, NJ, US: Lawrence Erlbaum Associates Publishers.
- Archer, R. P., & Smith, S. R. (2008). *Personality assessment*. New York, NY, US: Routledge/Taylor & Francis Group.
- Arita, A. A. & Baer, R. A. (1998). Validity of selected MMPI-A Content Scales. *Psychological Assessment, 10*(1), 59-63.
- Atlis, M. M. (2004). Russian translation of the MMPI-A: Evaluation of cross-cultural equivalence. *Dissertation Abstracts International: Section B: The Sciences & Engineering, 64*(7-B), 3512. US: Univ Microfilms International.
- Baer, R. A., Ballenger, J., & Kroll, L. S. (1998). Detection of underreporting on the MMPI-A in clinical and community samples. *Journal of Personality Assessment, 71*(1), 98-113.
- Baer, R. A., Ballenger, J., Berry, D. T. R., & Wetter, M. W. (1997). Detection of random responding on the MMPI-A. *Journal of Personality Assessment, 68*(1), 139-151.
- Baer, R. A., Kroll, L. S., Rinaldo, J., Ballenger, J. (1999). Detecting and discriminating between random responding and overreporting on the MMPI-A. *Journal of Personality Assessment, 72*(2), 308-320.
- Bagdade, P. S. (2004). Malingering on the MMPI-A: An investigation of the standard validity scales and the Infrequency-Psychopathology Scale--- Adolescent version (Fp-A). *Dissertation Abstracts International: Section B: The Sciences & Engineering. Vol 64*(7-B), 3513. US: Univ Microfilms International.
- Baldwin, B. M. (2001). Reading ability and the MMPI-A: Creation of the READ Scale. *Dissertation Abstracts International: Section B: the Sciences & Engineering. Vol 62*(5-B), 2475, US: Univ Microfilms International.
- Bannen, M. A. (2000). Part A. disruptive disorders in adolescent girls: A neglected group. Part B. the clinical utility of the MMPI-A in the assessment of disruptive disordered adolescent girls. *Dissertation Abstracts International: Section B: the Sciences & Engineering. Vol 61*(2-B), 1070, US: Univ Microfilms International.
- Baron, A. T. (2003). Differences in psychopathology, temperament, and family/social history relative to the onset of sexual perpetration in youthful offenders. *Dissertation Abstracts International: Section B: The Sciences & Engineering, 63*(10-B), 4889. US: Univ Microfilms International.

- Barrios, D. R. (2004). The MMPI-A normal K+ profile: Prevalence and codetype characteristics in an adolescent inpatient population. *Dissertation Abstracts International: Section B: The Sciences & Engineering*, 65, 1068. US: Univ Microfilms International.
- Batigun, A. D., & Sahin, N. H. (2003). Can anger, impulsivity, and perceiving oneself as an inefficient problem solver be a forerunner of adolescent suicide? [Turkish]. *Turk Psikoloji Dergisi*, 18(51), 37-52.
- Baum, L. J., Archer, R. P., Forbey, J. D., & Handel, R. W. (2009). A review of the Minnesota Multiphasic Personality Inventory-Adolescent (MMPI-A) and the Millon Adolescent Clinical Inventory (MACI) with an emphasis on juvenile justice samples. *Assessment*, 16(4), 384-400.
- BenPorath, Y. S., & Archer, R. P. (2008). The MMPI-2 and MMPI-A. In Archer, R.P. & Smith, S.R. (Eds.), *Personality assessment* (pp. 81-131). New York, NY, US: Routledge/Taylor & Francis Group.
- Bloom, R. W. (2008). But still a gift: A part of the matter, not the heart of the matter. *PsycCRITIQUES*, 53(43).
- Bolinskey, P. K., Arnau, R. C., Archer, R. P., & Handel, R. W. (2004). A replication of the MMPI-A PSY-5 scales and development of facet subscales. *Assessment*, 11(1), 40-48.
- Brophy, A. L. (2005). Note on Meunier and Bodkins's (2005) "Interpretation of MMPI-A Scale 5 with female patients." *Psychological Reports*, 97, 673-674.
- Butcher, J. N. (in press). Personality assessment of adolescents with psychological problems. In J. N. Butcher (in press). *Handbook of psychopathology, Volume 2*. (p. xxx). Washington, D. C. American Psychological Association.
- Butcher, J. N. (2009). *Oxford Handbook of Personality Assessment*. New York, NY, US: Oxford University.
- Butcher, J.N., & Pope, K.S. (2006). The MMPI-A in Forensic Assessment. In S.N. Sparta & G.P. Koocher (Eds), *Forensic mental health assessment of children and adolescents*. (pp. 401-411). New York, NY: Oxford University Press.
- Butcher, J. N., & Williams, C. L. (1992). *MMPI-2 and MMPI-A: Essentials of clinical interpretation*. Minneapolis: University of Minnesota Press.

- Butcher, J. N., & Williams, C. L. (1992). *User's guide to the Minnesota Report: Adolescent Clinical System*. Minneapolis: National Computer Systems.
- Butcher, J. N., & Williams, C. L. (2000). Essentials of MMPI-2 and MMPI-A interpretation (2nd ed.).
- Butcher, J. N., Williams, C. L., Graham, J. R., Archer, R., Tellegen, A., Ben-Porath, Y. S., & Kaemmer, B. (1992). *MMPI-A manual for administration, scoring, and interpretation*. Minneapolis: University of Minnesota Press.
- Calderon, I. (2002). Effects of acculturation on the performance of mexican-american adolescents on selected scales of the MMPI-A (L, K, SC, and MA). *Dissertation Abstracts International: Section B: the Sciences & Engineering*, Vol 63(2-B), 1083
- Carlson, D. A. J. (2001). Computerized vs. written administration of the MMPI-A in clinical and non-clinical settings. *Dissertation Abstracts International: Section B: the Sciences & Engineering*. Vol 62(2-B), 1130, US: Univ Microfilms International.
- Carvalho, R. G., & Novo, R. F. Análise Factorial do MMPI-A: Replicação do Sumário Estrutural Original com uma Amostra Portuguesa.
- Cash, J. W. (2010). Convergent validity of the posit among adolescents in secure care facilities. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 71(4-B), 2716.
- Cashel, M. L., Ovaert, L., & Holliman, N. G. (2000). Evaluating PTSD in incarcerated male juveniles with the MMPI-A: An exploratory analysis. *Journal of Clinical Psychology*, 56(12), 1535-1550.
- Cashel, M. L., Rogers, R., Sewell, K. W., & Holliman, N. B. (1998). Preliminary validation of the MMPI-A for a male delinquent sample: An investigation of clinical correlates and discriminant validity. *Journal of Personality Assessment*, 71(1), 49-69.
- Cheung, F. M. & Ho, R. M. (1997). Standardization of the Chinese MMPI-A in Hong Kong: A preliminary study. *Psychological Assessment*, 9(4), 499-502.
- Conkey, V. A. (2000). Determining the sensitivity of the MMPI-A to random responding and malingering in adolescents. (Minnesota Multiphasic Personality Index, validity scales). *Dissertation Abstracts International: Section B: the Sciences & Engineering*. Vol 60(7-B), 3608, US: Univ Microfilms International.

- Contini de Gonzalez, E. N., Figueroa, M. I., Cohen Imach, S., & Coronel de Pace, P. (2001). The use of the MMPI-A in the identification of psychopathological traits in adolescents of Tucuman (Argentina). [Spanish]. *Revista Iberoamericana de Diagnostico y Evaluacion Psicologica*. Vol 12(2) , 85-96.
- Cox, A. C., Weed, N. C., & Butcher, J. N. (2009). The MMPI-2: History, interpretation, and clinical Issues. In Butcher, J.N. (Ed.), *Oxford handbook of personality assessment*, pp. 250-276. New York, NY, US: Oxford University Press.
- Cross, T. L., Cassady, J. C., Dixon, F. A., & Adams, C. M. (2008). The psychology of gifted adolescents as measured by the MMPI-A. *Gifted Child Quarterly*, 52(4), 326-339.
- Cumella, E. J., Wall, A. D., & Kerr-Almeida, N. (1999). MMPI-A in the inpatient assessment of adolescents with eating disorders. *Journal of Personality Assessment*. Vol 73(1) , 31-44.
- Cumella, E. J., & O'Connor, J. L. (2009). Assessing adolescents with the MMPI-A., 485- 498. Retrieved from Oxford University Press; US.
- DeHay, T. L. (2009). Personality characteristics of perpetrating parents and maltreated adolescents: An examination of the mediating effects of abuse type and severity. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 70(1-B), 727.
- Deluca, V. A. (2003). The relationship of the MMPI-A and Rorschach, to psychosis in adolescent psychiatric inpatients. *Dissertation Abstracts International: Section B: The Sciences & Engineering*. Vol 64(2-B), 959. US: Univ Microfilms International.
- Derksen, J., Ven Dijk, J., & Cornelissen, A. (2003). The Dutch version of the MMPI-A [Dutch]. *Psycholoog*, 38(6), 304-311.
- Dimino, R. A. (2003). Early memories, attachment style, the role of peers, and adolescent substance use. *Dissertation Abstracts International: Section B: The Sciences & Engineering*. Vol 63(12-B), 6091. US: Univ Microfilms International.
- Dugbartey, A. T. (2008). Crossing the cultural divide: Assessing Spanish-speaking Hispanics with MMPI instruments. *Journal of Clinical and Experimental Neuropsychology*, 30(3), 387-388.
- Facy, F., Rabaud, M., Lys, M., & Rene, M.-N. (1999). Personality characteristics and psychotropic substances use in young adults undergoing a health examination: Use of the Mini-Mult. [French]. *Annales Medico-Psychologiques*. Vol 157(1), 27- 39.

Farias, J. M. P., Duran, C., Gomez-Maqueo, E. L. (2003). MMPI-A temporal stability study through a test-retest design in a Mexican student sample. [Spanish]. *Salud Mental*, 26(2), 59-66.

Figuered, B. V. (2002). The concurrent validity of the Minnesota Multiphasic Personality Inventory-Adolescent in the assessment of depression. *Dissertation Abstracts International: Section B: the Sciences & Engineering*. Vol 62(10-B), 4782, US: Univ Microfilms International.

Finlay, S. W., & Kapes, J. T. (2000). Scale 5 of the MMPI and MMPI-A: Evidence of disparity. *Assessment*. Vol 7(1), 97-101.

Fogel, M., Baldwin, S., Gage, C., et al. (2003). Correlational analysis of the MMPI-A and PIC in neuropsychiatric adolescents. *Archives of Clinical Neuropsychology*, 18, 713-713.

Fontaine, J. L. (2000). The effects of varying clinical elevation demarcations on classification accuracy of the MMPI-A. *Dissertation Abstracts International: Section B: the Sciences & Engineering*. Vol 61(2-B), 1080, US: Univ Microfilms International.

Fontaine, J. L., Archer, R. P., Elkins, D. E., & Johansen, J. (2001). The effects of MMPI- A T-score elevation on classification accuracy for normal and clinical adolescent samples. *Journal of Personality Assessment*. Vol 76(2) , 264-281.

Fontaine, J. L., Archer, R. P., Elkins, D. E., Johansen, J. (2001).The effects of MMPI-A T-score elevation on classification accuracy for normal and clinical adolescent samples. *Journal of Personality Assessment*, 76(2), 264-281.

Forbey, J. D. (2002). Incremental validity of the MMPI-A content scales and interpretative utility of the content component scales of the MMPI-A in a residential treatment facility. *Dissertation Abstracts International: Section B: the Sciences & Engineering*. Vol 63(1-B), 522, US: Univ Microfilms International.

Forbey, J. D., & Ben-Porath, Y. S. (2001). Minnesota Multiphasic Personality Inventory- Adolescent (MMPI-A). W. L. Dorfman & M. Hersen (Eds.), *Understanding psychological assessment. Perspectives on individual differences*. (pp. 313-334).

Forbey, J. D., & Ben-Porath, Y. S. (2003). Incremental validity of the MMPI-A content scales in a residential treatment facility. *Assessment*, 10(2), 191-202.

Forbey, J. D., Ben-Porath, Y. S., & Davis, D. L. (2000). A comparison of sexually abused and non-sexually abused adolescents in a clinical treatment facility using the MMPI-A. *Child Abuse & Neglect*. Vol 24(4) , 557-568.

- Forbey, J. D., Handel, R. W., & Ben-Porath, Y. S. (2000). A real-data simulation of computerized adaptive administration of the MMPI-A. *Computers in Human Behavior*. Vol 16(1), 83-96.
- Friedman, A. F., Archer, R. P., & Handel, R. W. (2005). Minnesota Multiphasic Personality Inventories (MMPI/MMPI-2, MMPI-A) and Suicide. In R. I. Yufit, & D. Lester (Eds), *Assessment, treatment, and prevention of suicidal behavior* (pp. 63-91). Hoboken, NJ: John Wiley & Sons, Inc.
- Gallucci, N. T. (1997). On the identification of patterns of substance abuse with the MMPI-A. *Psychological Assessment*, 9, 224-232.
- Glaser, B. A., Calhoun, G. B., & Petrocelli, J. V. (2002). Personality characteristics of male juvenile offenders by adjudicated offenses as indicated by the MMPI-A. *Criminal Justice & Behavior*. Vol 29(2) , 183-201.
- Gomez, F. C. J., Johnson, R., Davis, Q., & Velasquez, R. J. (2000). MMPI--A performance of African and Mexican American adolescent first-time offenders. *Psychological Reports*. Vol 87(1), 309-314.
- Green, A. N. (2000). Minnesota Mmultiphasic Personality Inventory-Adolescent excitatory scales and demographics as predictors of male juvenile delinquent placement. *Dissertation Abstracts International: Section B: the Sciences & Engineering*. Vol 61(3-B), 1635, US: Univ Microfilms International.
- Guglielmucci, F., Saroldi, M., Zullo, G., Munno, D., & Granieri, A. (2017). Personality profiles and problematic internet use in a sample of Italian adolescents. *Clinical Neuropsychiatry: Journal of Treatment Evaluation*, 14(1), 94-103.
- Gumbiner, J. (2000). Limitations in ethnic research on the MMPI-A. *Psychological Reports*. Vol 87(3, Pt 2), 1229-1230.
- Gumbiner, J., Arriaga, T., & Stevens, A. (1999). Comparison of MMPI--A, Marks and Briggs, and MMPI--2 norms for juvenile delinquents. *Psychological Reports*. Vol 84(3, Pt 1) , 761-766.
- Hammel, S. D. (2001). An investigation of the validity and clinical usefulness of the MMPI-A with female juvenile delinquents. *Dissertation Abstracts International: Section B: the Sciences & Engineering*. Vol 61(11-B), 6135, US: Univ Microfilms International.
- Handel, R. W. (2016). Autobiography of Richard W. Handel, Ph. D. *Journal of clinical psychology in medical settings*, 23(4), 358-360.

- Handel, R. W. (2016). An introduction to the Minnesota Multiphasic Personality Inventory- Adolescent-Restructured Form (MMPI-A-RF). *Journal of Clinical Psychology in Medical Settings*. Published online October 17, 2016. doi: 10.1007/s10880-016-9475-6.
- Hays, S. K. (2003). A computer-administered version versus paper-and-pencil- administered version of the MMPI-A. *Dissertation Abstracts International: Section B: The Sciences & Engineering*, 63(12-B), 6132. US: Univ Microfilms International.
- Hays, S., & McCallum, R. S. (2005). A Comparison of the Pencil-and-Paper and Computer-Administered Minnesota Multiphasic Personality Inventory- Adolescent. *Psychology in the Schools*, 42, 605-613.
- Henry, L. M. (1999). Comparison of MMPI and MMPI-A response patterns of African American adolescents. *Dissertation s International: Section B: the Sciences & Engineering. Vol 60(6-B)*, 2945. US: Univ Microfilms International.
- Hilts, D., & Moore, J. M. (2003). Normal range MMPI-A profiles among psychiatric inpatients. *Assessment*, 10(3), 266-272.
- Holifield, J. E., Nelson, W. M. III., & Hart, K. J. (2002). MMPI profiles of sexually abused and nonabused outpatient adolescents. *Journal of Adolescent Research*. Vol 17(2) , 188-195.
- Hunter, L. M. (2000). Use of selected MMPI-A factors in the prediction of clinical outcomes in a community-based treatment program for juvenile sexual offenders. *Dissertation Abstracts International: Section B: the Sciences & Engineering*. Vol 60(11-B), 5775, US: Univ Microfilms International.
- Ingersoll, J. B. (2003). Predicting the underreporting of substance abuse symptoms in adolescent males in an outpatient substance abuse treatment program. *Dissertation Abstracts International: Section B: The Sciences & Engineering*, 63(10-B), 4906. US: Univ Microfilms International.
- Janus, M-D, de Groot, C., & Toepfer, S. M. (1998). *The MMPI-A and 13-year-old inpatients: How young is too young?*
- Janus, M-D., Tolbert, H., Calestro, K., & Toepfer, S. (1996). Clinical accuracy ratings of MMPI approaches for adolescents: Adding ten years and the MMPI-A. *Journal of Personality Assessment*, 67(2), 364-383.
- Klem, K. (2016). Paranoia in Russian and Latin American adolescents. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 77(2-B(E)).

- Kopper, B.A., Osman, A., Soman, J.R., & Hoffman, J. (1998). Clinical utility of the MMPI-A content scales and Harris-Lingoes subscales in the assessment of suicidal risk factors in psychiatric adolescents. *Journal of Clinical Psychology*, 54(2), 191-200.
- Krishnamurthy, R., & Archer, R. P. (1999). A comparison of two interpretive approaches for the MMPI-A Structural Summary. *Journal of Personality Assessment*. Vol 73(2) , 245-259.
- Kurtz, E. G. (2010). Concurrent evidence for validity of the mmpi-a substance abuse scales in a school setting. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 70(7-B), 4531.
- Lilienfeld, L. R. (1994). *The use of the MMPI-A in the identification of risk factors for the future development of eating disorders*. Doctoral dissertation, University of Minnesota, Minneapolis, Minnesota.
- Losada-Paisey, G. (1998). Use of the MMPI-A to assess personality of juvenile male delinquents who are sex offenders and nonsex offenders. *Psychological Reports*, 83(1), 115-122.
- Lucio, E., Duran, C., Graham, J. R., & Ben-Porath, Y. S. (2002). Identifying faking bad on the Minnesota Multiphasic Personality Inventory-Adolescent with Mexican adolescents. *Assessment*. Vol 9(1) , 62-69.
- Lucio-Gomez, E., Ampudia-Rueda, A., Duran-Patino, C., Gallegos-Mejia, L., & Leon- Guzman, I. (1999). The new version of the Minnesota Multiphasic Personality Inventory for Mexican adolescents. [Spanish]. *Revista Mexicana de Psicologia*, 16(2), 217-226.
- Martin, H., & Finn, S. E. (2010). *Masculinity and femininity in the MMPI-2 and MMPI- A*. Minneapolis, MN, US: University of Minnesota Press.
- McCarthy, L. & Archer, R. P. (1998). Factor structure of the MMPI-A content scales: Item-level and scale-level findings. *Journal of Personality Assessment*, 71(1), 84- 97.
- Mcentee, B. K. (1999). MMPI-A Personality Psychopathology Five. *Dissertation s International: Section B: the Sciences & Engineering*. Vol 60(2-B), 0837. US: Univ Microfilms International.
- McGrath, R. E., Pogge, D. L., & Stokes, J. M. (2002). Incremental validity of selected MMPI-A content scales in an inpatient setting. *Psychological Assessment*. Vol 14(4) , 401-409.
- McGrath, R. E., Pogge, D. L., Stein, L. A. R., Graham, J. R., Zaccario, M., & Piacentini, T. (2000). Development of an Infrequency-Psychopathology scale for the MMPI- A: The Fp-A scale. *Journal of Personality Assessment*. Vol 74(2) , 282-295.

- McIntyre, B. H. (2009). Do prior experiences and psychological states contributing to juvenile sexual offenses differentiate between African American and Caucasian American offenders? *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 70(3-B), 1950.
- McNulty, J. L., Harkness, A. R., Ben-Porath, Y. S. & Williams, C. L. (1997). Assessing the Personality Psychopathology Five (PSY-5) in adolescents: New MMPI-A scales. *Psychological Assessment*, 9, 250-259.
- Mendoza-Newman, M. C. (2000). Level of acculturation, socioeconomic status, and the MMPI-A performance of a non-clinical Hispanic adolescent sample. *Dissertation Abstracts International: Section B: the Sciences & Engineering*. Vol 60(9-B), 4897, US: Univ Microfilms International.
- Merydith, E. K., & Phelps, L. (2009). Convergent validity of the MMPI-A and MACI scales of depression. *Psychological Reports*, 105(2), 605-609.
- Meunier, G., & Bodkins, M. (2005). Interpretation of MMPI-A Scale 5 With Female Patients. *Psychological Reports*, 96, 545-546.
- Micucci, J. A. (2002). Accuracy of MMPI-A scales ACK, MAC-R, and PRO in detecting comorbid substance abuse among psychiatric inpatients. *Assessment*. Vol 9(2) , 111-122.
- Milne, L. C., & Greenway, P. (1999). Do high scores on the Adolescent-School Problems and Immaturity Scales of the MMPI-A have implications for cognitive performance as measured by the WISC-III? *Psychology in the Schools*, 36(3), 199-203.
- Milton, A. D. (2016). Suicide and religiosity within a Russian adolescent population using the Russian language MMPI-A. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 77(6-B(E)).
- Moore, A.T. (2006). Predictive validity of the MMPI-A for depression in Caucasian and racial minority adolescents. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 66(11-B), 6285.
- Moore, J. M. Jr., Thompson-Pope, S. K., & Whited, R. M. (1996) MMPI-A profiles of adolescent boys with a history of firesetting. *Journal of Personality Assessment*, 67(1) 116-126.
- Morton, T. L., & Farris, K. L. (2002). MMPI-A Structural Sumy characteristics of male juvenile delinquents. *Assessment*. Vol 9(4) , 327-333.

- Morton, T. L., Farris, K. L., & Brenowitz, L. H. (2002). MMPI-A scores and high points of male juvenile delinquents: Scales 4, 5, and 6 as keys of juvenile delinquency. *Psychological Assessment*, Vol 14(3), 311-319.
- Moyer, R. D., & Schuerger, J. M. (1999). Disorder concept scales and personality dimensions in a young adult sample. *Psychological Reports*, 85(3, Pt 2), 1135- 1138.
- Munno, D., Cappellin, F., Saroldi, M., Bechon, E., Guglielmucci, F., Passera, R., & Zullo, G. (2017). Internet addiction disorder: Personality characteristics and risk of pathological overuse in adolescents. *Psychiatry Research*, 248, 1-5.
- Negy, C., Leal-Puente, L., Trainor, D. J., & Carlson, R. (1997). Mexican American adolescents' performance on the MMPI-A. *Journal of Personality Assessment*, 69, 205-214.
- Nelson, N. W., & Hoelzle, J. B. (2009). An assessment handbook with "personality.". *Journal of Clinical and Experimental Neuropsychology*, 31(5), 637-640.
- Newsom, C. R., Archer, R. P., Trumbetta, S., & Gottesman, I. I. (2003). Changes in adolescent response patterns on the MMPI/MMPI-A across four decades. *Journal of Personality Assessment*, 81(1), 74-84.
- Newton, C. C. (2008). MMPI-A structural summary approach: Characteristics of gifted adolescents. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 69(3-B), 1964.
- Norozpour, M., Gharraee, B., Habibi, M., Ashouri, A., & Mousavi, N. (2017). Can Various Identity Statuses Justify Iranian Adolescents' Psychopathology? *Current Psychology*, 1-11.
- Palmer, G. A. (1999). Cluster analysis of MMPI-A profiles of adolescents with substance dependence. *Dissertation s International: Section B: the Sciences & Engineering*. Vol 59(8-B), 4479. US: Univ Microfilms International.
- Pena, L. M. (2001). The association of MMPI-A scales with measures of adjustment among institutionalized male juvenile delinquents. *Dissertation Abstracts International: Section B: the Sciences & Engineering*. Vol 62(5-B), 2527, US: Univ Microfilms International.
- Pena, L. M., Megargee, E. I., & Brody, E. (1996). MMPI-A patterns of male juvenile delinquents. *Psychological Assessment*, 8, 388-397.
- Pennuto, T. O., & Archer, R. P. (2008). MMPI-A forensic case studies: Uses in documented

court decisions. *Journal of Personality Assessment*, 90(3), 215-226.

Perez, J.M., Farias, J.M., Maqueo, & E.L.G. (2001). Theoretical and conceptual aspects of the validity and reliability of the MMPI-A with Mexican adolescents. *Revista Mexicana de Psicología*, 18, 54-55.

Perfect, M. M. (2005). Incremental validity of the Minnesota Multiphasic Personality Inventory (MMPI-A) and Rorschach Inkblot Test in predicting the number and severity of adolescents' maltreatment histories. *Dissertation Abstracts International Section A: Humanities and Social Sciences*, 65(8-A), 2909. US: Univ Microfilms International.

Pernod, N. C. (2010). Assessing the psychometric properties of a supplementary PK Scale embedded in the Minnesota Multiphasic Personality Inventory-Adolescent (MMPI-A) in detecting Post-Traumatic Stress Disorder (PTSD). *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 70(9-B), 5889.

Peterson, M., & Robbins, B. (2008). Using the MMPI-A to predict recidivism in adjudicated minors. *Applied Psychology in Criminal Justice*, 4(2), 172-181.

Pinsoneault, T. B. (2002). A variable response inconsistency scale and a true response inconsistency scale for the Millon Adolescent Clinical Inventory. *Psychological Assessment*. Vol 14(3) 320-328.

Pinsoneault, T. B. (2005). Detecting Random, Partially Random, and Nonrandom Minnesota Multiphasic Personality Inventory--Adolescent Protocols. *Psychological Assessment*, 17, 476-480.

Pogge, D. L., Stokes, J. M., McGrath, R. E., Bilginer, L., & DeLuca, V. A. (2002). MMPI-A Structural Sumy variables: Prevalence and correlates in an adolescent inpatient psychiatric sample. *Assessment*. Vol 9(4) , 334-342.

Pope, K. S., Butcher, J. N., & Seelen, J. (2000). *The MMPI, MMPI-2 & MMPI-A in court: A practical guide for expert witnesses and attorneys* (2nd ed.).

Powis, D. M. (1999). Actuarial use of the MMPI-A: Generation of clinical correlate data for frequently occurring codetypes in an adolescent inpatient sample. *Dissertation s International: Section B: the Sciences & Engineering*. Vol 59(11-B), 6107. US: Univ Microfilms International.

Price, B. H. (1999). Personality variables of chemically dependent adolescents as refelected in the MMPI and the Millon Adolescent Personality Inventory. *Dissertation s International: Section B: the Sciences & Engineering*. Vol 60(2-B), 0864. US: Univ Microfilms

International.

Richard, Y., Le Galudec, M., SaintAndre, S., Planche, P., Genestet, S., & Lazartigues, A. (2010). Kleine-Levin syndrome: A case report. *L'Encephale: Revue De Psychiatrie Clinique Biologique Et Therapeutique*, 36(1), 28-32.

Riethmiller, R. J. (2003). A look at personality change among conduct disordered adolescents in residential treatment. *Dissertation Abstracts International: Section B: The Sciences & Engineering*, 63(12-B), 6104. US: Univ Microfilms International.

Rinaldo, J. C. B., & Baer, R. A. (2003). Incremental validity of the MMPI-A content scales in the prediction of self-reported symptoms. *Journal of Personality Assessment*, 80(3), 309-318.

Robbins, B. M. (2008). Using selected scales of the MMPI-A to differentiate adjudicated from nonadjudicated adolescent females. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 68(9-B), 6332.

Robinson, N. B. (2008). Personality profiles of adolescents with Asperger's disorder. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 69(5-B), 3275.

Ryan, N. (2005). The clinical utility of the Cognitive Assessment System (CAS) in a child and adolescent psychiatric inpatient population. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 65(8-B), 4333. US: Univ Microfilms International.

Rychlak, R. P. (2005). Implications of MMPI/MMPI-A findings for understanding adolescent development and psychopathology. *Journal of Personality Assessment*, 85, 257-270.

Sabatino, D. A., Webster, B. G., & Vance, H. B. (2001). Childhood mood disorders: History, characteristics, diagnosis and treatment. H. B. Vance & A. Pumariega (Eds.), *Clinical assessment of child and adolescent behavior*. (pp. 413-449).

Sarnicola, J. M. (2010). A configural approach to understanding MMPI-A PSY-5 scales: Commonly occurring profiles and correlates. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 71(2-B), 1385.

Scott, R. L., Butcher, J. N., Young, T. L., & Gomez, N. (2002). The Hispanic MMPI-A across five countries. *Journal of Clinical Psychology*. Vol 58(4), 407-417.

Scott, R. L., Knoth, R. L., Beltran-Quiones, M., & Gomez, N. (2003). Assessment of psychological functioning in adolescent earthquake victims in Colombia using the

- MMPI-A. *Journal of Traumatic Stress*, 16(1), 49-57.
- Scott, R. L., & MamaniPampa, W. (2008). MMPI-A for Peru: Adaptation and normalization. *International Journal of Clinical and Health Psychology*, 8(3), 719- 732.
- Searfoss, N. S. (2010). Development of a MMPI-A callousness/unemotionality scale. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 71(4-B), 2700.
- Sirigatti, S. (2000). Toward an Italian version of the MMPI--Adolescent. [Italian]. *Bollettino di Psicologia Applicata*. Vol 230, 67-72.
- Sitek, E. J., Narozanska, E., Slawek, J., Wojcik, J., Wieczorek, D., Robowski, P., Schinwelski, M., JasinskaMyga, B., Baker, M., Rademakers, R., & Wszolek, Z. K. (2010). Psychometric evaluation of personality in a patient with FTDP-17. *Psychiatry and Clinical Neurosciences*, 64(2), 211-212.
- Stage, S. A. (1999). Predicting behavior functioning of adolescents in residential treatment with profiles from the MMPI-A, CBCL/4-18, and CBCL/TRF. *Residential Treatment for Children & Youth*, 17(2), 49-74.
- Stein, L. A. R., & Graham, J. R. (1999). Detecting fake-good MMPI-A profiles in a correctional facility. *Psychological Assessment*. Vol 11(3) , 386-395.
- Stein, L. A. R. (1999). Detecting fake-good MMPI-A profiles in a correctional facility. *Dissertation s International: Section B: the Sciences & Engineering*. Vol 59(8-B), 4486. US: Univ Microfilms International.
- Stein, L. A. R., & Graham, J. R. (2001). Use of the MMPI-A to detect substance abuse in a juvenile correctional setting. *Journal of Personality Assessment*. Vol 77(3) , 508-523.
- Stevens, M., Passetti, L., & Johnson, J. (2004). MMPI-A profiles of substance-abusing adolescents. *International Journal of Psychology*, 39, 408-408.
- Stokes, J. M., Pogge, D. L., & Archer, R. P. (2017). Comparisons Between the Minnesota Multiphasic Personality Inventory-Adolescent-Restructured Form (MMPI-A RF) and MMPI-A in Adolescent Psychiatric Inpatients. *Psychological Assessment*.
- Stokes, J., Pogge, D., Sarnicola, J., & McGrath, R. (2009). Correlates of the MMPI-A Psychopathology Five (PSY-5) facet scales in an adolescent inpatient sample. *Journal of Personality Assessment*, 91(1), 48-57.

- Stokes, J. M., Pogge, D. L., & Archer, R. P. (2017). Comparisons Between the Minnesota Multiphasic Personality Inventory-Adolescent-Restructured Form (MMPI-A RF) and MMPI-A in Adolescent Psychiatric Inpatients. *Psychological Assessment*.
- Stroupe, M. A. (1999). The effects of k-correction on the validity of MMPI-A. *Dissertation s International: Section B: the Sciences & Engineering. Vol 59(10-B)*, 5615. US: Univ Microfilms International.
- Temple, A. (2016). The effects of various factors on suicidal ideation in a Russian adolescent population. *Dissertation Abstracts International Section A: Humanities and Social Sciences*, 77(6-A(E)).
- Toyer, E. A. & Weed, N. C. (1998). Concurrent validity of the MMPI-A in counseling program for juvenile offenders. *Journal of Clinical Psychology*, 54, 395-400.
- Toyer, E. A. (1999). Development and validation of the A-ADHD: An MMPI-A scale to assess Attention-Deficit Hyperactivity Disorder in adolescents. *Dissertation s International: Section B: the Sciences & Engineering. Vol 60(3-B)*, 1319. US: Univ Microfilms International.
- Twenge, J. M., Gentile, B., DeWall, C. N., Ma, D., Lacefield, K., & Schurtz, D. R. (2010). Birth cohort increases in psychopathology among young Americans, 1938- 2007: A cross-temporal meta-analysis of the MMPI. *Clinical Psychology Review*, 30(2), 145-154.
- Vande Streek, H. E. (2000). Concurrent validity of the Minnesota Multiphasic Personality Inventory, Jesness Inventory, and the Carlson Psychological Survey in a sample of juvenile delinquents. *Dissertation Abstracts International: Section B: the Sciences & Engineering. Vol 60(9-B)*, 4951, US: Univ Microfilms International.
- Veltri, C. O. C., Graham, J. R., Sellbom, M., BenPorath, Y. S., Forbey, J. D., O'Connell, C., Rogers, R., & White, R. S. (2009). Correlates of MMPI-A Scales in acute psychiatric and forensic samples. *Journal of Personality Assessment*, 91(3), 288- 300.
- Vinet, E. V., & Alarcon B. P. (2003). Psychometric evaluation for the Minnesota Multiphasic Personality Inventory for Adolescent (MMPI-A) in Chilean samples. [Spanish]. *Terapia Psicologica*, 21(2), 87-103.
- Vinet, E.V., & Gomez-Maqueo, M.E.L. (2005). Applicability of Mexican and United States norms for the MMPI-A in the assessment of Chilean adolescents. *Revista Mexicana de Psicologia*, 22, 519-528.
- Vinet, E. V., & i Santacana, M. F. (2008). Chilean norms for MACI: An integration of

categorical and dimensional criteria. *Terapia Psicologica*, 26(2), 151-163.

Weed, N., Butcher, J. N., & Williams, C. L. (1994). Development of MMPI-A alcohol and drug problem scales. *Journal of Studies on Alcohol*. May, 1994, 196-302.

Weiner, I. B., & Greene, R. L. (2008). *Handbook of personality assessment*. Hoboken, NJ, US: John Wiley & Sons Inc.

Weis, R., Crockett, T. E., & Vieth, S. (2004). Using MMPI-A profiles to predict success in a military-style residential treatment program for adolescents with academic and conduct problems. *Psychology in the Schools*, 41(5), 563-574.

Williams, C. L., & Butcher, J. N. (2011). *A beginner's guide to the MMPI-A*. Washington, DC: The American Psychological Association.

Williams, C. L., Butcher, J. N., Ben-Porath, Y. S., & Graham, J. R. (1992). *MMPI-A content scales: Assessing psychopathology in adolescents*. Minneapolis: University of Minnesota Press.

Williams, C.L. & Butcher, J. N. (1989a). An MMPI study of adolescents: I. Empirical validity of the standard scales. *Psychological Assessment: A Journal of Consulting and Clinical Psychology*, 1, 251-259.

Williams, C.L. & Butcher, J. N. (1989b). An MMPI study of adolescents: II. Verification and limitations of code types classifications. *Psychological Assessment: A Journal of Consulting and Clinical Psychology*, 1, 260-265.

Williams, C. L., & Lally, S. J. (2017). MMPI-2, MMPI-2-RF, and MMPI-A administrations (2007–2014): Any evidence of a “new standard”?”. *Professional Psychology: Research and Practice*, 48(4), 267 – 274.

Williams, P. E. (1999). Development of a sexual abuse scale for the MMPI-A: The Aversive Sexual Experience Scale. *Dissertation s International: Section B: the Sciences & Engineering*. Vol 59(12-B), 6516. US: Univ Microfilms International.

Williams, S. N. (2016). Ethnic differences on the MMPI-A with detained adolescents. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 77(4-B(E)).

Zinn, S., McCumber, S., & Dahlstrom, W. G. (1999). Cross-validation and extension of the MMPI-A IMM scale. *Assessment*. Vol 6(1), 1-6.

- Zonno, J. S. (2004). Correlates of behavioral infractions among institutionalized male juvenile offenders. *Dissertation Abstracts International: Section B: The Sciences & Engineering*, 64, 5244. US: Univ Microfilms International.
- Zubeidat, I., Salinas, J. M., & Sierra, J. C. (2009). Implication of psychosocial competencies, behavioural problems and personality variables in the prediction of social interaction anxiety in adolescents: Sex and age differences. *Ansiedad y Estres*, 15(2-3), 231-247.

### **Unpublished Paper Presentations**

- Adams, K. B. & Putnam, S. (1992, May). *Use of the MMPI-2 in neuropsychological evaluations*. Paper presented at the 27th Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Minneapolis, MN.
- Ampudia, R. A., Lucio G.M., E., & Duran, C. (1998, March). *Relationship between the MMPI-A and Life Events in two groups of Mexican adolescents: Normals and psychiatric patients*. Paper presented at the 33<sup>rd</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Clearwater Beach, FL.
- Arbisi, P. A., Ben-Porath, Y. S., & Forbey, J. D. (2003, June). *Detection of somatic malingering with the MMPI-2*. Paper presented at the 38<sup>th</sup> MMPI-2 Conference on Recent Developments in the Use of the MMPI-2 and MMPI-A Workshop and Symposia, Minneapolis, MN.
- Arbisi, P. A., McNulty, J., & Ben-Porath, Y. S. (2001, March). *Appearing sane in an insane place: Characteristics of psychiatric inpatients who produce WNL profiles*. Paper presented at the 36<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A, Safety Harbor, FL.
- Arbisi, P. A., McNulty, J. L., Ben-Porath, Y. S., & Boyd, J. (1999, April). *Detection of Partial Fake Bad Responding on the MMPI-2*. Paper presented at the 34<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Huntington Beach, CA.
- Arbisi, P. & Ben-Porath, Y. S. (1998, March). *Clinical correlates of common MMPI-2 two-point codes in psychiatric inpatients: A first look*. Paper presented at the 33<sup>rd</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Clearwater Beach, FL.

- Arbisi, P. A. & Ben-Porath, Y. S. (1997, June). *Behavioral correlates of the F(p)*. Paper presented at the 32<sup>ND</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Minneapolis, MN.
- Arbisi, P. A. & Ben-Porath, Y. S. (1996, June). *Ability of MMPI-2 validity scales to detect "fake bad" responses in inpatients*. Paper presented at the 31<sup>st</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Minneapolis, MN.
- Arbisi, P. A. & Ben-Porath, Y. S. (1995, March). *Identifying changes in infrequent responding to the MMPI-2*. Paper presented at the 30<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. St. Petersburg, FL.
- Arbisi, P. A. (1994, May). *Empirical correlates of the MMPI-2 in a VA inpatient sample*. Paper presented at the 29<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Minneapolis, MN.
- Arbisi, P. & Ben-Porath, Y. S. (1993, March). *Interpreting the F scales of inpatients: Moving from art to science*. Paper presented at the 28<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. St. Petersburg Beach, FL.
- Arita, A. A. & Baer, R. A. (1998, March). *Validity of selected MMPI-A content scales*. Paper presented at the 33<sup>rd</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Clearwater Beach, FL.
- Arnau, R. C., Green, B. A., Handel, R. W., Ben-Porath, Y. S., Graham, J. R., & McNulty, J. L. (2003, June). *Taxometric analysis of dependent personality disorder using MMPI-2 indicators*. Paper presented at the 38<sup>th</sup> MMPI-2 Conference on Recent Developments in the Use of the MMPI-2 and MMPI-A Workshop and Symposia, Minneapolis, MN.
- Atlis, M. (2001, March). *Russian MMPI-A: A bilingual test-retest evaluation*. Paper presented at the 36<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A, Safety Harbor, FL.
- Atlis, M. & Butcher, J. N. (2001, March). *Investigation of the MMPI-A base rates in a large nationwide sample of adolescents*. Paper presented at the 36<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A, Safety Harbor, FL.
- Babcock, D. J. (1998, March). *External correlates for the MMPI-2 with a male alcoholic sample*. Paper presented at the 33<sup>rd</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Clearwater Beach, FL.

- Babcock, D. J. (1995, March). *Congruence of MMPI-2 and MMPI in a sample of Veteran Administration patients*. Paper presented at the 30<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. St. Petersburg, FL.
- Bacchiochi, J. R., & Bagby, R. M. (June, 2003). *Development of the malingering discriminant function index (M-DFI) for the MMPI-2*. Paper presented at the 38<sup>th</sup> MMPI-2 Conference on Recent Developments in the Use of the MMPI-2 and MMPI-A Workshop and Symposia, Minneapolis, MN.
- Bacchiochi, J.R., & Bagby, R.M. (2006). Development and Validation of the Malingering Discriminant Function Index for the MMPI-2. *Journal of Personality Assessment*, 87, 51-61.
- Bacchiochi, J. R., Bagby, R. M., Nicholson, R. A., Ryder, A. G., & Bury, A. S. (2001, March). *The predictive capacity of the MMPI-2 and PAI validity scales and indexes to detect coached and noncoached feigning*. Paper presented at the 36<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A, Safety Harbor, FL.
- Bacchiochi, J. R., Bagby, R. M., Nicholson, R. A. & Buis, T. (1999, April). *Can Experts Successfully Feign Major Depression on the MMPI-2?* Paper presented at the 34<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Huntington Beach, CA.
- Baer, R. A. & Rinaldo, J. C. (2000, May). *Incremental Validity of the MMPI-A Content Scales in the Prediction of Self-Reported Symptoms*. Paper presented at the 35<sup>th</sup> Annual Meeting of the MMPI-2/MMPI-A. Minneapolis, MN.
- Baer, R. A., Wetter, M. W., & Berry, D. T. (1995, March). *Effects of information about validity scales on underreporting of symptoms on the MMPI-2: An analogue investigation*. Paper presented at the 30<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. St. Petersburg, FL.
- Bagby, R. M., Parker, J. D. A., Ben-Dat, D., Ryder, A. G., & Bacchiochi, J. (2001, March). *Examination of the dimensional factor structure of the personality psychopathology: Five in clinical and non-clinical samples*. Paper presented at the 36<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A, Safety Harbor, FL.
- Bagby, R. M., Buis, T., Nicholson, R. A., Parikh, S., & Bacchiochi, J. R. (1999, April). *Distinguishing Bipolar Depression, Major Depression, and Schizophrenia using the*

*MMPI-2 Clinical, Content and PSY-5 Scales.* Paper presented at the 34<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Huntington Beach, CA.

Bagby, R. M., Nicholson, R. A., Buis, T., Radovanovic, H., & Fidler, B. J. (1998, March). *Defensive responding on the MMPI-2 in family custody and access evaluations.* Paper presented at the 33<sup>rd</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Clearwater Beach, FL.

Bagby, R. M., Nicholson, R., & Cameron, S. (1997, June). *Utility of the deceptive-subtle items in the detection of malingering.* Paper presented at the 32<sup>ND</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Minneapolis, MN.

Bailey, C., Diehl, S., Dujardin, J. P., & Garrido, M. (2001, March). *MMPI-2 scales as indicators of rehabilitative needs of prison inmates: Exploring the importance of crime committed and substance abuse patterns.* Paper presented at the 36<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A, Safety Harbor, FL.

Baker, C. E., Greene, R. L., Banken, J., Desselle, S., & Arredondo, R. (1999, April). *The Classification Accuracy of the MMPI-2 Personality Disorder Scales.* Paper presented at the 34<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Huntington Beach, CA.

Barlow, S. H. (1992, May). *Teaching graduates the power of the MMPI-2.* Paper presented at the 27th Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Minneapolis, MN.

Barthlow, D., Graham, J. R., & Ben-Porath, Y. S. (2000, May). *Construct Validity of the MMPI-2 College Maladjustment (Mt) Scale.* Paper presented at the 35<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A. Minneapolis, MN.

Barthlow, D. L., Graham, J. R., Ben-Porath, Y. S., & McNulty, J. L. (1998, March). *Validity of K-corrected and Non-corrected MMPI-2 scale scores.* Paper presented at the 33<sup>rd</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Clearwater Beach, FL.

Barthlow, D., Graham, J. R., Ben-Porath, Y. S., & McNulty, J. L (1997, June). *Content scales in an outpatient mental health setting.* Paper presented at the 32<sup>ND</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Minneapolis, MN.

Bathurst, K., Wisdom, J. M., Barter, A., & Gottfried, A. W. (1996, June). *Comparison of scales developed to facilitate interpretation of underreporting on the MMPI-2 in a sample of child custody litigants*. Paper presented at the 31<sup>st</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Minneapolis, MN.

Bathurst, K. Gottfried, A. W., & Gottfried, A. E. (1995, March). *MMPI and MMPI-2 normative data for child custody litigants*. Paper presented at the 30<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. St. Petersburg, FL.

Beniak, T., Heck, D., & Erdahl, P. E. (1992, May). *Intractable epilepsy: MMPI and MMPI-2 profiles*. Paper presented at the 27th Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Minneapolis, MN.

Ben-Porath, Y. S. (2001, March). *Configural Interpretation of the C-Scales: An alternative code types*. Paper presented at the 36<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A, Safety Harbor, FL.

Ben-Porath, Y. S. & Arbisi, P. A. (2000, May). *The Ability of the MMPI-2 to Detect Fake Good Responding in Psychiatric Inpatients*. Paper presented at the 35<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A. Minneapolis, MN.

Ben-Porath, Y. S., Graham, J. R., McNulty, J. L., & Stein, L. A. R. (1996, June). *A comparative study of the validity of MMPI-2 scores of African American and Caucasian outpatients*. Paper presented at the 31<sup>st</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Minneapolis, MN.

Ben-Porath, Y. S. & Graham, J. R. (1995, March). *Incremental validity of MMPI-2 content scales in the prediction of clinical correlates in an outpatient sample*. Paper presented at the 30<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. St. Petersburg, FL.

Ben-Porath, Y. S. & Stafford, K. P. (1993). *Empirical correlates of MMPI-2 Scales in a forensic diagnostic sample: An interim report*. Paper presented at the 101st Annual Meeting of the American Psychological Association. Toronto, Canada, August.

Ben-Porath, Y. S., & Butcher, J. N. (1989, August). *Assessment of coping with the MMPI-2*. Paper presented at the 97th Annual Convention of the American Psychological Association. New Orleans, LA.

- Berah, E., Butcher, J., Miach, P., Bolza, J., Colman, S. & McAsey, P. (1993). *Computer-based interpretation of the MMPI-2: An Australian evaluation of the Minnesota Report*. Paper presented at the Australian Psychological Association Meetings, Melbourne, October.
- Berger, K. (1995, March). *Personality factors in incarcerated women who commit murder: An MMPI-2 study of infanticides, filicides, and homicides*. Paper presented at the 30<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. St. Petersburg, FL.
- Berning, L. M. & Weed, N. C. (1999, April). *Relative External Validity of the MMPI-2 Substance Abuse Scales*. Paper presented at the 34<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Huntington Beach, CA.
- Berry, D. T. R., Cimino, C. R., Chong, N., LaVelle, S. N., Ho, I. K., Morse, T. L., & Thacker, S. R. (1998, March). *Impact of three feigning strategies on MMPI-2 results from psychiatric outpatients*. Paper presented at the 33<sup>rd</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Clearwater Beach, FL.
- Berry, D. T. R., Adams, J. J., Borden, J. W. Clark, C. D., Thacker, S., Burger, T., Wetter, M. W., & Baer, R. A. (1995, March). *Cry for help on the MMPI-2*. Paper presented at the 30<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. St. Petersburg, FL.
- Bobrov, A. F., Koscheyev, V. S., & Martens, V. K. (1995, March). *Russian MMPI-2 results on normals being assessed in a stressful environment*. Paper presented at the 30<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. St. Petersburg, FL.
- Bollinger, A. R., Louie, L. J. & Blake, D. D. (1992, May). *Service connected disability and symptom overreporting among Vietnam veterans*. Paper presented at the 27th Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Minneapolis, MN.
- Bosquet, M. (1997, June). *Predicting parent behavior from the antisocial practices content scores administered during pregnancy*. Paper presented at the 32<sup>ND</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Minneapolis, MN.
- Butcher, J. N. (2001, March). *What does the Lees-Haley FBS scale measure anyway?* Paper presented at the 36<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A, Safety Harbor, FL.

- Butcher, J. N., Atlis, M., & Fang, L. (2001, March). *MMPI, MMPI-2, & MMPI-A bibliographies: Comprehensive review over the past 60 years*. Paper presented at the 36<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A, Safety Harbor, FL.
- Butcher, J. N., Atlis, M., & Fang, L. (1999, April). *Does it Make a Difference to be Up Front with People about Validity Checks on MMPI-2?* Paper presented at the 34<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Huntington Beach, CA.
- Butcher, J. N., Atlis, M., & Hahn, J. (in press). Assessment with the MMPI-2: Research base and future developments. In D. Segal (Ed.), *Comprehensive handbook of psychological assessment*. New York: John Wiley.
- Butcher, J. N. (1998, March). *Analysis of S subscales to refine interpretation of “good impression”*. Paper presented at the 33<sup>rd</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Clearwater Beach, FL.
- Butcher, J. N. (1998, March). *It’s time to move on: Final phase out of the original MMPI*. Paper presented at the 33<sup>rd</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Clearwater Beach, FL.
- Butcher, J. N., Cabiya, J., Lucio G-M, E., Pena, L., & Scott, R. (1997, June). *New Hispanic version of the MMPI-A for the U.S.* Paper presented at the 32<sup>ND</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Minneapolis, MN.
- Butcher, J. N., Rouse, S. V., & Perry, J. (1997, June). *MMPI-2 correlates in psychotherapy sample*. Paper presented at the 32<sup>ND</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Minneapolis, MN.
- Butcher, J. N., Morfitt, R., Rouse, S., & Holden, R. (1996, June). *Reducing MMPI-2 defensiveness for a job applicant sample: the effect of special instructions on retest validity*. Paper presented at the 31<sup>st</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Minneapolis, MN.
- Butcher, J. N., Sullivan, J., & Kerwin, C. (1996, June). *Accuracy of computer based MMPI-2 reports*. Paper presented at the 31<sup>st</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Minneapolis, MN.

- Butcher, J. N. & Han, K. (1993, March). *Development of an MMPI-2 scale to assess the presentation of self in a superlative manner: The S scale*. Paper presented at the 28<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. St. Petersburg Beach, FL.
- Butcher, J. N. (1992, May). *Assessment of airline pilot applicants with the MMPI-2*. Paper presented at the 27th Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Minneapolis, MN.
- Butcher, J. N. & Sloore, H. (1992, May). *Application of the MMPI-2 with diverse cultural and ethnic groups*. Paper presented at the 27th Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Minneapolis, MN.
- Butcher, J. N. (1989, August). *MMPI-2: Issues of continuity and change*. Paper presented at the 97th Annual Convention of the American Psychological Association. New Orleans, LA.
- Butcher, J. N. (1988, August). *Rationale of the MMPI revision and description of the research*. Paper presented at the 96th Annual Convention of the American Psychological Association. Atlanta, GA.
- Cabiya, J. J., Colberg, E., Perez, S., & Pedrosa, O. (2001, March). *MMPI-2 clinical scales profiles of female victims of domestic violence and sexual abuse*. Paper presented at the 36<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A, Safety Harbor, FL.
- Cabiya, J. J. & Davila, G. (1999, April). *MMPI-2 Mean T-Scores and Code Types of Puerto Rican Depressed Outpatients and Inpatients*. Paper presented at the 34<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Huntington Beach, CA.
- Cabiya, J. (1998, March). *Performance of Puerto Rican adolescents*. Paper presented at the 33<sup>rd</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Clearwater Beach, FL.
- Cabiya, J. (1994, May). *Application of the Hispanic MMPI-2 in Puerto Rico*. Paper presented at the 29<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Minneapolis, MN.
- Caldwell, A.B. (2006). Maximal Measurement or Meaningful Measurement: The Interpretive Challenges of the MMPI-2 Restructured Clinical (RC) Scales. *Journal of Personality Assessment*, 87(2), 193-201.

- Carbonell, J. L. (1995, March). *Application of the Megargee MMPI-2 typology for incarcerated females*. Paper presented at the 30<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. St. Petersburg, FL.
- Carr, J. L. & Graham, J. R. (1992, May). *The MMPI-2 anger content scale: A construct validity study*. Paper presented at the 27th Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Minneapolis, MN.
- Casullo, M. M. (1996, June). *Assessment of applicants to a military unit using MMPI: profile comparisons by gender*. Paper presented at the 31<sup>st</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Minneapolis, MN.
- Cavaiola, A. A., Wolf, J. M., & Lavender, N. J. (1999, April). *Comparison of DWI Offenders with a non-DWI Comparison Group on the MMPI-2 and the Michigan Alcoholism Screening Test*. Paper presented at the 34<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Huntington Beach, CA.
- Cepeda, E. F. (2016). A taxometric analysis of the MMPI-2 6-8/8-6 codetypes to determine the presence of taxonic or dimensional constructs. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 77(4-B(E)).
- Chavira, D., Velasquez, R. J., Montemayor, V., & Villarino, J. (1995, March). *U.S. Latinos' performance on the Spanish language MMPI-2 & acculturation*. Paper presented at the 30<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. St. Petersburg, FL.
- Chisolm, S. M., Crowther, J. N., & Ben-Porath, Y. S. (1995, March). *The MMPI-2 as a predictor of premature termination and therapy outcome*. Paper presented at the 30<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. St. Petersburg, FL.
- Clark, M. E., Milo, K. M., & Moffitt, H. L. (1995, March). *Detection of MMPI-2 front-to-back response inconsistency: Utility of VRIN subscales*. Paper presented at the 30<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. St. Petersburg, FL.
- Clark, M. E. (1992, May). *MMPI-2 anger and cynicism content scales: Interpretive cautions*. Paper presented at the 27th Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Minneapolis, MN.

Cluydts, R., Heyde, K., & DeVolder, I. (2001, March). *Clinical use of MMPI-2 profiles in sleep-wake disorders*. Paper presented at the 36<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A, Safety Harbor, FL.

Colligan, R. (1996, June). *An MMPI-2 optimism-pessimism scale based on Seligman's Model*. Paper presented at the 31<sup>st</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Minneapolis, MN.

Cook, J. M., Ben-Porath, Y. S., & Davis, D. (1994, May). *Validity of the MMPI-A substance abuse scales in a residential treatment program*. Paper presented at the 29<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Minneapolis, MN.

Cort, D., Kappagoda, C. T., & Greene, R. L. (2001, March). *Prediction of compliance using the MMPI-2 in a multi-disciplinary preventive cardiology program*. Paper presented at the 36<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A, Safety Harbor, FL.

Couvadelli, B., Handel, R. W., & Archer, R. P. (2003, June). *An evaluation of the incremental validity of the MMPI-2 superlative (S) scale in an inpatient sample*. Paper presented at the 38<sup>th</sup> MMPI-2 Conference on Recent Developments in the Use of the MMPI-2 and MMPI-A Workshop and Symposia, Minneapolis, MN.

Cross, T.L., Cassady, J.C., Dixon, F.A., & Adams, C.M. (2008). The psychology of gifted adolescents as measured by the MMPI-A. *Gifted Child Quarterly*, 52, 326-339.

Cumella, E. J. (1998, March). *Use of the MMPI-A in the assessment of adolescents with an eating disorder*. Paper presented at the 33<sup>rd</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Clearwater Beach, FL.

Dahlstrom, W. G. (1988, August). *The MMPI: Then and now*. Paper presented at the 96th Annual Convention of the American Psychological Association. Atlanta, GA.

Daiss, J. L. & Kordinak, S. T. (1998, March). *Multidimensional perfectionism and the MMPI-2*. Paper presented at the 33<sup>rd</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Clearwater Beach, FL.

Darkangelo, D. D., Ben-Porath, Y. S., & Stafford, K. P. (1996, June). *Defensive MMPI-2 profiles in a forensic diagnostic center*. Paper presented at the 31<sup>st</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Minneapolis, MN.

Davis, L. M., Harkness, A. R., Harrington, K. K., Lowery, N. R., & McNulty, J. L., Graham, J. R., & Ben-Porath, Y. S. (2000, May). *Three Spielberger STAXI Constructs in the MMPI-2 Anger Content Scale*. Paper presented at the 35<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A. Minneapolis, MN.

deBeus, R., McManemin, F., & McCoy, C. E. (1998, March). *Cluster analysis of the MMPI-2 in a chronic low-back pain population*. Paper presented at the 33<sup>rd</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Clearwater Beach, FL.

Deinard, A., Butcher, J. N., Thao, U. D., Mona Vang, S. H., & Hang, K. (1994, May). *The Hmong language version of the MMPI-2*. Paper presented at the 29<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Minneapolis, MN.

Derksen, J. J. L. (2001, March). *The Dutch version of the MMPI-A*. Paper presented at the 36<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A, Safety Harbor, FL.

Derksen, J. & deMey, H. (1996, June). *Computer versus paper and pencil administration of the MMPI-2*. Paper presented at the 31<sup>st</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Minneapolis, MN.

Derksen, J. & deMey, H. (1995, March). *Validity data on the MMPI-2 in the Netherlands*. Paper presented at the 30<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. St. Petersburg, FL.

Derksen, J. J. L. & de Mey, H. R. A. (1992, May). *U.S. and Dutch norms for the MMPI-2: A comparison*. Paper presented at the 27th Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Minneapolis, MN.

Derksen, J. J. L., Gerits, L., & Verbruggen, A. (2003, June). *MMPI-2 Profiles of Nurses Caring for People with Severe Behavior Problems*. Paper presented at the 38<sup>th</sup> MMPI-2 Conference on Recent Developments in the Use of the MMPI-2 and MMPI-A Workshop and Symposia, Minneapolis, MN.

Derksen, J. J. L., van Dijk, J., & Cornelissen, A. (2003, June). *Validating the MMPI-A in a sample of 87 delinquent Dutch school boys*. Paper presented at the 38<sup>th</sup> MMPI-2 Conference on Recent Developments in the Use of the MMPI-2 and MMPI-A Workshop and Symposia, Minneapolis, MN.

Diehl, S. K., Bailey, C. D., Dujardin, J-P. G., & Garrido, M. (2000, May). *Attachment Patterns as a Mediator of Prison Adjustment: Converging Evidence from the MMPI-2, Mental Status Interview and Disciplinary Records*. Paper presented at the 35<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A. Minneapolis, MN.

Donovan, N., Castellanos, J., & Velasquez, R. J. (2001, March). *Understanding Chicano/Latino health concerns: An evaluation of the MMPI-2, Acculturation, and locus of control*. Paper presented at the 36<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A, Safety Harbor, FL.

Dugbartey, A.T. (2008). Title: Assessing Hispanic clients using the MMPI-2 and MMPI-A. *Journal of Clinical and Experimental Neuropsychology*, 30, 387-388.

Dupertuis, D. G., Bolzan, C., Regner, E., & Kunzi, I. (1998, March). *Eating disorders and MMPI-2—An analysis of serious personality disorders*. Paper presented at the 33<sup>rd</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Clearwater Beach, FL.

Dupertuis, D. G., Bolzan, C., Regner, E., & Kunzi, I. (1998, March). *Self-efficacy and personal dominance in severe personality disorders—control or lack of control?* Paper presented at the 33<sup>rd</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Clearwater Beach, FL.

Dupertuis, D. G. (1997, June). *Bizarre behavior: Is it related to life circumstances*. Paper presented at the 32<sup>ND</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Minneapolis, MN.

Dupertuis, D. G., Bar-On, R., & Rossi-Case, L. (1996, June). *MMPI-2 and culture. Argentine and American populations: A comparative study with MMPI-2 and EQ-i (Reuven Bar-on's Emotional Quotient Inventory for the evaluation of psychological well-being)*. Paper presented at the 31<sup>st</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Minneapolis, MN.

Dupertuis, D. G., Bolzan, C., Rubianes, L., Marquinez, A., Cattaneo, E., Cepeda, A., Melani, V., & Melendi, A. (1996, June). *MMPI-A: A comparative study between Buenos Aires and Entre Rios samples*. Paper presented at the 31<sup>st</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Minneapolis, MN.

Dupertuis, D. G., Damsky, L., Koludrovich, R., Herrera, G., & Canay, L. (1996, June). *Psychological assessment with MMPI-2: Different profiles in different occupations and*

*in some personality disorders.* Paper presented at the 31<sup>st</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Minneapolis, MN.

Dupertius, D. G. (1994, May). *El MMPI-2 en Argentina: Una muestra de la ciudad de la Plata.* Paper presented at the 29<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Minneapolis, MN.

Dyer, III, J. B., Sajwaj, T. E., & Ford, T. W. (1992, May). *Comparison of MMPI-2 data for nuclear power plant personnel who were approved or denied security clearances for psychological reasons.* Paper presented at the 27th Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Minneapolis, MN.

Egger, J. I. M., Maris, E., & deMey, H. M. R. (2003, June). *Multiple classification latent class models (MCLCM) in the assessment of personality psychopathology: Item decomposition of MMPI-2 PSY-5 scales.* Paper presented at the 38<sup>th</sup> MMPI-2 Conference on Recent Developments in the Use of the MMPI-2 and MMPI-A Workshop and Symposia, Minneapolis, MN.

Egger, J. I. M., Derksen, J. J. L., & deMey, H. M. R. (1997, June). *Validation of MMPI-2 scales and profiles in outpatient and inpatient settings.* Paper presented at the 32<sup>ND</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Minneapolis, MN.

Elder, J. T. & Nelson, L. D. (2000, May). *The MMPI-2 Using a Neurological Sample: To Correct or Not Correct? Critical Review and Comparison of Methods.* Paper presented at the 35<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A. Minneapolis, MN.

Ellertsen, B., Skavhellen, R., & Klove, H. (1994, May). *MMPI-2 profiles in Norwegian samples of headache and back pain patients: A cross-cultural comparison.* Paper presented at the 29<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Minneapolis, MN.

Englert, D. R. & Sachau, D. (2001, March). *Using the MMPI-2 to predict successful graduation from the U.S. Air force's survival instructor's school.* Paper presented at the 36<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A, Safety Harbor, FL.

Englert, D. R. & Weed, N. C. (1994, May). *Convergent and discriminant validity of the Low Self Esteem (LSE) content scale.* Paper presented at the 29<sup>th</sup> Annual Symposium on Recent

Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia.  
Minneapolis, MN.

Erdmann, K., Velasquez, R. J., Flores, L., & Perez, J. (2000, May). *Applying the BSI and MMPI-2 in the Assessment of Spanish Speaking Immigrant DUI Offenders*. Paper presented at the 35<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A. Minneapolis, MN.

Espelage, D. L., Cauffman, E., Broidy, L., Mazerolle, P., & Piquero, A. (2000, May). *A Cluster-Analytic Investigation of MMPI Profiles of Serious Male and Female Juvenile Offenders*. Paper presented at the 35<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A. Minneapolis, MN.

Finn, S.E., & Kamphuis, J.H. (2006). The MMPI-2 Restructured Clinical (RC) Scales and Restraints to Innovation, or "What Have They Done to My Song?" *Journal of Personality Assessment*, 87(2), 202-210.

Finn, S. & Bunner, M. (1992, May). *Impact of test feedback on psychiatric inpatient's satisfaction with assessment*. Paper presented at the 27th Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Minneapolis, MN.

Flamer, S. (1992, May). *Differential diagnosis of post traumatic stress disorder in injured workers: Evaluating the MMPI-2*. Paper presented at the 27th Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Minneapolis, MN.

Flores, L., Chavira, D. A., Velasquez, R. J., Perez, J., & Engel, B. (1996, June). *MMPI-2 codetypes of Spanish speaking Hispanic DUI offenders*. Paper presented at the 31<sup>st</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Minneapolis, MN.

Forbey, J. D. & Ben-Porath, Y. S. (2003, June). *The MMPI-2 computer adaptive version (MMPI-CA): A preliminary investigation*. Paper presented at the 38<sup>th</sup> MMPI-2 Conference on Recent Developments in the Use of the MMPI-2 and MMPI-A Workshop and Symposia, Minneapolis, MN.

Forbey, J. D., Ben-Porath, Y. S., & Davis, D. L. (1998, March). *Behavioral correlates of selected MMPI-A scales*. Paper presented at the 33<sup>rd</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Clearwater Beach, FL.

- Forbey, J. D. & Ben-Porath, Y. S. (1997, June). *Development of the critical item set for MMPI-A*. Paper presented at the 32<sup>ND</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Minneapolis, MN.
- Forbey, J. D., Handel, R. W., & Ben-Porath, Y. S. (1996, June). *Computerized adaptive administration of the MMPI-A*. Paper presented at the 31<sup>st</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Minneapolis, MN.
- Forbey, J. D., Ben-Porath, Y. S., & Davis, D. L. (1996, June). *A comparison of MMPI-A profiles of sexually abused and non-sexually abused adolescents in a clinical treatment facility*. Paper presented at the 31<sup>st</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Minneapolis, MN.
- Fournier, M. (2001, March). *Emotion Scale using MMPI-2: A preliminary exploration of aggression predictive factors*. Paper presented at the 36<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A, Safety Harbor, FL.
- Fournier, M. & Cabiya, J. (2000, May). *Comparison of Scores Between the MMPI-2's Ben-Porath & Morey Personality Disorder Scales and the MCMI-III*. Paper presented at the 35<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A. Minneapolis, MN.
- Fournier, M. & Cabiya, J. (1999, April). *Concurrent Validity of MMPI-2 and MCMI-3 Spanish Versions*. Paper presented at the 34<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Huntington Beach, CA.
- Fragoso, J. M., Walker, M. E., Barron, V. L., Lackey, J., & Scott, R. L. (2003, June). *MMPI-2 performance of Mexican villagers and immigrants, Mexican Americans, and White Americans*. Paper presented at the 38<sup>th</sup> MMPI-2 Conference on Recent Developments in the Use of the MMPI-2 and MMPI-A Workshop and Symposia, Minneapolis, MN.
- Frank, J. G., Velasquez, R. J., Reimann, J. O., & Salazar, J. (1997, June). *MMPI-2 profiles in Latino, black, and white rapists and child molesters on parole*. Paper presented at the 32<sup>ND</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Minneapolis, MN.
- Furst, J. (1994, May). *MMPI-2 characteristics of substance abusing women*. Paper presented at the 29<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Minneapolis, MN.

Gallagher, R. W. & Ben-Porath, Y. S. (1997, June). *Detection of malingering with the MMPI-2 in correctional setting*. Paper presented at the 32<sup>ND</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Minneapolis, MN.

Gallen, R. T. & Berry, D. T. R. (1995, March). *Utility of MMPI-2 standard and alternative validity indices for the detection of random responding*. Paper presented at the 30<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. St. Petersburg, FL.

Garrido, M. (2001, March). *The MMPI-2 (Spanish) as indicator of parenting stress among Latinos*. Paper presented at the 36<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A, Safety Harbor, FL.

Garrido, M. (2000, May). *MMPI-A with Latinos: Review of the Literature and Illustrative Case Studies*. Paper presented at the 35<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A. Minneapolis, MN.

Garrido, M., Diehl, S., Gionta, D., Boscia, M., & Bailey, C. (1999, April). *Prison Adjustment: Predictive Utility of MMPI-2 Scales, Megargee Types, and Demographic Data*. Paper presented at the 34<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Huntington Beach, CA.

Garrido, M., Gionta, D., Diehl, S., & Boscia, M. (1998, March). *The Megargee MMPI-2 system of inmate classification: A study of its applicability with ethnically diverse prison inmates*. Paper presented at the 33<sup>rd</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Clearwater Beach, FL.

Garrido, M., Velasquez, R. J., Reimann, J. O., Parsons, J. P., & Salazar, J. (1997, June). *MMPI-2 performance of Hispanic and white abusive and neglectful parents*. Paper presented at the 32<sup>ND</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Minneapolis, MN.

Garrido, M. (1996, June). *Integrating the MMPI-2 and the Thematic Apperception Test for culturally competent evaluations of Latinos: Three cases of Latino parents undergoing child custody evaluations*. Paper presented at the 31<sup>st</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Minneapolis, MN.

Gass, C. & Luis, C.A. (2001, March). *MMPI-2 short form: Psychometric characteristics in a neuropsychological settings*. Paper presented at the 36<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A, Safety Harbor, FL.

- Gass, C. S., Luis, C. A., Rayls, K., & Mittenberg, W. (1999, April). *MMPI-2 Profiles in Acute Traumatic Brain Injury*. Paper presented at the 34<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Huntington Beach, CA.
- Gass, C. S. & Freshwater, S. (1998, March). *MMPI-2 symptom disclosure and cognitive complaints in a closed-head injury sample*. Paper presented at the 33<sup>rd</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Clearwater Beach, FL.
- Gass, C. S., Meyers, T., & Luis, C. (1997, June). *Fears (FRS) as a variable in neuropsychological test performance*. Paper presented at the 32<sup>ND</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Minneapolis, MN.
- Gass, C. & Ansley, J. (1994, May). *Neuropsychological correlates of MMPI-2 scores in an inpatient psychiatric sample*. Paper presented at the 29<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Minneapolis, MN.
- Gironda, R. J., Clark, M. E. (2000, May). *The Prediction of Interdisciplinary, Chronic Pain Inpatient Treatment Outcomes: The Ho and Other Selected Scales*. Paper presented at the 35<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A. Minneapolis, MN.
- Gironda, R. J. & Ben-Porath, Y. S. (1999, April). *Comparative Validity of MMPI-2 Scores of African-Americans and Caucasians in a Forensic Diagnostic Sample*. Paper presented at the 34<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Huntington Beach, CA.
- Gironda, R. J., Clark, M. E., & McKellar, J. (1998, March). *The MMPI-2 content scales, the positive and negative affect schedule, and the chronic pain coping inventory: Interrelationships and incremental validity in outcome prediction for chronic pain inpatients*. Paper presented at the 33<sup>rd</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Clearwater Beach, FL.
- Glassmire, D. M., Stolberg, R. A., Ricci, C. M., Greene, R. L., & Bongar, B. (1999, April). *The Utility of MMPI-2 Suicide Items for Assessing Suicide History*. Paper presented at the 34<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Huntington Beach, CA.

Grabon, M. B., Puryear, R., & Strong, D. (1992, May). *Clinical correlates of self-deception and impression management on the MMPI-2*. Paper presented at the 27th Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Minneapolis, MN.

Graham, J. R., McNulty, J. L., & Ben-Porath, Y. S. (1999, April). *Correlates of the Hostility (Ho) Scale in an Outpatient Mental Health Setting*. Paper presented at the 34<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Huntington Beach, CA.

Graham, J. R., Barthlow, D. L., Stein, L. A. R., Ben-Porath, Y. S., & McNulty, J. L. (1998, March). *Assessing general maladjustment with the MMPI-2*. Paper presented at the 33<sup>rd</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Clearwater Beach, FL.

Graham, J. R., Arbisi, P., Ben-Porath, Y. S., Megargee, N., & Greene, R. (1996, June). *The MMPI-2 seven years later: How well is it working in a variety of settings?* Paper presented at the 31<sup>st</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Minneapolis, MN.

Graham, J. R., Ben-Porath, Y. S., & McNulty, J. L. (1996, June). *Interpreting low scores on MMPI-2 scales*. Paper presented at the 31<sup>st</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Minneapolis, MN.

Graham, J. R. & Ben-Porath, Y. S. (1995, March). *Correlates of MMPI-2 code types in an outpatient sample*. Paper presented at the 30<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. St. Petersburg, FL.

Graham, J. R. & Ben-Porath, Y. S. (1994, May). *First returns of the Portage-Path MMPI-2 project: Empirical correlates for outpatients*. Paper presented at the 29<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Minneapolis, MN.

Graham, J. R., & Ben-Porath, Y. S. (1990, June). *Congruence between the MMPI and MMPI-2*. Paper presented at the 25th Annual Symposium on Recent Developments in the Use of the MMPI (MMPI-2). Minneapolis, MN.

Graham, J. R. (1989, August). *The meaning of elevated MacAndrew Alcoholism scale scores for nonclinical subjects*. Paper presented at the 97th Annual Convention of the American Psychological Association. New Orleans, LA.

Graham, J. R. (1988, August). *Establishing validity of the revised form of the MMPI*. Paper presented at the 96th Annual Convention of the American Psychological Association. Atlanta, GA.

Graham, J. R. & Butcher, J. N. (1988, March) *Differentiating schizophrenic and major affective disorders with the revised form of the MMPI*. Paper presented at the 23rd Annual Meeting of the Symposium on Recent Developments in the Use of the MMPI. St. Petersburg, Florida.

Gready, P.A. (2006). Use of the MMPI-2 in child custody evaluations and child protection evaluations: An examination of defensive responding and psychopathology. *Dissertation Abstracts International: Section B: The Sciences and Engineering*. Vol 66(11-B), 6272.

Greene, R. L., Stolberg, R. A., Glassmire, D. M., Ricci, C. M., Greene, R. L., & Bongar, B. (1999, April). *New Irritability and Suicidal Ideation Scales for the MMPI-2, Using the MMPI-2 to Increase the Accuracy of Identifying Suicidal Clients*. Paper presented at the 34<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Huntington Beach, CA.

Greene, R. L. & Nichols, D. S. (1997, June). *A symmetrical inconsistency scale for the MMPI-2*. Paper presented at the 32<sup>ND</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Minneapolis, MN.

Greene, R. L. (1996, June). *Matching MMPI-2 profiles to prototypes: the relative contributions of elevation, shape, and scatter*. Paper presented at the 31<sup>st</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Minneapolis, MN.

Greene, R. L. (1994, May). *Using the MMPI-2 structural summary to differentiate among similarly appearing MMPI-2 profiles*. Paper presented at the 29<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Minneapolis, MN.

Greene, R. L., Banken, J., & Arredondo, R. (1994, May). *Gender differences on MMPI-2 addiction scales*. Paper presented at the 29<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Minneapolis, MN.

Greene, R. L. (1992, May). *Matching individual MMPI-2 profiles to prototypic code-types*. Paper presented at the 27th Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Minneapolis, MN.

- Greenwood, K., Velasquez, R. J., Rodriguez-Reimann, D., Suarez, R., Johnson, A., Flores-Gonzalez, R., & Leedeboer, M. E. (1998, March). *MMPI-2/MMPI-A profiles of Latino mother and daughter Dyads in an outpatient community mental health center*. Paper presented at the 33<sup>rd</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Clearwater Beach, FL.
- Grigoriadis, S., Fekken, G. C., & Nussbaum, D. (1994). *MMPI-2 or BPI, which to use?* Paper presented at the Annual Convention of the American Psychological Association, Los Angeles, California.
- Guertner, J. R. (1994, May). *Assessing interpersonal dominance and warmth with the MMPI-2*. Paper presented at the 29<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Minneapolis, MN.
- Gumbiner, J. (1999, April). *MMPI-A Profiles of Hispanic Adolescents*. Paper presented at the 34<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Huntington Beach, CA.
- Gumbiner, J., Arriaga, T., & Stevens, A. (1999, April). *MMPI-A Profiles and Codetypes of Juvenile Delinquents: Clinicians Perceptions of Accuracy*. Paper presented at the 34<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Huntington Beach, CA.
- Hahn, J. (2001, March). *Faking and defensive responding in Korean MMPI-2*. Paper presented at the 36<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A, Safety Harbor, FL.
- Han, K. & Lim, J. (2001, March). *Performance of a Korean psychiatric sample on the Korean version of the MMPI-2: Project update*. Paper presented at the 36<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A, Safety Harbor, FL.
- Han, K. & Lim, J. (2000, May). *The Korean MMPI-2 in a Korean Psychiatric Sample*. Paper presented at the 35<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A. Minneapolis, MN.
- Han, K., McNeal, T. P., & Weed, N. C. (1995, March). *Measuring conscientiousness with the MMPI-2*. Paper presented at the 30<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. St. Petersburg, FL.
- Han, K., Weed, N. C., & Butcher, J. N. (1994, May). *Psychometric characteristics of the revised Cook-Medley Hostility Scale*. Paper presented at the 29<sup>th</sup> Annual Symposium on Recent

Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia.  
Minneapolis, MN.

Han, K. (1992, May). *Evaluating factor similarity indices using MMPI-2 factor structure of American, Korean and Japanese college students*. Paper presented at the 27th Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Minneapolis, MN.

Handel, R. W., Ben-Porath, Y. S., Archer, R. P., Arbisi, P. A., & Graham, J. R. (2001, March). *Code Type Interpretation in the 20th Century Incremental validity of MMPI-2 two-point code types*. Paper presented at the 36<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A, Safety Harbor, FL.

Handel, R. W. & Ben-Porath, Y. S. (1999, April). *The Development and Initial Evaluation of a Comprehensive MMPI-2 Actuarial System*. Paper presented at the 34<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Huntington Beach, CA.

Handel, R. W., Watt, M., Ben-Porath, Y. S. (1997, June). *Comparability and validity of computerized adaptive testing with the MMPI-2 using a clinical sample*. Paper presented at the 32<sup>ND</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Minneapolis, MN.

Harkness, A. R., (1992). Fundamental topics in the personality disorders: Candidate trait dimensions from lower regions of the hierarchy. *Psychological Assessment*, 4, 251-259.

Harkness, A. R., McNulty, J. L, Fanning, M. L., Ben-Porath, Y. S., & Stafford, K. (2001, March). *Validity of the PSY-5 aggressiveness and disconstraint scales in a forensic sample*. Paper presented at the 36<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A, Safety Harbor, FL.

Harkness, A. R., McEntee, B., McDougall, H., Rader, L. E., & McNulty, J. L. (1997, June). *MMPI-A personality psychopathology five (PSY-5) scale performance under challenging self-report conditions*. Paper presented at the 32<sup>ND</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Minneapolis, MN.

Harkness, A. R., Royer, M. J., & Gill, T. P. (1996, June). *Organizing MMPI-2 feedback with psychological constructs: PYS-5 scales and self-adaption*. Paper presented at the 31<sup>st</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Minneapolis, MN.

- Harkness, A. R., Levenson, M., Butcher, J. N., Spiro, III, A., Ben-Porath, Y. S., & Crumpler, C. A. (1995, March). *Drinking and personality: MMPI-2: PSY-5 in the Boston normative VA aging study*. Paper presented at the 30<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. St. Petersburg, FL.
- Harkness, A. R., McNulty, J. L., & Ben-Porath, Y. S. (1994, May). *A different answer to Meehl's (1945) Lt. Max Hutt Assertion: Building MMPI-2 scales with replicated rational selection*. Paper presented at the 29<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Minneapolis, MN.
- Harkness, A. & Ben-Porath, Y. S. (1992, May). *The Mult does measure a five factor model: Introducing the PSY-5*. Paper presented at the 27th Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Minneapolis, MN.
- Hathaway, S. R. (1975, February). Comment on MMPI abbreviated forms. In Who owns test items? Present confusions and anxieties about 1984. Symposium on Recent Developments in the Use of the MMPI, St. Petersburg, FL.
- Heck, D., Beniak, T. e., & Barrash, J. (1992, May). *Intractable epilepsy: Pre and post temporal lobectomy MMPI-2 profiles*. Paper presented at the 27th Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Minneapolis, MN.
- Hellenbosch, G. & Sloore, H. (1996, June). *Age changes in MMPI-2 profiles*. Paper presented at the 31<sup>st</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Minneapolis, MN.
- Hellenbosch, G. & Sloore, H. (1994, May). *The Flemish-Dutch translation the MMPI-2: A comparative and a validation study*. Paper presented at the 29<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Minneapolis, MN.
- Holland, J. A. (1992, May). *MMPI-2 profile differences in children of alcoholics and children of non-alcoholics*. Paper presented at the 27th Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Minneapolis, MN.

- Hostetler, K., Ben-Porath, Y. S., Butcher, J. N., & Graham, J. R. (1989, April). *New subscales for the MMPI-2 Social Introversion scale*. Paper presented at the 50th Anniversary Meeting of the Society for Personality Assessment. New York, NY.
- Ingersoll, J. & McGrath, R. E. (1997, June). *A meta-analysis of MMPI profile code studies*. Paper presented at the 32<sup>ND</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Minneapolis, MN.
- Isenhart, C. (1997, June). *Assessment of African Americans in a V.A. setting*. Paper presented at the 32<sup>ND</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Minneapolis, MN.
- Jella, S. H., Penn, N., Boscan, D., Maness, P., & Velasquez, R. J. (2001, March). *MMPI-2 profiles of Mexican DUI offenders and college students*. Paper presented at the 36<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A, Safety Harbor, FL.
- Jones, S., Crenshaw, G., Castellanos, J., & Velasquez, R. J. (2000, May). *MMPI-2 Performance of African American Students*. Paper presented at the 35<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A. Minneapolis, MN.
- Kabat, M., Sawrie, S., Dietz, C., Ryan, E., Greene, R. L., & Arredondo, R. (1992, May). *Gender differences within the alcoholic personality: A factor analytic study*. Paper presented at the 27th Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Minneapolis, MN.
- Kathuria, M.K. (2006). A grant proposal to study the MMPI-2 profile of second generation Asian-Indian Americans. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 66(11-B), 6277.
- Khadivi, A. & Wetzler, S. (1995, March). *The use of the MMPI-2 for the assessment of depression, mania and psychosis*. Paper presented at the 30<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. St. Petersburg, FL.
- Kidwell, S., Tzelepis, A., Friedman, S., & Kuentzel, J. (1996, June). *MMPI-2 findings in adults with ADHD*. Paper presented at the 31<sup>st</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Minneapolis, MN.
- Kordinak, S. T. (1999, April). *Incremental Validity of the MMPI-2 Addiction Scales in the Assessment of Self Reported Alcohol Expectancies*. Paper presented at the 34<sup>th</sup> Annual

Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Huntington Beach, CA.

Kordinak, S. T. & Pincince, L. Z. (1997, June). *MMPI-2 variables in academic performance*. Paper presented at the 32<sup>ND</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Minneapolis, MN.

Kordinak, S. T. (1996, June). *Multivariate analysis of the MMPI-2 and the Alcohol Expectancy Questionnaire of heavy and non-heavy drinking college students*. Paper presented at the 31<sup>st</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Minneapolis, MN.

Kordinak, S. T. (1995, March). *Marital distress in dual career law enforcement couples*. Paper presented at the 30<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. St. Petersburg, FL.

Kordinak, S. T., Pate, R., & Barker, M. (1994, May). *Bartholomew attachment styles and the MMPI-2*. Paper presented at the 29<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Minneapolis, MN.

Koscheyev, V. S. & Martens, V. K. (1992, May). *Standardization of the MMPI-2 in Russia*. Paper presented at the 27th Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Minneapolis, MN.

Kovan, R. E. & Greene, R. L. (1999, April). *Classifying MMPI-2 Codetypes that are not Well-Defined: Clinician versus Computer*. Paper presented at the 34<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Huntington Beach, CA.

Laureano, D. & Velasquez, R. J. (2001, March). *MMPI-2 performance of Mexican-Americans who have experienced discrimination: A preliminary study*. Paper presented at the 36<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A, Safety Harbor, FL.

Law, A., Schulz, I. & Butcher, J. N., Lo, J. C. and Ng, J. M. (2014). Exploring the clinical profiles of workers with confirmed traumatic brain injuries and high scores on the MMPI-2 FBS: A study. Paper presented at the Canadian Psychological Association, Vancouver, June, 2014.

Leon G, I. & Lucio-G.M., E. (1998, March). *Internal consistency and structure of the MMPI-2 substance abuse scales*. Paper presented at the 33<sup>rd</sup> Annual Symposium on Recent

Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Clearwater Beach, FL.

Leon, G. R. & Khan, P. (1995, March). *Personality and group processes in an all women Antarctic expedition team*. Paper presented at the 30<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. St. Petersburg, FL.

Leonelli, B. T., Chang, C-H., Book, R. D., & Schilling, S. G. (2001, March). *Interpretation of a full-information item-level factor analyses of the MMPI-2: Normative sampling and nonpathognomonic descriptors*. Paper presented at the 36<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A, Safety Harbor, FL.

Lilienfeld, L. (1995, March). *The use of the MMPI-A in the identification of risk factors for the future development of eating disorders*. Paper presented at the 30<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. St. Petersburg, FL.

Lim, J. & Han, K. (1999, April). *An evaluation of the integrity of the Korean MMPI-A translation*. Paper presented at the 34<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Huntington Beach, CA.

Lim, J. (1994, May). *Empirical evaluation of the effectiveness of the S scale in detection of symptom underreporting*. Paper presented at the 29<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Minneapolis, MN.

Long, B., Nelson, O., & Butcher, J. N. (1995, March). *The MMPI-2 in workplace sexual harassment discrimination cases*. Paper presented at the 30<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. St. Petersburg, FL.

Lopez, C. M. (2001, March). *A portrait of homeless veterans and nonveterans: MMPI-2 and sociodemographic characteristics*. Paper presented at the 36<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A, Safety Harbor, FL.

Losardo, M., Rierdan, J., Penk, W., Meschede, T., & Birgeneau, C. (1998, March). *MMPI-2 content scales and diagnostic co-morbidity*. Paper presented at the 33<sup>rd</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Clearwater Beach, FL.

Losardo, M., Rierdan, J., Penk, W., Meschede, T., Brady, S., Rosner, B., Birgeneau, C., & McGrath, M. (1997, June). *The MMPI-2 and co-morbidity: Major mental illness and posttraumatic stress disorder*. Paper presented at the 32<sup>ND</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Minneapolis, MN.

Lucio, E., Duran, C., & Leon, I. (1999, April). *The Mexican Normative Sample of the MMPI-2*. Paper presented at the 34<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Huntington Beach, CA.

Lucio G-M, E., Ampudia-R, A., & Duran-P, C. (1997, June). *A test-retest reliability study of the MMPI-A in a group of Mexican adolescents*. Paper presented at the 32<sup>ND</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Minneapolis, MN.

Lucio G-M, E., Ampudia-R, A., & Duran, C. (1996, June). *Development and normalization of MMPI-A Spanish version for Mexico*. Paper presented at the 31<sup>st</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Minneapolis, MN.

Lucio G-M, E., Monzon-G, L., Oyervides-G, S., & Larrauguivel, G. (1996, June). *Development of an MMPI-2 infrequency scale for use with Mexican psychopathological populations: the F "psi" scale for Mexico*. Paper presented at the 31<sup>st</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Minneapolis, MN.

Lucio G-M, E., Perez-F, J. M., & Ampudia-R, A. (1996, June). *A reliability test-retest of the MMPI-2 in a group of Mexican university students*. Paper presented at the 31<sup>st</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Minneapolis, MN.

Lucio, G.M., e. & Palacio, H. (1994, May). *MMPI-2 in Mexican psychiatric inpatients: Validity, standard and content scales*. Paper presented at the 29<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Minneapolis, MN.

Lucio, G.M., E. & Reyes-Lagunes, I. (1992, May). *Adaptation of the MMPI-2 Spanish version to Mexican college students*. Paper presented at the 27th Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Minneapolis, MN.

Lynch, K. D., Archer, R. P., & Handel, R. W. (2003, June). *MMPI-A item effectiveness*:

*Relationships to item content and diagnostic groupings.* Paper presented at the 38<sup>th</sup> MMPI-2 Conference on Recent Developments in the Use of the MMPI-2 and MMPI-A Workshop and Symposia, Minneapolis, MN.

Lynch, K. D., Handel, R. W., & Archer, R. (2001, March). *Detection of random responding on the MMPI-A: Utility of the F1-F2 index.* Paper presented at the 36<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A, Safety Harbor, FL.

Maness, P., Silkowski, S., Velasquez, R. J., Savino, A. V., & Frank, J. (2001, March). *Ethnic Comparisons on the MMPI-2 and male sex offenders.* Paper presented at the 36<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A, Safety Harbor, FL.

Maness, P. J., Gomez, N., Velasquez, R. J., Silkowski, S., & Savino, A. (2000, May). *Gender Differences of the MMPI-2 for Columbian University Students.* Paper presented at the 35<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A. Minneapolis, MN.

Maness, P. J., Savino, A. V., Lopez, C., Velasquez, R. J., & Spinetta, J. J. (2000, May). *Comparisons of Homeless White and African American Males on Various MMPI-2 Scales.* Paper presented at the 35<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A. Minneapolis, MN.

Marshall, M. B. & Bagby, R. M. (2003, June). *Examining response style on the MMPI-2—A comparison of “analogue” and “differential prevalence” groups and designs.* Paper presented at the 38<sup>th</sup> MMPI-2 Conference on Recent Developments in the Use of the MMPI-2 and MMPI-A Workshop and Symposia, Minneapolis, MN.

Marshall, E. & Weed, N. (1994, May). *Discriminant validity of the subscales of the MMPI-2 S scale.* Paper presented at the 29<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Minneapolis, MN.

Martens, V. K., Leon, G. R., & Koscheyev, V. S. (1996, June). *Completion of Russian MMPI-2 standardization on normal and clinical populations.* Paper presented at the 31<sup>st</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Minneapolis, MN.

McClinton, B. K., Stein, L. A. R., & Graham, J. R. (1996, June). *Self report correlates of the MMPI-A scales in a non-clinical sample.* Paper presented at the 31<sup>st</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Minneapolis, MN.

McClinton, B. K., Graham, J. R., & Ben-Porath, Y. S. (1995, March). *Ethnicity and MMPI-2 substance abuse scales*. Paper presented at the 30<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. St. Petersburg, FL.

McCully, E. & Ben-Porath, Y. S. (1997, June). *Validity of MMPI-A code types*. Paper presented at the 32<sup>ND</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Minneapolis, MN.

McDaniels Wilson, C. (1997, June). *The relation of sexual abuse history to the MMPI-2 profiles and criminal involvement of incarcerated women* Paper presented at the 32<sup>ND</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Minneapolis, MN..

McGrath, R. E., Pogge, D. L., Stein, L.A.R., & Graham, J. R. (1997, June). *Development of an infrequent response scale for the MMPI-A: The F(p)-A scale*. Paper presented at the 32<sup>ND</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Minneapolis, MN.

McGrath, R. E., Sapareto, E., & Pogge, D. L. (1997, June). *Development of the masculine-feminine pathology scale, Mf(p)*. Paper presented at the 32<sup>ND</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Minneapolis, MN.

McGrath, R. E., Sweeney, M., O'Malley, W. B., & Carlton, T. K. (1997, June). *Psychological contributions to chronic pain complaints: The role of the K Scale*. Paper presented at the 32<sup>ND</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Minneapolis, MN.

McGraw, K. L., Gallen, R. T., Berry, D. T. R., Baer, R. A., & Wetter, M. W. (1996, June). *Identification of response sets on the MMPI-2: Towards a multivariate process*. Paper presented at the 31<sup>st</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Minneapolis, MN.

McKenna, T. & Butcher, J. N. (1987). *Continuity of the MMPI with alcoholics*. Paper presented at the 22nd Annual Symposium on Recent Developments in the Use of the MMPI. Seattle.

McManemin, F. A., deBeus, R., & McCoy, C. E. (1998, March). *Clinical applications of four MMPI-2 clusters in a back pain population*. Paper presented at the 33<sup>rd</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Clearwater Beach, FL.

McNeal, T. P. & Weed, N. C. (1997, June). *Relative validity of blind clinical and computer-based interpretations of the MMPI-2*. Paper presented at the 32<sup>ND</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Minneapolis, MN.

McNulty, J. L., Arbisi, P. A., & Ben-Porath, Y. S. (2001, March). *Predictive validity of the personality psychopathology (PSY-5) scales*. Paper presented at the 36<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A, Safety Harbor, FL.

McNulty J. L., Finger, M. S., Arbisi, P. A., & Ben-Porath, Y. S. (1999, April). *Why the Big Five does Not Measure Psychoticism*. Paper presented at the 34<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Huntington Beach, CA.

McNulty, J. L., Megargee, E. I., Black, M. S., & Foreby, J. D. (1999, April). *Characteristics of the MMPI-2 Based Megargee Classification System in a State Corrections Population*. Paper presented at the 34<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Huntington Beach, CA.

McNulty, J. L., Harkness, A. R., & Ben-Porath, Y. S. (1998, March). *Theoretical assertions and empirical evidence: How MMPI-2 PSY-5 scales are linked with the MPQ, ZKPQ-III, and NEO-PI-R*. Paper presented at the 33<sup>rd</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Clearwater Beach, FL.

McNulty, J. L. & Arbisi, P. A. (1997, June). *MMPI-2 profiles in compensation seeking veterans*. Paper presented at the 32<sup>ND</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Minneapolis, MN.

McNulty, J. L., Ben-Porath, Y. S., & Watt, M. (1997, June). *Predicting SCID-II personality disorder symptomatology: A comparison of the PSY-5 and Big Five Models*. Paper presented at the 32<sup>ND</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Minneapolis, MN.

McNulty, J. L., Ben-Porath, Y. S., & Graham, J. R. (1997, June). *Using the content component scales to facilitate content scale interpretation*. Paper presented at the 32<sup>ND</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Minneapolis, MN.

McNulty, J. L., Graham, J. R., & Ben-Porath, Y. S. (1996, June). *Interpreting ill-defined code types: Use (descriptors) with caution!* Paper presented at the 31<sup>st</sup> Annual Symposium on

Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia.  
Minneapolis, MN.

McNulty, J. L., Harkness, A., Williams, C. L., & Ben-Porath, Y. S. (1995, March). *Anger and MMPI-A Personality Psychopathology Five (PSY-5): Internal analyses of rational scales*. Paper presented at the 30<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. St. Petersburg, FL.

McNulty, J. L., Harkness, A. R., Ben-Porath, Y. S., & Williams, C. L. (1994, May). *Validity of Psychopathology Five (PSY05) scales for the MMPI-A*. Paper presented at the 29<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Minneapolis, MN.

Megargee, E. I. & Bettage, M. (1995, March). *Using the Megargee Offender Classification System with female offenders*. Paper presented at the 30<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. St. Petersburg, FL.

Megargee, E. I. (1993, March). *Using the Megargee Offender Classification System with the MMPI-2: An update*. Paper presented at the 28<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. St. Petersburg Beach, FL.

Meschede, T., Rierdan, J., Penk, W., Losardo, M., & Knight, J. (1998, March). *Major mental illness, substance abuse, and posttraumatic stress disorder: MMPI-2 profiles of women and men as a function of diagnostic co-morbidities*. Paper presented at the 33<sup>rd</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Clearwater Beach, FL.

Meschede, T., Rierdan, J., Penk, W., Losardo, M., Knight, J., Ruiz, T., Banks, J., Masterson, D., & Reardon, A. (1997, June). *The MMPI-2 and co-morbidity: Major mental illness and substance abuse*. Paper presented at the 32<sup>ND</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Minneapolis, MN.

Meyer, G. J. (1994, May). *Integrating the MMPI-2 & Rorschach in clinical assessment*. Paper presented at the 29<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Minneapolis, MN.

Millis, S. R., Putnam, S. H., & Adams, K. M. (1995, March). *Neuropsychological malingering and the MMPI-2: Old and new indicators*. Paper presented at the 30<sup>th</sup> Annual Symposium

on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. St. Petersburg, FL.

Milo, K. M. (1998, March). *Predicting survival following bone marrow transplantation from MMPI-2 test data*. Paper presented at the 33<sup>rd</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Clearwater Beach, FL.

Moore, A.T. (2006). Predictive validity of the MMPI-A for depression in Caucasian and racial minority adolescents. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 66(11-B), 6285.

Moore, D. & Weed, N. C. (1998, March). *Validity of the MMPI-A LAS scale with rural African-American teens*. Paper presented at the 33<sup>rd</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Clearwater Beach, FL.

Moore, J. M., Thompson-Pope, S. K., & Whited, R. M. (1994, May). *MMPI-A profiles of adolescent males with a history of firesetting*. Paper presented at the 29<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Minneapolis, MN.

Morfitt, R. & Butcher, J. N. (1995, March). *Differentiation of job applicants from the MMPI-2 normative sample by item responses*. Paper presented at the 30<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. St. Petersburg, FL.

Muench, J. L., Crowther, J. H., & Lilly, R. S. (1997, June). *MMPI-2 predictors of poor client-therapist interactions*. Paper presented at the 32<sup>ND</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Minneapolis, MN.

Muller, B. P. (1996, June). *Psychological assessment of police applicants with the MMPI-2*. Paper presented at the 31<sup>st</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Minneapolis, MN.

Muller, B. P. & Kasper, D. (1996, June). *Candor, conceit or concealment: Assessing positive self-presentation in police applicants*. Paper presented at the 31<sup>st</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Minneapolis, MN.

Muller, B. P. (1994, May). *To tell the truth: Assessing underreporting of symptoms on the MMPI-2 by police applicants*. Paper presented at the 29<sup>th</sup> Annual Symposium on Recent

Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia.  
Minneapolis, MN.

Murray, L. & Garrido, M. (2001, March). *MMPI-2 scores as a predictor of outcomes on the phase II profile integrity inventory*. Paper presented at the 36<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A, Safety Harbor, FL.

Murray, L. D.& Garrido, M. (2000, May). *The Construct Validation of the Phase II Profile Integrity Inventory*. Paper presented at the 35<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A. Minneapolis, MN.

Myers, S. & Metz, M. (1994, May). *MMPI-2 content scales of male sexual dysfunction clients*. Paper presented at the 29<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Minneapolis, MN.

Newton, C.C. (2008). MMPI-A structural summary approach: Characteristics of gifted adolescents. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 69, 1964.

Nelson, L., Groot, J., & Elder, J. (2001, March). *Measuring emotional functioning in multiple sclerosis using the MMPI-2: An update*. Paper presented at the 36<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A, Safety Harbor, FL.

Nelson, L. & Do, T. (1998, March). *New interpretations of the MMPI-2 in a neurological sample: A break with tradition*. Paper presented at the 33<sup>rd</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Clearwater Beach, FL.

Nelson, L., Hass, G. & Butcher, J. N. Contemporary Use of the MMPI-2 in Forensic Assessments. Workshop presented at the American Psychological Association Convention, August, 2014.

Nichols, D.S. (2006). The Trials of Separating Bath Water From Baby: A Review and Critique of the MMPI-2 Restructured Clinical Scales. *Journal of Personality*, 87(2), 121-138.

Nichols, D. S. & Greene, R. L. (2001, March). *Construction of an MMPI-2 scale to predict PCL-R factor and total scores*. Paper presented at the 36<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A, Safety Harbor, FL.

- Noland, K. A., Williams, J. E., Gordon, D. H., Robinson, B. C., & Weed, N.C. (1999, April). *The Continuing Search for Conscientiousness on the MMPI-2*. Paper presented at the 34<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Huntington Beach, CA.
- Noland, K. A., McNeal, T. P., & Weed, N. C. (1997, June). *Relative and joint validity of the MMPI-2 clinical and content scales*. Paper presented at the 32<sup>ND</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Minneapolis, MN.
- Nzewi, E.(1999, April). *Detection of Explanatory Factors in Elevations on Scales F and 8 in MMPI-2 Performance of Nigerians*. Paper presented at the 34<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Huntington Beach, CA.
- O'Reilly, B. P., Graham, J. R., Hjemboe, S. M., & Butcher, J. N. (2003, June). *The construct validity of the MMPI-2 marital distress scale*. Paper presented at the 38<sup>th</sup> MMPI-2 Conference on Recent Developments in the Use of the MMPI-2 and MMPI-A Workshop and Symposia, Minneapolis, MN.
- Owens, M. M., & D'Agostino, A. (2003, June). *Using the MMPI in Africa*. Paper presented at the 38<sup>th</sup> MMPI-2 Conference on Recent Developments in the Use of the MMPI-2 and MMPI-A Workshop and Symposia, Minneapolis, MN.
- Pace, T. M., Choney, S. K., Hill, J. S. H., Blair, G. M., Lacey, K., & Robbins, R. (1999, April). *Evaluating the MMPI-2 American Indian norms: Implications for Multicultural Research and Practice*. Paper presented at the 34<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Huntington Beach, CA.
- Pampa, W. M. & Scott, R. L. (2000, May). *The MMPI-A in Peru: A Normative Study*. Paper presented at the 35<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A. Minneapolis, MN.
- Park, H. L. & Weed, N. C. (2001, March). *Development and initial validation of an MMPI-2 scale to assess symptoms of ADHD*. Paper presented at the 36<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A, Safety Harbor, FL.
- Park, H. L. & Weed, N. C. (1998, March). *Convergent validity of an MMPI-A ADHD scale*. Paper presented at the 33<sup>rd</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Clearwater Beach, FL.

Pena, L. M. (1998, March). *Prediction of juvenile delinquent adjustment to institutionalization using the MMPI-A*. Paper presented at the 33<sup>rd</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Clearwater Beach, FL.

Pena, L. & Megargee, E. (1997, June). *Application of the Megargee typology for criminal offenders to adolescents with the MMPI-A*. Paper presented at the 32<sup>ND</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Minneapolis, MN.

Pena, L. M. (1996, June). *Spanish MMPI-A and Cuban Americans MMPI-A profiles of Cuban American adolescents using the Spanish version of the MMPI-A*. Paper presented at the 31<sup>st</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Minneapolis, MN.

Pena, L. & Megargee, E. (1994, May). *MMPI-A patterns among juvenile delinquents*. Paper presented at the 29<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Minneapolis, MN.

Penk, W. & Rogers, E. N. (1997, June). *The MMPI and VA: Fifty years of interactions*. Paper presented at the 32<sup>ND</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Minneapolis, MN.

Penk, W., Rierdan, J., & Knight, J. (1996, June). *MMPI-2 profiles of persons with serious mental disorders: The homeless, the unemployed and the dually-diagnosed*. Paper presented at the 31<sup>st</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Minneapolis, MN.

Penn, N., Savino, A. V., Velasquez, R. J., Boscan, D., & Gomez, Jr., F. C. (1999, April). *MMPI-2 Performance of Mexican Prison Inmates: Clinical Correlates*. Paper presented at the 34<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Huntington Beach, CA.

Pennuto, T.O., & Archer, R.P. (2008). MMPI-A forensic case studies: Uses in documented court decisions. *Journal of Personality Assessment, 90*, 215-226.

Peterson, S. A., Mouton, G. J., Nicholson, R. A., & Bagby, R. M. (1995, March). *Detecting simulated defensiveness on the MMPI-2: Receiver operating characteristic (ROC) analysis*. Paper presented at the 30<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. St. Petersburg, FL.

Petroskey, L. J., Ben-Porath, Y. S., & Stafford, K. P. (2003, June). *Forensic correlates of the*

*MMPI-2 PSY-5 scales.* Paper presented at the 38<sup>th</sup> MMPI-2 Conference on Recent Developments in the Use of the MMPI-2 and MMPI-A Workshop and Symposia, Minneapolis, MN.

Podrygula, S. (1997, June). *MMPI-2 use in child custody evaluations: Ethical and professional issues.* Paper presented at the 32<sup>ND</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Minneapolis, MN.

Poland, D.L. (2006). Below average scores on MMPI-2 scales in an outpatient mental health setting. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 67, 557.

Pollack, D. R. (1992, May). *Assessment of brain trauma personal injury litigants.* Paper presented at the 27th Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Minneapolis, MN.

Powis, D., McGrath, R., Pogge, D., Borgaro, S., & Stokes, J. (1998, March). *Actuarial use of the MMPI-A--generation of clinical correlate data for frequently occurring codetypes in an adolescent inpatient sample.* Paper presented at the 33<sup>rd</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Clearwater Beach, FL.

Putnam, S. H., Adams, K. B., Millis, S. R., & Kurtz, J. F. (1995, March). *Prevalence and correlates of common well defined MMPI-2 code types among a large TBI sample.* Paper presented at the 30<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. St. Petersburg, FL.

Putnam, S. H. & Adams, K. M. (1994, May). *The convergence of MMPI-2 profiles of patients who were identified as malingering neuropsychological symptoms using different procedures.* Paper presented at the 29<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Minneapolis, MN.

Putnam, S., Adams, K., & Butcher, J. N. (1992, May). *A comparative MMPI-2 study of three professional samples: Attorneys, insurance case managers, and clergy.* Paper presented at the 27th Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Minneapolis, MN.

Putnam, S. H., Adams, K. B., & O'Leary, J. F. (1992, May). *MMPI-2 correlates of progressive and unexpected cognitive deterioration in very mild traumatic brain injury.* Paper presented at the 27th Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Minneapolis, MN.

Rangel, S. J., Yanez, E. M., Jaghab, K., & Velasquez, R. J. (2001, March). *MMPI-2 correlates for neglectful/abusive Latino and non-Latino parents: Preliminary results*. Paper presented at the 36<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A, Safety Harbor, FL.

Rangel, S., Velasquez, R. J., & Castellanos, J. (2000, May). *Utilization and opinions of the MMPI-2 by Latino Psychologists: Preliminary Results of a National Survey*. Paper presented at the 35<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A. Minneapolis, MN.

Reeves, K. L., McCord, D. M., & Weed, N. C. (2001, March). *Relative validity of the MMPI-2 substance abuse scales in a college sample*. Paper presented at the 36<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A, Safety Harbor, FL.

Ricci, C. M., Stolberg, R. A., Glassmire, D. M., & Greene, R. L. (1999, April). *Replicating Meehl and Hathaway's Methodology to Create a Revised K. Scale for the MMPI-2*. Paper presented at the 34<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Huntington Beach, CA.

Rickets, A., Ben-Porath, Y. S., & Stafford, K. P. (1998, March). *Validity of the MMPI-2 substance abuse scales in a forensic setting*. Paper presented at the 33<sup>rd</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Clearwater Beach, FL.

Rierdan, J., Knight, J., Penk, W., Meschede, T., & Losardo, M. (1998, March). *Chronic psychopathology, co-morbidity, and cross-validation of the MMPI-2 F(p) scale*. Paper presented at the 33<sup>rd</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Clearwater Beach, FL.

Rierdan, J., Meschede, T., Losardo, M., Penk, W., Knight, J., & Dyl, J. (1998, March). *MMPI-2 protocols of schizophrenic and mood disordered patients with one or two co-morbid diagnoses*. Paper presented at the 33<sup>rd</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Clearwater Beach, FL.

Rierdan, J., Penk, W., Knight, J., Meschede, T., Losardo, M., Ito, K., & Dyl, J. (1997, June). *Validity of the MMPI-2 PK scale with civilians and the dually diagnosed*. Paper presented at the 32<sup>ND</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Minneapolis, MN.

- Robbins, B.M. (2008). Using selected scales of the MMPI-A to differentiate adjudicated from nonadjudicated adolescent females. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 68, 6332.
- Roberts, M. E., Han, K., & Weed, N. (2000, May). *Construction of an MMPI-2 Scale to Assess Hwa-byung, A Korean Culture-bound Syndrome*. Paper presented at the 35<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A. Minneapolis, MN.
- Roberts, K. (2007). *Minnesota 150. The people, places, and things that shape our state*. Minnesota Historical Society. St. Paul: Mn.
- Rogers, R.S., Sewell, K.W., Harrison, K.S., & Jordan, M.J. (2006). The MMPI-2 Restructured Clinical Scales: A Paradigmatic Shift in Scale Development. *Journal of Personality Assessment*, 87(2), 139-147.
- Roper, B. L. (1994, May). *The use of MMPI-2 item response latencies as validity indicators*. Paper presented at the 29<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Minneapolis, MN.
- Roper, B., Slutske, W., Nguyen, P., Ben-Porath, Y. S. and Butcher, J. N. (1990). *Advances in computer adaptive testing with the MMPI-2*. Paper presented at the 98th Annual Convention of the American Psychological Association Meetings, Boston, Mass. August.
- Ross, S. R., Putnam, S. H., & Adams, K. M. (1998, March). *Cognitive and conative disturbance on the MMPI-2 and performance on the Halstead-Reitan Neuropsychological Test Battery in head injury*. Paper presented at the 33<sup>rd</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Clearwater Beach, FL.
- Ross, S. R., Putnam, S. H., Gass, C. S., & Adams, K. M. (1997, June). *MMPI-2 predictors of cognitive test performance in traumatic brain injury*. Paper presented at the 32<sup>ND</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Minneapolis, MN.
- Rouse, S. V. & Walker-Cohen, J. (2001, March). *The effect of embedded and isolated item presentation on responses to MMPI-2 scales*. Paper presented at the 36<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A, Safety Harbor, FL.

- Rouse, S. V. (2000, May). *Effect of Embedded Versus Isolated Scale Presentation on Response to the MMPI-2*. Paper presented at the 35<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A. Minneapolis, MN.
- Rouse, S. V., McGrath, B., & Ahluwalia, R. (2000, May). *Comparison of the Validity of Subtle and Obvious Items in a Clinical Sample*. Paper presented at the 35<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A. Minneapolis, MN.
- Rouse, S. V. (1999, April). *Statistical vs. Astrological Prediction: Using the MMPI-2 to disconfirm zodiac-based personality descriptions*. Paper presented at the 34<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Huntington Beach, CA.
- Rouse, S. V. & Finger, M. S. (1999, April). *The French and English MMPI-2 Positive Emotionality Scale: An IRT Examination of Item Equivalence*. Paper presented at the 34<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Huntington Beach, CA.
- Rouse, S. V., Tellegen, A., & Butcher, J. N. (1998, March). *The clinical validation of the MMPI-2 PSY-5 scales*. Paper presented at the 33<sup>rd</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Clearwater Beach, FL.
- Rouse, S. V., Butcher, J. N., & Miller, K. (1997, June). *Assessment of substance abuse problems in a sample of psychotherapy patients*. Paper presented at the 32<sup>ND</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Minneapolis, MN.
- Rouse, S. V. & Butcher, J. N. (1995, March). *Empirical differentiation of personnel candidates on the MMPI-2: A study of 18,000 job applicants*. Paper presented at the 30<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. St. Petersburg, FL.
- Russell, A. S. & Snow, W. G. (1994, May). *MMPI-2 profiles in high and low symptom reporting head-injured patients*. Paper presented at the 29<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Minneapolis, MN.
- Schulte, S., Anderson, U., & Velasquez, R. J. (2001, March). *Socio-demographic and MMPI-2 characteristics of foster parent applicants*. Paper presented at the 36<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A, Safety Harbor, FL.

- Scott, R. L., Beltran-Quiones, M., Gomez, N., Knoth, R. L. (2001, March). *Hispanic MMPI-A assessment of adolescent earthquake victims in Columbia*. Paper presented at the 36<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A, Safety Harbor, FL.
- Scott, R. L. & Beltran-Quinones, M. (2000, May). *MMPI-A Profiles of Adolescent Earthquake Victims in Columbia*. Paper presented at the 35<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A. Minneapolis, MN.
- Scott, R. L., Butcher, J. N., & Young, T. L. (1999, April). *The Hispanic MMPI-A Across Five Countries*. Paper presented at the 34<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Huntington Beach, CA.
- Scott, R.L., & Mamani-Pampa, W. (2008). MMPI-A for Peru: Adaptation and normalization. *International Journal of Clinical and Health Psychology, 8*, 719-732.
- Sellbom, M., Ben-Porath, Y. S., Graham, J. R., & Lilienfeld, S. O. (2003, June). *Measuring psychopathy with the MMPI-2: A multifaceted exploration*. Paper presented at the 38<sup>th</sup> MMPI-2 Conference on Recent Developments in the Use of the MMPI-2 and MMPI-A Workshop and Symposia, Minneapolis, MN.
- Sellbom, M., Graham, J. R., Shenk, P. W., & Ben-Porath, Y.S. (2003, June). *Convergent and discriminant validity of the clinical and restructured clinical (RC) scales of the MMPI-2 in a sample of private practice clients*. Paper presented at the 38<sup>th</sup> MMPI-2 Conference on Recent Developments in the Use of the MMPI-2 and MMPI-A Workshop and Symposia, Minneapolis, MN.
- Sellbom, M., Ben-Porath, Y. S., Barum, L. J., Erez, E. & Gregory, C. (2005). Empirical correlates of the Restructured Clinical Scales in a Forensic Sample, Midwinter Meeting of the Society for Personality Assessment, Chicago, March.
- Sellbom, M. Graham, J. R. & Schenk, P. W. (2005). Symptom correlates of MMPI-2 scales and codetypes in a private practice setting. *Journal of Personality Assessment, 84*, 163-171.
- Sellbom, M., Ben-Porath, Y.S., Graham, J. R., Arbisi, P., & Bagby, R. M. (2005). Susceptibility of the MMPI-2 Clinical, Restructured Clinical (RC) and content scales to overreporting and underreporting. *Assessment, 12*, 79-85.
- Shepherd, K., Marshall, P., Beniak, T., Heck, D., & Ben-Porath, Y. S. (1992, May). *MMPI-2 characteristics of patients with intractible epilepsy*. Paper presented at the 27th Annual

Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Minneapolis, MN.

Shondrick, D. D., Ben-Porath, Y. S., & Stafford, K. (1992, May). *Forensic assessment with the MMPI-2: Characteristics of individuals undergoing court-ordered evaluations*. Paper presented at the 27th Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Minneapolis, MN.

Simcox, A. M., Berry, D. T. R., & Kelley, K. K. (1997, June). *MMPI-2 validity scales as a screen for administration of the SIRS in forensic sample*. Paper presented at the 32<sup>ND</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Minneapolis, MN.

Simms, L.J. (2006). Bridging the Divide: Comments on the Restructured Clinical Scales of the MMPI-2. *Journal of Personality Assessment*, 87(2), 211-216.

Simms, J. & Laing, D. (1992, May). *Toward the development of an MMPI-2 alcoholism scale for women substance abusers*. Paper presented at the 27th Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Minneapolis, MN.

Sisung, J.R. (2006). Predictive utility of the mmapi-2 fake bad scale on wisconsin card sorting test performance during forensic traumatic brain evaluations. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 66(11-B), 6330.

Sliger, G. L. & Megargee, E. I. (1998, March). *Comparisons of female offenders classified according to Megargee's MMPI-2 based system: similarities and differences with the male typology*. Paper presented at the 33<sup>rd</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Clearwater Beach, FL.

Sloore, H. & Rossi, G. (2003, June). *Can the Megargee types be identified in a Belgian prisoners population?* Paper presented at the 38<sup>th</sup> MMPI-2 Conference on Recent Developments in the Use of the MMPI-2 and MMPI-A Workshop and Symposia, Minneapolis, MN.

Sloore, H. & Van Den Brane, I. (2001, March). *Measuring personality disorders by means of the MMPI-2*. Paper presented at the 36<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A, Safety Harbor, FL.

Sloore, H. & Rossi, G. (1998, March). *Recidivism and psychopathy*. Paper presented at the 33<sup>rd</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Clearwater Beach, FL.

Sloore, H. & Hellenbosch, G. (1996, June). *The MMPI-2 personality disorder scales*. Paper presented at the 31<sup>st</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Minneapolis, MN.

Sloore, H. & Hellenbosch, G. (1995, March). *Can the MMPI-2 be used to measure personality disorders?* Paper presented at the 30<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. St. Petersburg, FL.

Sloore, H., Hellenbosch, G. & Rockhout, D. (1992, May). *An epidemiologic study of personality disorders*. Paper presented at the 27th Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Minneapolis, MN.

Snyder, D. K., Cozzi, J. J., & Baucom, D. H. (1998, March). *Replicated MMPI subtypes of couples entering marital therapy*. Paper presented at the 33<sup>rd</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Clearwater Beach, FL.

Somera, M., Schulte, S., & Velasquez, R. J. (2001, March). *Personality disorders and MMPI-2: Foster parent applicants*. Paper presented at the 36<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A, Safety Harbor, FL.

Somwaru, D. & Ben-Porath, Y. S. (1995, March). *Development and reliability of MMPI-2 based personality disorder scales*. Paper presented at the 30<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. St. Petersburg, FL.

Somwaru, D. Ben-Porath, Y. S. (1992, May). *Assessment of personality disorders with the MMPI-2*. Paper presented at the 27th Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Minneapolis, MN.

Spencer, A. C. (1999, April). *Stalkers and the MMPI-2*. Paper presented at the 34<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Huntington Beach, CA.

Spiro, R., Butcher, J. N., Levenson, M. Aldwin, C. & Bosse, R. (1993, August). *Personality change over five years: The MMPI-2 in older men*. Paper presented at the Annual Meetings of the American Psychological Association, Toronto, Canada.

- Stein, L. A. R., Graham, J. R., Ben-Porath, Y. S., & McNulty, J. L. (1998, March). *Incremental validity of two substance abuse scales (AAS & APS) in an outpatient mental health setting*. Paper presented at the 33<sup>rd</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Clearwater Beach, FL.
- Stein, L. A. R. & Graham, J. R. (1997, June). *Detecting fake-good MMPI-A profiles*. Paper presented at the 32<sup>ND</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Minneapolis, MN.
- Stein, L. A. R., McClinton, B. K., & Graham, R. (1996, June). *Stability of MMPI-A validity and clinical scales*. Paper presented at the 31<sup>st</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Minneapolis, MN.
- Stein, L. A. R., McClinton, B. K., & Graham, J. R. (1995, March). *Examination of possible ethnic differences on the MMPI-A*. Paper presented at the 30<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. St. Petersburg, FL.
- Stein, L. A. R., Graham, J. R., & Williams, C. L. (1994, May). *Detecting fake-bad MMPI-A profiles*. Paper presented at the 29<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Minneapolis, MN.
- Storm, J., Graham, J. R., Scheman, J., & Covington, E. (2000, May). *The Effectiveness of the MMPI-2 at Detecting Substance Abuse in Chronic Pain Patients*. Paper presented at the 35<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A. Minneapolis, MN.
- Storm, J. & Graham, J. R. (1999, April). *The Development of a New Scale to Detect Coached Malingering*. Paper presented at the 34<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Huntington Beach, CA.
- Storm, J. & Graham, J. R. (1998, March). *The effects of validity scale coaching on the ability to malinger psychopathology*. Paper presented at the 33<sup>rd</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Clearwater Beach, FL.
- Stransky, J. L., & Weed, N. C. (2003, June). *Relationship between the MMPI-2 PSY-5 scales and dispositional coping styles*. Paper presented at the 38<sup>th</sup> MMPI-2 Conference on Recent Developments in the Use of the MMPI-2 and MMPI-A Workshop and Symposia, Minneapolis, MN.

Stredny, R.V., Archer, R.P., & Mason, J.A. (2006). MMPI-2 and MCMI-III Characteristics of Parental Competency Examinees. *Journal of Personality Assessment*, 87, 113-115.

Strickland, O. L., Cantor, D. S., & Elmore, D. K. (1994, May). *MMPI-2 profiles & menstrual cycle symptom patterns in women with and without PMS*. Paper presented at the 29<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Minneapolis, MN.

Strong, D.R., Glassmire, D.M., Frederick, R.I., & Greene, R.L. (2006). Evaluating the latent structure of the MMPI-2 F(p) scale in a forensic sample: A taxometric analysis. *Psychological Assessment*, 18, 250-261.

Strong, D. R., Grabon, M. B., & Greene, R. L. (1995, March). *Contextual effects of self-deception and impression management on the MMPI-2*. Paper presented at the 30<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. St. Petersburg, FL.

Stroupe, M. A. & Weed, N. C. (1998, March). *Efficacy of the K-correction on the MMPI-A*. Paper presented at the 33<sup>rd</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Clearwater Beach, FL.

Svikis, D. S., Benedict, S., Butcher, J. N., Haug, N., Tran, G., & Pickens, R. (2001, March). *Characteristics of drug dependent women with valid and invalid MMPI-2 profiles*. Paper presented at the 36<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A, Safety Harbor, FL.

Svikis, D. S., Paluzzi, P., & Gorenstein, S. (1994, May). *Utility of the MMPI-2 in the evaluation of HIV & pregnant drug abusing women*. Paper presented at the 29<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Minneapolis, MN.

Tellegen, A., Ben-Porath, Y.S., Sellbom, M., Arbisi, P.A., McNulty, J.L., & Graham, J.R. (2006). Further Evidence on the Validity of the MMPI-2 Restructured Clinical (RC) Scales: Addressing Questions Raised by Rogers, Sewell, Harrison, and Jordan and Nichols. *Journal of Personality Assessment*, 87(2), 148-171.

Tellegen, A. (1996, June). *Restructuring the clinical scales*. Paper presented at the 31<sup>st</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Minneapolis, MN.

- Tellegen, A., Butcher, J. N., & Hoeglund. T. (1993, March). *Unisex norms for the MMPI-2 and MMPI-A: Are they needed? Would they work?* Paper presented at the 28<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. St. Petersburg Beach, FL.
- Tellegen, A. M. (1989, March). *New Uniform T-scores for the MMPI-2: Methodological issues.* Paper presented at the 97th Annual Convention of the American Psychological Association. New Orleans, LA.
- Tellegen, A. M. (1988, August). *Derivation of Uniform T-scores for the restandardized MMPI.* Paper presented at the 96th Annual Convention of the American Psychological Association. Atlanta, GA.
- Thompson-Pope, S. K., Moore, J. M., & Whited, R. M. (1994, May). *The association between MMPI-A scale scores and adolescent inpatient acting out.* Paper presented at the 29<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Minneapolis, MN.
- Timbrook, R. & Graham, J. R. (1992, May). *Ethnic differences on the MMPI-2?* Paper presented at the 27th Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Minneapolis, MN.
- Tinius, T., Meyer, R. K., & Weinberg, R. (1994, May). *Differences in gender and education on the MMPI-2 in three clinical populations.* Paper presented at the 29<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Minneapolis, MN.
- Tinius, T. & Ben-Porath, Y. S. (1993, March). *A comparative study of Native Americans and Caucasian Americans undergoing substance abuse treatment.* Paper presented at the 28<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. St. Petersburg Beach, FL.
- Tinwalla, A., & Ciccone, J.R. (2006). ADA and Medical Examinations: Use of the MMPI in Employee Screening for Promotions Violates the ADA. *Journal of the American Academy of Psychiatry and the Law*, 34, 255-257.
- Toyer, E. A. & Weed, N. C. (1998, March). *Norming and validation of the MMPI-A A-ADHD scale.* Paper presented at the 33<sup>rd</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Clearwater Beach, FL.

Toyer, E. A., Weed, N. C., & Williams, C. L. (1997, June). *Psychometric characteristics of the MMPI-A A-ADHD scale*. Paper presented at the 32<sup>ND</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Minneapolis, MN.

Toyer, E. A., Weed, N. C., & Park, H. L. (1995, March). *Development of an MMPI-A scale to assess attentional problems*. Paper presented at the 30<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. St. Petersburg, FL.

Toyer, E. A. & Weed, N. C. (1994, May). *Concurrent validity of the MMPI-A in a counseling program for juvenile offenders*. Paper presented at the 29<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Minneapolis, MN.

Ubstad, B. (1998, March). *Norwegian version of the MMPI-A*. Paper presented at the 33<sup>rd</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Clearwater Beach, FL.

Velasquez, R. J., Gutierrez, N. M., & Jimenez, R. (1999, April). *Development of a Bilingual MMPI-2 for Mexican Americans: Initial Psychometric Data*. Paper presented at the 34<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Huntington Beach, CA.

Velasquez, R. J., Ryszka, C., Gomez, Jr., F. C., Smith, M., King, D., Biskar, J., & Stokes, C. (1999, April). *Correlations between the MMPI-2 and Personality Assessment Screener (PAS) for Persons Seeking Services in a Homeless Shelter*. Paper presented at the 34<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Huntington Beach, CA.

Velasquez, R. J., Karle, H., & Callahan, W. (1994, May). *Comparability of the English and Spanish versions of the MMPI-2: A study of Latino university students*. Paper presented at the 29<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Minneapolis, MN.

Vendrig, A. A., deMey, H. M., & Derkzen, J. J. L. (1997, June). *A MMPI-2 factor analysis of chronic back pain patients*. Paper presented at the 32<sup>ND</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Minneapolis, MN.

Voelker, T. L. & Nichols, D. S. (1999, April). *MMPI-2 Correlates of the Psychopathy Check List-Revised (PCL-R)*. Paper presented at the 34<sup>th</sup> Annual Symposium on Recent

Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Huntington Beach, CA.

Walters, G. L. & Clopton, J. R. (1997, June). *The effect of symptom information and validity scale information on the malingering of depression on the MMPI-2*. Paper presented at the 32<sup>ND</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Minneapolis, MN.

Ware, M. D. & Claasen, C. A. (1999, April). *The MMPI-2, Racial Differences, and Associated Empirical Correlates*. Paper presented at the 34<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Huntington Beach, CA.

Watson, L. M. & Velasquez, R. J. (2000, May). *MMPI-2 Performance of Filipino- and Mexican-American's: Initial Findings*. Paper presented at the 35<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A. Minneapolis, MN.

Webb, J. T., Levitt, E. E. & Rojdev, R. (1993, March). *After three years: Comparing clinical use of MMPI-1 and MMPI-2*. Paper presented at the Midwinter Meeting of the Society for Personality Assessment, San Francisco, California.

Weed, N. C. & Noland, K. A. (1998, March). *MMPI research applications of the Mississippi Q-sort*. Paper presented at the 33<sup>rd</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Clearwater Beach, FL.

Weed, N. C. (1996, June). *Demonstration of classroom use of the interpretive Q-sort*. Paper presented at the 31<sup>st</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Minneapolis, MN.

Weed, N. C. (1995, March). *Using Q-sorts to teach MMPI-2 interpretation*. Paper presented at the 30<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. St. Petersburg, FL.

Weed, N. C., Butcher, J. N., Ben-Porath, Y. S., & Han, K. (1994, May). *Internal structure of MMPI-2 substance abuse scales*. Paper presented at the 29<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Minneapolis, MN.

Weed, N. C. & Han, K. *Dyadic agreement on the MMPI-2*. Paper presented at the 27th Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Minneapolis, MN.

- Weida, A. (1992, May). *MMPI-2 characteristics of adult male inpatients who have been sexually abused*. Paper presented at the 27th Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Minneapolis, MN.
- Wetter, M. W. & Tharpe, B. (1995, March). *Sensitivity of the TRIN scale on the MMPI-2*. Paper presented at the 30<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. St. Petersburg, FL.
- White Ray, J. (1997, June). *An examination of marital satisfaction and MMPI-2 profiles of veterans wives*. Paper presented at the 32<sup>ND</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Minneapolis, MN.
- Whitacre, W. S. (1995, March). *MMPI-2 invalidity rates of incarcerated youthful sex offenders*. Paper presented at the 30<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. St. Petersburg, FL.
- Willen, E. J. & Gass, C. S. (1998, March). *Common misuses of the MMPI-2 in neuropsychological practice*. Paper presented at the 33<sup>rd</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Clearwater Beach, FL.
- Williams, C. L. & Perry, C. (1994, May). *An evaluation of a 6<sup>th</sup> grade prevention program for alcohol use with several MMPI-A scales*. Paper presented at the 29<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Minneapolis, MN.
- Williams, C. L., Ben-Porath, Y. S., Butcher, J. N., & Graham, J. R. (1989, April). *External validity of the MMPI-2 Content Scales*. Paper presented at the 50th Anniversary Meeting of the Society for Personality Assessment. New York, NY.
- Williams, J. E. & Weed, N. C. (2003, June). *Using a web-based Q-sort program to teach MMPI-2 interpretation*. Paper presented at the 38<sup>th</sup> MMPI-2 Conference on Recent Developments in the Use of the MMPI-2 and MMPI-A Workshop and Symposia, Minneapolis, MN.
- Williams, J. E. & Weed, N. C. (2001, March). *Computer based test interpretations of the MMPI-2: A comparative software review*. Paper presented at the 36<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A, Safety Harbor, FL. □
- Wright, T. & Velasquez, R. J. (2001, March). *Locus of control and MMPI-2 for Latinos*. Paper presented at the 36<sup>th</sup> Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A, Safety Harbor, FL.

